

Planning Department  
2000 S.W. First Avenue  
Portland, OR 97201-5398  
(503) 221-1646 Fax 273-5585

---

DATE: November 5, 1992  
TO: JPACT members  
FROM: Andy Cotugno  
SUB: Region 2040 Growth Concepts - Resolution 92-1712

Attached is a draft copy of a resolution and attachments that describe the regional growth concepts that could be considered to be a "reasonable range" of choices to be evaluated during Phase II of Region 2040.

We would like to review and refine this document as the list of basic assumptions to be used during the evaluation phase of Region 2040. We would like to conclude this task by JPACT's December 10 meeting.

It is important that we include all significant choices that the region may wish to consider. If there are further concepts that you believe should be added to those already described, we urge you to bring them to the meeting for discussion.

We are developing a summary of public responses made to date and will be providing a copy of this to you in the very near future.

Thank you.

BEFORE THE COUNCIL OF THE  
METROPOLITAN SERVICE DISTRICT

FOR THE PURPOSE OF DESIGNATING THE )	RESOLUTION NO. 92 - 1712
REGIONAL GROWTH CONCEPTS TO BE )	
EVALUATED IN PHASE II OF THE )	Introduced by Rena Cusma,
REGION 2040 PROJECT )	Executive Officer

WHEREAS, The Metro Council adopted the Regional Urban Growth Goals and Objectives; and

WHEREAS, the region has called for the development of alternative urban forms for evaluation in considering ways to implement the Regional Urban Growth Goals and Objectives; and

WHEREAS, The Region 2040 project has been undertaken to guide Metro in the management of the Portland metropolitan area urban growth boundary, the Regional Transportation plan and to help insure that transportation and land use are coordinated; and

WHEREAS, The Region 2040 project is intended to address the concerns of the region about the long-term aspects of growth in the region; and

WHEREAS, The approved work program for Region 2040 Phase I calls for Metro to determine a reasonable range of alternatives for accommodating growth to be evaluated in Phase II; and

WHEREAS, The Region 2040 project has completed a telephone survey of over 400 randomly selected citizens of the region about their concerns and values about growth; and

WHEREAS, two series of workshops with the elected and appointed officials of the cities and counties of the region have been conducted in the spring and fall of this year

concerning growth in the region; and

WHEREAS, interviews with 52 representatives of public and private agencies and organizations from throughout the region have been conducted gathering their thoughts about growth in the region; and

WHEREAS, two series of public workshops and open houses advertised in the newspaper of general circulation as well as community newspapers, were held during the spring and fall of this year and gathered public values and concerns about growth in the region; and

WHEREAS, 20,000 copies of a 12 page publication were prepared and distributed this fall which provided a background, possible growth choices and provided the opportunity for citizens of the region to add or amend growth concepts; and

WHEREAS, RTAC and TPAC, RPAC and JPACT have reviewed, revised and recommend the evaluation of these regional growth concepts; now, therefore

BE IT RESOLVED,

1. That the Metro Council directs staff to begin evaluation of basic growth concepts as follows: Concept "A", continuing with current policies, which accommodates forecasted growth to the year 2040 through implementation of currently adopted comprehensive plans and continued expansion of the urban growth boundary; Concept "B", growing inside the urban growth boundary, which accommodates forecasted growth to the year 2040 by not enlarging the present urban growth boundary and increasing development intensities focused on transit inside the current boundary; and Concept "C", communities growing at the edge, which accommodates forecasted growth to the year 2040 through

RESOLUTION NO. 92-1712

page 2 of 4

some increases in intensities of use inside the current urban growth boundary and by some growth occurring areas of concentrated urban development outside the current urban growth boundary; and Concept "D"/"E"/"F" (to be added as necessary in response to public comment).

2. That a base case for comparison purposes will be developed to provide an examination of the implications of implementing existing plans and policies not including new provisions of the State's Transportation Rule and Urban Reserve Rule, the Regional Urban Growth Goals and Objectives or the Federal Clean Air Act as recently amended.

3. Examination of each growth concept will take into consideration its affect on growth in surrounding communities.

4. That the concepts described above in 1, constitute a reasonable range of choice for regional growth alternatives.

5. That the concepts described above in 1, could be designed in a myriad of ways and are subject to further technical definition, but that attachment "1" outlines examples of basic elements of each alternative. The variations described in attachment "1" shall be evaluated. However, during Phase II of the project, other variations may be developed or proposed and attachment "1" is not intended to limit the possibility of other variations being tested.

6. That all concepts will strive to be workable models and will endeavor to meet the intent of newly adopted policies and requirements including Metro's Regional Urban Growth Goals and Objectives and the State of Oregon's Transportation Rule and Urban Reserve Rule as well as the Federal Clean Air Act as recently amended.

7. That each concept will be evaluated in relationship to the Greenspaces Master Plan.

8. That for each of the regional growth concepts, Region 2040 shall develop a further level of detail which facilitates evaluation in terms of livability, economic, governmental and social costs, benefits and impacts. Several variations to each concept may be considered. It is Metro's intention for the process of refinement and evaluation to be as inclusive as possible to encourage participation and ultimate consensus on alternatives.

ADOPTED by the Council of the Metropolitan Service District this \_\_\_\_ day of \_\_\_\_\_, 1992.

---

Jim Gardner, Presiding Officer

## Possible Refinements to Designated Regional Growth Concepts

For each concept there will be developed a further definition of detail sufficient to allow evaluation of impacts on liveability and economic vitality. Numerous variations of each concept are possible. The following are a minimum set that will be developed.

### Concept "A", Continuing with Current Policies

The basic framework for Concept "A" is existing comprehensive land use plans and current urban growth boundary policies.

1. Concept "A" will be refined to determine the location for expansion of the urban growth boundary considering the following factors: a) contiguity with the existing boundary, b) a balanced consideration of factors 3 through 7 of Goal 14, including accessibility of expansion areas to the jobs of the region, the ease of providing sanitary sewers and avoidance, where possible, of rural resource lands, c) no expansion into floodplains or the Columbia Gorge Scenic area.
- 2) Two variations of the highway system would include: a) the Sunrise Corridor, Mt. Hood Parkway and Western Bypass as freeway level facilities and b) the Sunrise Corridor, Mt. Hood and the Western Bypass as arterial, non-freeway improvements.
- 3) The Transit assumptions will include a basic radial transit system in which: a) the east-west light rail line from Gresham to Hillsboro will exist b) there will be north-south light rail service connecting Milwaukie, Clackamas Town Center, Vancouver and Portland International Airport, c) there will be an additional radial light rail line to the southwest quadrant of the region, and d) the light rail and bus transit service level will be that described in the existing Regional Transportation Plan. A basic level of bicycle and pedestrian improvements would be included in this option.

### Concept "B", Growing Inside the Urban Growth Boundary

A basic assumption of Concept "B" is that the current urban growth boundary would not be expanded.

1. Concept "B" will include accommodating the forecast growth for population and employment to the year 2040 inside the current urban growth boundary by a more intensive use of land focused on transit. LUTRAQ and the Livable City projects would provide more specific local models for how land use intensification could occur in this concept focused on high capacity transit line intersections and transit "Main Streets".

2. Transit would be assumed to: a) have the most extensive transit level of service of any concept, b) consist of a radial high capacity transit system with an east-west component from Forest Grove to Gresham and north-south lines which connect areas north of Vancouver, Washington, Portland International Airport, Clackamas Town Center, Milwaukie and Oregon City, c) include an additional radial light rail line to the southwest quadrant of the region; d) include a circumferential high capacity transit system on the southern end of the region and e) have a level of transit service consistent with that described in Tri-Met's proposed Strategic Plan. The highest level of bicycle and pedestrian improvements would be reflected in this option.

3. The Highway system would: a) continue with the radial system currently in use, with expansions as necessary, b) include the arterial alternatives for the Western Bypass, Sunrise Corridor or Mt. Hood Parkway.

#### Concept "C", Communities Growing at the Edge

A basic assumption of Concept "C" is that the current urban growth boundary would not be expanded in a contiguous manner. Rather, three satellite centers would be added as places to accommodate growth. An initial definition of satellite centers includes centers sized to accommodate 40-60,000 people, with alternative locations considered primarily on flatter, non-rural resource lands.

1. Approximately two-thirds of the forecast growth would be accommodated within the current urban growth boundary and the balance in satellite centers outside the current urban growth boundary as guided by forecasts of demand.

2. High capacity transit would be assumed to include both radial and circumferential lines, with service including: a) east-west from Forest Grove to Gresham, north-south from areas north of Vancouver Washington, to Portland International Airport, Clackamas Town Center, Milwaukie and Oregon City; b) a southern circumferential line; c) an additional radial light rail line to the southwest quadrant of the region. Satellite centers would be provided high capacity transit service. The level of transit service would be less than that recommended in the Tri-Met proposed Strategic Plan, but higher than the current Regional Transportation Plan. A moderate level of bicycle and pedestrian improvements would be included in this concept.

#### Concept D/E/F (to be added if necessary in response to public comments)

#### Base Case

1. This base case will reflect past practices. Recently adopted but not yet implemented policies such as the Transportation Rule, Clean Air Act or the Regional Urban Growth Goals and Objectives will not be included. The light rail system will be limited to an east-west line from Gresham to Hillsboro with a modest level of transit service. The base case will also assume that underbuilding, or development at less than the maximum densities allowed by existing comprehensive plans, will occur consistent with historical experience.

## Attachment "2"

### Options for Addressing Slow or No Growth Concerns

There are three options<sup>1</sup> to choose how to address the Slow or No Growth Concerns. They are:

1. Include as a growth concept "D", a slow growth option.
2. Complete a study of growth pressures, describing the benefits and costs of growth, no growth and negative growth; identifying present actions that encourage growth and possible actions which could discourage growth; and evaluating urban form options in terms of their adaptability to different growth rates. Analysis of the top 4 or 5 forces that affect growth and would be affected by a change in growth policies should be emphasized.
3. Develop a policy process which provides a method of making policy choices including a range of concepts from encouraging growth to no growth to negative growth.

---

<sup>1</sup> All options should include consideration of the economic and environmental quality of life issues that would be affected by a slow growth approach.



## STAFF REPORT

### CONSIDERATION OF RESOLUTION NO. 92-1706 FOR THE PURPOSE OF ENDORISING ALTERNATIVES FOR EVALUATION IN THE DRAFT ENVIRON- MENTAL IMPACT STATEMENT (DEIS) PHASE OF THE WESTERN BYPASS STUDY

Date: October 22, 1992

Presented by: Andrew Cotugno

## PROPOSED ACTION

Endorsement of five alternatives carried for further consideration in the Draft Environmental Impact Statement (DEIS), with the eventual goal of determining a preferred alternative to continue to the Final Environmental Impact Statement (FEIS).

TPAC has reviewed this resolution and recommends approval of Resolution No. 92-1706.

## FACTUAL BACKGROUND AND ANALYSIS

An evaluation of strategies to help solve the circumferential (as opposed to radial) travel needs of the western side of the Portland urban area has been completed. The information gleaned from this process has led to the definition of five alternatives for further study. The analysis of these five alternatives is expected to lead to a preferred alternative, which may be one of these alternatives or an amalgam of two or more of them.

The end of the strategy evaluation led to the adoption of Resolution 92-1620A by the Council which accepted the deletion of the "Transit-Intensive Strategy" which included light rail on the 217 alignment as a component of a "transit only" solution and the far western Bypass option. This left four alternatives that had been studied as part of the ODOT process: No-Build (existing plus currently funded), Planned Projects/TSM (existing plus currently funded plus expected funding), Arterial Expansion with Express Lanes on Highway 217, and Bypass -- an arterial, expressway or freeway facility in part outside the Urban Growth Boundary (all except the No-Build included a high-capacity transit (HCT) element modeled as express buses on Highway 217). This same resolution required the consideration of Light Rail Transit (LRT) as the HCT element in at least one alternative and the requirement to not preclude this as part of the long-range solution.

At the time, an alternative was being developed by 1000 Friends of Oregon, dubbed the "Land Use Transit And Air Quality" "LUTRAQ" solution. This solution looked to land use designation and design changes as a part of the transportation solution as well as a transit-supportive land use arrangement and assumed a Light Rail element in the Highway 217 corridor as the HCT element.

An evaluation of this last LUTRAQ alternative by ODOT led to the recommendation in this resolution to include it for analysis in the DEIS.

While the High-Capacity Transit element in the first four alternatives is being analyzed as express bus, the actual form of HCT could as well be LRT following an alternatives analysis by Tri-Met or Metro. This is a corridor level analysis and will not get to the final alignment nor design details of the alternative carried forward as a preferred alternative. There is thus no action being taken that would preclude the inclusion of LRT as the HCT element in any of the alternatives.

#### EXECUTIVE OFFICER'S RECOMMENDATION

The Executive Officer recommends adoption of Resolution No. 92-1706.



**METRO**

2000 S.W. First Avenue  
Portland, OR 97201-5398  
503/221-1646

# Memorandum

ATTACHMENT A

Date: October 13, 1992  
To: TPAC  
From: Western TAC and CAC  
Re: Western Bypass Study TAC and CAC Recommendations

## Technical Advisory Committee

Bob Cortright moved and Roy Gibson seconded, that the five alternatives (Bypass, Planned Projects/Transportation System Management (TSM), Arterial Expansion/High Occupancy Vehicle Express, Bypass, and 1000 Friends of Oregon's LUTRAQ) recommended by the study team (see October 6, 1992 document titled "Recommended Western Bypass Study Alternatives for the Draft Environmental Impact Statement") be carried forward into the Draft Environmental Impact Statement (DEIS) phase of the Western Bypass Study for the purpose of analyzing a broad range of alternatives and documenting their associated impacts. They represent a viable range of alternatives with reasonable transportation performances because each one performs better than the No-Build Alternative for all transportation-related evaluation criteria in the study. Each of the alternatives is different in its approach to meeting the study objectives, and would result in distinct impacts if implemented. Endorsement of this recommendation by committee members represents consensus for further study, and is not a decision for approval of any alternative or element of it for implementation.

In addition, one proposed modeling modification from the Transportation System Management (TSM) Alternative (Scholls Ferry Road widened to seven lanes) will be removed from that alternative and be included in the Arterial Expansion/High Occupancy Vehicle Express and the Bypass Alternatives.

Also, projects shown in the TSM Alternative that have already been completed will be included in the LUTRAQ Alternative.

## Citizens Advisory Committee

Mary Tobias moved and Cathy Stanton seconded, that the Citizens Advisory Committee make the same recommendation as the Technical Advisory Committee.

## Steering Committee

The steering committee recommended, with one negative vote, the same recommendation as the Citizens Advisory Committee.

October 19, 1992

DEPARTMENT OF  
TRANSPORTATION

HIGHWAY DIVISION

Region 1

FILE CODE:

Jim Gardner  
Presiding Officer  
Metro  
2000 S.W. First Avenue  
Portland, Oregon 97201-5398

Please refer to your letter of September 25, 1992, regarding JPACT and Metro Council action on elimination of the "Western Bypass Option B" and the "Transit-Intensive" Strategies from further consideration as alternatives in the Western Bypass Study (WBS). Your letter addresses conditions included in Resolution 92-1620A regarding LRT in the Western Bypass Study alternatives. I would like to discuss in more detail how the WBS intends to address the resolution.

Our WBS advisory committees met last week to approve five alternatives for further study in a Draft Environmental Impact Statement. The alternatives are:

1. No Build
2. Planned Projects/TSM
3. Arterial Expansion/High-Occupancy Vehicle Express
4. Bypass
5. LUTRAQ

A detailed description is attached for your review. We will begin the Intergovernmental Agreement process at the October 30, 1992 meeting of TPAC, followed by JPACT and Metro Council. We will then return to the Oregon Transportation Commission following these decisions with a request for additional funding to complete the DEIS.

All build alternatives include high-capacity transit in the Highway 217 corridor. LUTRAQ uses LRT as the high-capacity transit element in the Highway 217 corridor. With Tri-Met's concurrence, WBS has chosen to use express buses as the high-capacity transit element in the TSM, arterial expansion, and bypass alternatives. Express bus was chosen



9002 SE McLoughlin  
Milwaukie, OR 97222  
(503) 653-3090  
FAX (503) 653-3267

because of its flexibility between now and the study design year of 2010. WBS has addressed further consideration of LRT by inclusion of the LUTRAQ alternative in the DEIS process. This offers the possibility of LRT being part of the preferred alternative.

WBS is a corridor-level analysis. Improvements identified will not be specifically located on the ground. Perhaps the best way to explain this is to use the Planned Projects alternative, improvement on Highway 217. This improvement would add one lane in each direction. The improvement is feasible but the exact location of the lanes, or any interchange redesigns, would be left to detailed project development following selection of a preferred alternative by local governments. WBS will not produce detailed designs for any alternative. Without detailed, project-level designs, including identification of transit operations, it would be impossible to identify the best location for LRT. During any future project design work on Highway 217, the most recent decision on the type of high-capacity transit reflected in the RTP will be included. Our analysis to date confirms there is sufficient room in the Highway 217 corridor to include highway and transit improvements.

Funding the improvements of the preferred alternative will be accomplished via the established regional consensus process. This reflects the RTP region priority recommendations to ODOT. ODOT will continue to work with local and regional government to develop funding proposals that implement the OTP and RTP policies and directions. Funding commitments to date for ODOT improvements are listed in the 1993-1998 Six-Year Transportation Improvement Program.

I would be happy to discuss this further with you at your convenience.



Michal Wert  
Project Development Manager

cc: Don Adams  
Andy Cotugno

MW:BC:po  
jgbc1005.c



# METRO

2000 SW First Avenue  
Portland, OR 97201-5398  
(503) 221-1646  
Fax 241-7417

ATTACHMENT B  
Page 3

September 25, 1992

Ms. Michal Wert  
ODOT, Metro Region  
9002 SE McLoughlin Blvd.  
Milwaukie, OR 97222

Dear Michal:

At the August 13, 1992 meeting of JPACT and the September 10, 1992 meeting of the Metro Council, the attached resolutions were adopted relating to elimination of two Western Bypass "Strategies" from further consideration in the "Alternatives" phase of the study. These resolutions include the following provisions.

1. The "Western Bypass Option B" is recommended to be dropped for further consideration.
2. The "Transit-Intensive" strategy is recommended to be dropped from further consideration. However, there are a number of conditions about the status of LRT as a result of this action:
  - a. Although a "Transit-Intensive" strategy, including LRT, is dropped from further consideration, a combination strategy which includes LRT, support bus services and needed highway projects should be evaluated further before the final alternatives are approved for inclusion in the Draft Environmental Impact Statement (DEIS). In this manner, a decision can be made as to whether a combination highway/LRT alternative should proceed into the DEIS, a combination highway/bus (with express HOV lanes) alternative should proceed into the DEIS or both.
  - b. All alternatives included in the DEIS should be designed in such a way to not preclude future implementation of LRT. In order to accomplish this, all alternatives approved for inclusion in the DEIS (particularly the non-LRT alternatives) should explicitly identify the intended location for future LRT to ensure future construction is not precluded.

Executive Officer  
Rena Cusma

Metro Council

Jim Gardner  
Presiding Officer  
District 3

Judy Wyers  
Deputy Presiding  
Officer  
District 8

Susan McLain  
District 1

Lawrence Bauer  
District 2

Ed Devlin  
District 4

Edward P. Gronke  
District 5

George Van Bergen  
District 6

Ruth McFarland  
District 7

Tanya Collier  
District 9

Roger Buchanan  
District 10

Ed Washington  
District 11

Sandi Hansen  
District 12

MICHAL WERT  
September 25, 1992  
Page 2

- c. Another LRT alternative may be included in the DEIS through acceptance of the LUTRAQ alternatives for further consideration. If the LUTRAQ study, sponsored by 1000 Friends of Oregon, produces a viable land use/transportation alternative to the Bypass, it will be approved for inclusion in the DEIS. The LUTRAQ alternative and the other Bypass alternatives should be considered for approval for inclusion in the DEIS as a single consolidated action. If necessary, approval of the Bypass alternatives for inclusion in the DEIS should be delayed until the LUTRAQ alternative can also be considered.
- d. LRT is not being dropped from the Regional Transportation Plan (RTP) as a possible improvement in the Highway 217 Corridor. If a decision is made that LRT is not a viable component of the solution to the Western circumferential travel problem intended to be addressed by the Western Bypass, it will be retained in the RTP for other purposes.

In addition to action on these two "Strategies," we have concern about ODOT's commitment to fund the preferred alternative resulting from this process. If alternatives to a Bypass are evaluated in the DEIS, then the preferred alternative resulting from this process should be funded. The decision-making process should not be biased by the prospect of securing an Access Oregon funding commitment for the Bypass alternative while leaving the funding prospect for the other alternatives uncertain. This is particularly true under the flexibility provisions now available through ISTEA. Before the alternatives are approved for inclusion in the DEIS, we need to know the intent of the Oregon Transportation Commission on this matter.

Thank you for your consideration on these matters.

Sincerely,



Jim Gardner  
Presiding Officer

cc: Don Adams, ODOT

Enclosures

# METRO

2000 SW First Avenue  
Portland, OR 97201-5398  
(503) 221-1646  
Fax 241-7417

ATTACHMENT B  
Page 5

September 25, 1992

Mr. Don Adams  
ODOT, Metro Region  
9002 SE McLoughlin Blvd.  
Milwaukie, OR 97222

Dear Don:

Attached is a letter to Michal Wert regarding concerns raised by JPACT and the Metro Council on the elimination of strategies from further consideration in the Western Bypass Study. One of the major areas of concern dealt with the question of whether ODOT is committed to fund the preferred alternative resulting from the study, regardless of the result, or only a Bypass option. Because of the new direction set in the Oregon Transportation Plan, increased flexibility for funding provided by ISTEA and the importance of completing the EIS in a manner unbiased by funding preferences, this is a significant policy concern. In addition, it has ramifications for other funding concerns throughout the region.

As a member of JPACT, could you please ensure this is addressed by the Oregon Transportation Commission and discussed further at JPACT.

Sincerely,

*Jim Gardner*

Jim Gardner  
Presiding Officer

JG:ACC:pa

Enclosure

Executive Officer  
Rena Cusma

Metro Council

Jim Gardner  
Presiding Officer  
District 3

Judy Wyers  
Deputy Presiding  
Officer  
District 8

Susan McLain  
District 1

Lawrence Bauer  
District 2

Ed Devlin  
District 4

Edward P. Gronke  
District 5

George Van Bergen  
District 6

Ruth McFarland  
District 7

Tanya Collier  
District 9

Roger Buchanan  
District 10

Ed Washington  
District 11

Sandi Hansen  
District 12



October 19, 1992

DEPARTMENT OF  
TRANSPORTATION

HIGHWAY DIVISION

Region 1

FILE CODE:

Jim Howell  
Oregon Association of Railway Passengers  
3325 N.E. 45th  
Portland, Oregon 97213

We appreciate your suggestions on a rail alternative for consideration in the Western Bypass Study (WBS). Attached is ODOT's evaluation and conclusions on the Circumferential Rail Strategy presented by you at TPAC in 1991.

As noted in the evaluation, the rail strategy does not address circumferential travel problems in Washington County as defined in the Western Bypass Statement of Purpose and Need. It will, therefore, not be included as an alternative to be evaluated in the Draft Environmental Impact Statement but will be discussed as a strategy considered and dismissed from further evaluation in the WBS.

Please call Bill Ciz at 653-3240 if you have any questions.



Michal Wert  
Project Development Manager

MW:po

Attachment

jhbcmw.e



9002 SE McLoughlin  
Milwaukie, OR 97222  
(503) 653-3090  
FAX (503) 653-3267

# WESTERN BYPASS STUDY

Oregon Department of Transportation

## CIRCUMFERENTIAL TRANSIT ALTERNATIVE EVALUATION

October 8, 1992

### INTRODUCTION

The purpose of this memorandum is to respond to a request by the Oregon Association of Railway Passengers (OARP) for an evaluation of a "Circumferential Rail Strategy", as described in a document entitled "An Alternative Transit Strategy to the Western Bypass", dated July 1991. The OARP document contains a general description of a circumferential passenger rail alternative of unspecified characteristics, following an alignment shown in Exhibit 1.

The rail routes described in the OARP document are not a formal alternative or strategy, in the sense that these terms are used in the Western Bypass Study process. The "rail strategy" described in the document does not include descriptions of any particular technology or its operating characteristics. However, this does not preclude evaluating the transportation consequences of implementing the circumferential rail strategy, in general terms, as it relates to the goals and objectives for the Western Bypass Study (WBS).

The circumferential rail strategy consists of a high quality rail system operating from Forest Grove to Beaverton and from Beaverton to Tigard and Lake Oswego, all following a right-of-way currently owned by private railroad companies. The strategy also includes an extension of such service across the Willamette River to Milwaukie, at which point it would follow an existing right-of-way in public ownership, similar to one of the alternatives currently being studied in METRO's preliminary alternatives analysis for the I-205 - Milwaukie Corridor. The service would include stops at the Gateway Transit Center where it could connect with the existing MAX LRT line. Assuming the purchase of the railroad right-of-way and the resolution of any issues regarding potential simultaneous use of this right-of-way for both freight and passenger surface, this memorandum will describe several transportation systems performance measures which we are able to estimate for the line, using other existing data. Consistent with the methodology for strategies in this study, the estimate of cost or consideration of funding is not included at this conceptual stage. Rather we look to see if the strategy provides a solution to the transportation problems identified for the WBS study.

It should be noted that the transit corridor between Gateway and Forest Grove would represent high capacity transit (HCT) service which has already been contemplated by the Regional Transportation Plan. Thus, while the Forest Grove to Gateway "circumferential" rail line should, in the words of its proponents, be evaluated as "part of a bigger picture approach in order to be effective", much of the service has already been considered in regional planning. In the WBS area, HCT service from Hillsboro to Tigard has been included

in several forms in different strategies. It has been documented in previous analyses that a strategy focused on circumferential LRT terminating at Tigard and Hillsboro does not work to solve the problems identified in the WBS. In Exhibit 1, OARP itself states that "a rapid light rail line on Barbur (Boulevard), a short rail line segment between Beaverton and Tigard and buses caught in congested mixed traffic do not adequately address the intra-suburban travel needs which produce current congestion."

It must be noted that the purpose of this memorandum is to evaluate the merits of this circumferential rail strategy in the context of the WBS and its unique study area (See Exhibit 2). The broad regional benefits to the Portland Metropolitan area are not properly the subject of this analysis or the WBS. The important question is not regional, but study area specific. How many of the study area trips currently made by auto could be shifted to transit if the transit intensive strategy previously investigated (and dismissed from further consideration because it was not a viable alternative for this study) were extended as outlined in the OARP proposal? Moreover, what effect would this shift to transit have on reliance on the single occupancy vehicle and congestion reduction in the WBS area?

Therefore, this rail strategy is evaluated in the context of the WBS's goals and objectives and evaluation criteria, which are not focused on transit ridership in itself except as it addresses broader questions of accessibility, travel demand and congestion. Since the WBS is neither a multi-county, regional transportation analysis nor a transit study, the focus of our analysis will be on the WBS area and on the criteria developed for evaluation of strategies.

## **ANALYSIS**

### **Western Bypass Study**

In a previously published document<sup>1</sup> the study team reviewed background data and travel demand forecasts both current and for the year 2010 under the no-build scenario in order to gain an understanding of regional travel patterns and behavior. This analysis provides a useful context for the evaluation of a circumferential rail strategy.

Sixty-eight percent of the vehicle trips forecast to occur in the study area in the 2010 will be local trips, defined as one of less than six miles in length, an increase from 61% in 1988. This indicates a growing importance of trips in the study area rather than through the region (See Exhibit 3).

As shown in Exhibit 4, the portions of the region east of the Willamette River which would be connected to the study area by a Willamette River crossing will experience person trip and vehicle trip growth at or below the average for the WBS area. Specifically, trips from the east Portland/Multnomah County District are estimated to grow by 17% by 2010, in comparison with a regional average of 37% and a study area growth of 66%. Trips in District 18, east Clackamas County, are forecast to grow by 39.5% during the same period of time. Proportionally, these rates of growth in person trips are below that found in most districts in the study area.

As further shown in Exhibit 5, the trend between 1988 and 2010 is for a reduction in the number of work vehicle trips at the PM peak hour with destinations outside the study area. This is because employment is expected to grow at a faster rate than households in the study area, and more people will live and work in the study area. Trips from the study area

---

<sup>1</sup>1988 Existing and 2010 No-Build Forecasting Analysis Results, October 26, 1990

to District 4 (West Linn) will decline from 13.2% to 10.9% of the total study area work trips. Trips to east Portland/Multnomah County will decline from 8.9% to 4.5%. Trips to east Clackamas County will decline from 6.0% to 5.1%. This supports the growing importance of circumferential trips with origins and destinations within the WBS area identified in the Statement of Purpose and Need, and the need to focus on how to meet the travel demand associated with these trips.

#### **Additional Analysis By METRO**

With this as background, additional data in the form of an estimate of transit patronage on a line similar to the Circumferential Rail Strategy is available from a document previously prepared by METRO<sup>2</sup>. A comparison of its conclusions with the problems identified in this study can be made. In this document METRO analyzed ridership potential on "railbus" service between Hillsboro and Gresham in order to determine its impact on traffic congestion in the southeast part of the region. The option evaluated in that document consisted of two rail lines, the Portland Traction Company (PTC) line from Gresham to Milwaukie and the Tillamook branch of the Southern Pacific Railroad from Milwaukie to Hillsboro. The report notes that the Southern Pacific line "is a main trunk line and is not for sale at this time"; nevertheless the analysis was conducted under the assumption that service would be provided uniformly along the line using a technology which is essentially a diesel power transit vehicle which operates on railroad tracks instead of paved streets.

While the line evaluated in this Metro report extends to Hillsboro and not Forest Grove, on the west, and to Gresham rather than Gateway, on the east, it serves as the best available analysis using the Regional Transportation Model for the circumferential rail strategy proposed by OARP. Its design year (2009) is essentially identical to that of the WBS (2010). The advantage of analyzing travel demand forecast data for this "railbus" option is to establish order of magnitude impacts which can be viewed as similar to those which might be expected from the implementation of the circumferential rail strategy.

The forecasts of travel behavior described in the memorandum are based upon an average travel speed of railbus vehicles on the line of 30 mph, inclusive of acceleration/deceleration and dwell time. These travel times are faster than times which can be expected to result from the use of light rail vehicles in this corridor, assuming that station stops and vehicle technology are similar to those used in the Westside and the Gresham line. Thus the travel speeds associated with this option are quite attractive relative to other transit choices available in the region today.

The memorandum authors also assumed that the railbus system would be fully integrated with existing transit service, including LRT and bus service. Thus at each of the transit centers it is assumed the full complement of Tri-Met buses would intersect with the railbus. These include fifteen lines at the Beaverton Transit Center, 9 at Tigard, 7 at Lake Oswego and 13 at Milwaukie.

With this high level of service and with the travel speeds noted above, METRO estimated that transit travel between zones which roughly correspond to the WBS area and those in the southeastern and eastern portions of the metropolitan area would increase by 15% over the levels forecast for the RTP in the absence of this service. This corresponds to approximately 1600 daily riders. Travel between those zones west of the Willamette River and those zones east of the Willamette River was forecast to increase by 1.5% over the RTP baseline totals. This corresponds to an increase of approximately 2000 riders per day (See Exhibit 6).

---

<sup>2</sup>"Expanded Transit Alternative: Assumptions and Analysis", METRO, July, 1988

The small net increase in daily riders on the transit system was concluded in the METRO study to result from the fact that five out of six of the new riders on the expanded "railbus" system would come from other transit routes and service. The rail option clearly would not generate significant additional ridership for the transit system as a whole, as analyzed by METRO.

Since an examination of transit ridership is not an end in itself, in the context of the Western Bypass Study, it is important to analyze the effects of this expanded transit service on vehicle volumes. The METRO analysis concluded that,

"The amount of regional travel with expanded transit service is reduced by 3300 vehicles from the RTP level of 4.9 million vehicles. When converted to p.m. peak travel, the difference between the two scenarios is only 400 (regional) vehicles."

Thus the introduction of expanded travel service in the form of railbus between Gresham and Hillsboro would reduce daily regional vehicle trips by less than 1/10th of one percent throughout the metropolitan area.

### **OVERALL CONCLUSIONS**

It is well documented that fixed guideway HCT transit service does not operate as effectively in a land use environment where both origins and destinations are widely dispersed. The planned land uses for the circumferential rail corridor certainly fit this description, and it is no surprise that the effects of the operation of circumferential rail transit would be modest, at best. Moreover, alternatives currently under development in the WBS include options for transit service which respond to those disperse land uses and related travel demand assumptions.

Based on this information, and on an analysis of travel behavior of the region's residents forecast for the year 2010, there is no basis for concluding that the Circumferential Rail Strategy would make a meaningful contribution to meeting the goals and objectives of the WBS process. While this strategy may be considered in other studies as a means for providing transit service, there is no basis for concluding that there will be meaningful reductions in vehicle trips, vehicle miles traveled or congestion in the WBS area as a result of the construction of such an alternative, or the addition of this extended HCT element as part of an alternative in the WBS.

Based on the identified Purpose and Need, the Circumferential Rail Strategy does not represent an option significantly different in performance than the Transit Intensive (LRT) Strategy which has been previously analyzed and dismissed from further study. The Circumferential Rail Strategy will not be included for further analysis in the WBS. This analysis, however, will be included in the Draft Environmental Impact Statement in the section under "alternatives considered but not advanced for further study".

## All the "Build" Options, including Transit Options, Violate State Goals

Each of the build alternatives involves adding capacity to the arterial and highway network in direct violation of LCDC Goal 12, which calls for reduction in vehicle-miles-travelled (VMT). It is well documented that added lanes increase VMT, by encouraging greater use of the roadway system.

## Current Transit Strategies are Far Too Weak to have Real Impact on VMT

A radial Light Rail line on Barbur, a short Light Rail segment between Beaverton and Tigard and buses caught in congested mixed traffic do not adequately address the intra-suburban travel needs which produce current congestion. The quality and orientation of the proposed transit service would be insufficient to attract many people out of their automobiles. In addition, these transit strategies include significant highway expansion which is not directly related to transit and is not funded. An effective transit strategy must start from the "No Build" base, which still involves considerable highway expansion over current conditions.

## Transit Strategies Don't Really Address Primary Issue of Circumferential Travel

Even under the Transit Intensive strategy, the proposed links and transfers would not provide for convenient and attractive circumferential transit travel.

## A Comprehensive Intensive Transit Strategy is Needed


The transit strategy needs to be part of a bigger picture approach in order to be effective. The highway solution builds on a well-developed regional highway network, which extends outside of the Study Area. It is therefore appropriate that the projected transit service also extend outside the immediate Study Area, since an effective transit alternative needs to make up for the underdeveloped nature of the regional transit network.

## OreARP Transit Strategy Built Around Hillsboro to Gateway Circumferential Rail Route

A rail connection from Hillsboro to Gateway, via Beaverton, Tigard, Lake Oswego, Milwaukie, and East Portland would begin to provide a viable alternative to movements on the proposed Western Bypass, many of which would undoubtedly be coming from or going to the I-205 corridor.

## Route Placed to Serve Existing Activity Centers and Use Existing Rail Facilities


The proposed route would better serve travel needs than express bus service on I-205 itself. This is because the proposed route directly goes through established activity centers, which would improve ridership potential. The route would, as much as possible, use existing, underutilized tracks and rail rights-of-way, as well as dedicated transit right of way in the I-205 corridor. This would reduce the capital cost of this rail service in comparison to the highway alternative, which requires purchase of an entire new right-of-way, in addition to significant construction costs.



Proposed as an alternate development strategy to the Western Bypass by the Oregon Association of Railway Passengers 7-16-91

# District Identification


ATTACHMENT C  
PAGE 9






# DISTRIBUTION OF 1988 AND 2010 STUDY AREA VEHICLE TRIPS BY TRIP TYPE

## 1988 VEHICLE TRIPS



## 2010 VEHICLE TRIPS



**SUMMARY OF GROWTH IN TRIPS BY DISTRICT (IN THOUSANDS)**  
**1988 Existing and 2010 No Build**

Trips To/From	Total Person Trips*			Total Vehicle Trips**		
	1988 Base	2010 No Build	Percent Growth	1988 Base	2010 No Build	Percent Growth
Region	4,469.1	6,114.4	36.8%	3,443.5	4,673.9	35.7%
Study Area (% of Region)	873.3 19.5%	1,456.6 23.8%	66.8%	690.7 20.1%	1,148.7 24.6%	66.3%
District						
1	217.0	261.7	20.6%	138.6	157.9	13.9%
2	44.5	50.2	12.9%	33.5	37.4	11.7%
3	223.9	284.2	26.9%	170.5	214.0	25.5%
4	149.7	222.5	48.6%	118.3	173.8	46.9%
5	5.0	5.1	2.4%	3.9	4.0	1.9%
6	289.7	352.4	21.7%	226.3	274.3	21.2%
7	137.2	195.7	42.6%	109.0	153.6	41.0%
8	72.7	160.7	121.0%	58.5	128.7	120.2%
9	7.4	10.5	41.4%	5.8	8.2	40.1%
10	10.5	14.6	39.0%	8.3	11.4	37.2%
11	168.2	370.2	120.1%	133.4	293.2	119.8%
12	107.9	208.7	93.4%	86.3	166.3	92.6%
13	85.0	152.4	79.2%	67.3	119.4	77.3%
14	5.1	6.0	17.8%	4.0	4.9	23.3%
15	569.3	553.6	-2.8%	433.5	408.3	-5.8%
16	997.4	1,168.3	17.1%	762.4	882.5	15.7%
17	87.3	94.3	8.0%	66.8	71.2	6.7%
18	540.8	754.3	39.5%	424.7	587.4	38.3%
19	74.6	110.5	48.2%	58.6	86.7	48.1%
20	23.6	34.4	46.0%	19.2	26.9	40.2%
21	649.0	1,098.3	69.2%	512.0	859.1	67.8%
22	3.3	5.9	77.1%	2.6	4.5	75.2%

**Notes:**


 Indicates study area

Refer to District Identification map for district locations

\*Does not include walk and bike trips

\*\*Does not include external and commercial trips

# PM Peak Hour Work Vehicle Trip Distribution from the Study Area for 1988 and 2010



## Legend

xxx,xxx - x.xx%  
(xxx,xxx - x.xx%)

- 1988 PM Peak Hour Work Vehicle Trips
- 2010 PM Peak Hour Work Vehicle Trips



- Study Area

- Subarea

- District Boundary

## Work Vehicle Trips from the Study Area

Total Vehicle Trips

23,640 - 100%  
(38,930 - 100%)

Trips Within the  
Study Area

14,150 - 59.9%  
(27,540 - 70.7%)

EXHIBIT 6

Characteristics of Railbus Transit  
and RTP Transit

- Total all-day regional transit trips for railbus transit increase by 4,140 trips from the RTP total of 276,450 trips.
- Highlights of all-day transit trip changes:

	<u>RTP Transit</u>	<u>Railbus Transit</u>
Hillsboro/Beaverton (4)		
Lake Oswego/Tigard/Tualatin (5)		
To/From: East Clackamas County (6)		
Southeast Portland (8)		
East Multnomah county (7)	10,190	11,760
Portland CBD (1)		
To/From: East Clackamas County (6)		
Southeast Portland (8)		
East Multnomah County (7)	81,480	81,560
West of Willamette (I-5)		
To/From: East to Willamette (I-5)	125,100	127,000

Source: METRO

BEFORE THE COUNCIL OF THE  
METROPOLITAN SERVICE DISTRICT

FOR THE PURPOSE OF ENDORSING	)	RESOLUTION NO. 92-1706
ALTERNATIVES FOR EVALUATION IN	)	
THE DRAFT ENVIRONMENTAL IMPACT	)	Introduced by
STATEMENT (DEIS) PHASE OF THE	)	Councilor Richard Devlin
WESTERN BYPASS STUDY	)	

WHEREAS, The Metropolitan Service District (Metro) is a signatory to the Western Bypass Study Planning Coordination Agreement to seek solutions to north-south and circumferential travel congestion in southeast Washington County; and

WHEREAS, The Coordination Agreement, as amended by Resolution No. 92-1550 commits the Joint Policy Advisory Committee on Transportation (JPACT) and Metro to consider the Oregon Department of Transportation (ODOT) recommendation on the alternatives to be evaluated in the Draft Environmental Impact Statement; and

WHEREAS, ODOT has evaluated six strategies plus the LUTRAQ alternative; and

WHEREAS, ODOT has recommended the inclusion of the LUTRAQ alternative along with four other alternatives developed from the strategy analysis; now, therefore,

BE IT RESOLVED,

1. That the five alternatives recommended by ODOT and its Technical, Citizens and Steering Committees, and described in the "Evaluation of Alternatives Evaluation Summary" dated October 5, 1992 and included as Exhibit A, namely: the No-Build, the Planned Projects/TSM, the LUTRAQ, the Arterials Expansion/HOV Express and the Bypass Alternatives, be carried forward for analysis in the Draft Environmental Impact Statement.

2. That no element of any of the alternatives be included in such a way as to preclude the eventual inclusion of LRT as the Highway 217 High-Capacity Transit element at a later date.

3. That further consideration be given to financing the major elements of the alternatives.

4. That further evaluation of components related to parking charges, dial-a-ride transit, and transit fare subsidy be reflected in the DEIS.

ADOPTED by the Council of the Metropolitan Service District  
this \_\_\_\_ day of \_\_\_\_\_, 1992.

Jim Gardner, Presiding Officer

TKL:lmk  
92-1706.RES  
11-2-92

# WESTERN BYPASS STUDY

Oregon Department of Transportation

## RECOMMENDED WESTERN BYPASS STUDY ALTERNATIVES FOR THE DRAFT ENVIRONMENTAL IMPACT STATEMENT OCTOBER 5, 1992

### INTRODUCTION

We are at a decision point in the Western Bypass Study process, at the end of the evaluation of alternatives phase. The purpose of this phase has been to identify a range of viable alternatives for further analysis in the DEIS. Viability has been tested based on the performance of the alternatives with transportation-related evaluation criteria. In the DEIS additional study will be completed to show how well these alternatives perform with environmental criteria.

It is important that a range of alternatives be carried into the DEIS, so that the viability of different alternative solutions, both inside (urban) and outside (rural) the Urban Growth Boundary, can be identified and evaluated relative to one another. Documenting these impacts will provide decision-makers the information to make an informed decision.

Further refinements to the three WBS build alternatives resulting from this summer's Open Houses and the last series of committee meetings have been identified by the study team. A brief description of these modifications as well as refinements to the LUTRAQ alternative are identified in the description of alternatives under the following recommendation.

### RECOMMENDATION

We recommend that the following five alternatives be carried forward into the DEIS phase of this study for the purpose of analyzing a broad range of alternatives and documenting their associated impacts. They represent a viable range of alternatives with reasonable transportation performances because each one performs better than the No-Build Alternative for all transportation-related evaluation criteria in this study. Each of these alternatives is different in its approach to meeting the study objectives, and would result in distinct impacts if implemented. Endorsement of this recommendation by committee members represents consensus for further study, and is not a decision for approval of any alternative or element of it for implementation.

#### Description of Alternatives

##### No-Build Alternative

This is the baseline alternative to which the build alternatives will be compared in the DEIS. It consists of transportation projects and services that are funded and committed for implementation in the region. These include a variety of roadway projects, Westside Light Rail Transit (LRT) to 185th Avenue, and an expanded feeder bus network in support of the light rail service. These projects, along with the 1988 existing system, will form the base transportation system for year 2010. The elements of the No-Build Alternative are included in all proposed build alternatives, described below.

## **Planned Projects/Transportation System Management (TSM) Alternative**

The TSM Alternative includes all of the projects in the No-Build Alternative plus those planned projects without secured funding which expand the capacity of the existing transportation system. Such projects are included in existing jurisdictional, Tri-Met, and ODOT plans. Among the improvements are the extension of Westside LRT from 185th Avenue to Hillsboro, expansion of Highway 217 to three lanes in each direction, extension of Beef Bend Road to Elsner Road, extension of Murray Boulevard as a three-lane collector to Highway 99W, and various other roadway and intersection improvements.

The TSM Alternative includes a Transportation Demand Management (TDM) program aimed at reducing single-occupancy vehicle trips and maximizing transit ridership through parking charges and transit subsidies. This Alternative also includes Demand Responsive Transit (DRT) which provides transit service to riders when and where it is needed through a call-in "dial-a-ride" service (see attached TDM and DRT descriptions).

All of the elements of the TSM Alternative will be included in the Arterial Expansion/HOV Express Alternative and the Bypass Alternative. Some of the elements of the TSM Alternative will be included in the LUTRAQ Alternative.

### **Proposed Modeling Modifications - TSM Alternative:**

- Schools Ferry Road - 121st Avenue to Hwy 217: Modify roadway capacity to reflect 7-lane section.
- Baseline Road - 158th Avenue to 185th Avenue: Modify roadway capacity to reflect 5-lane section.
- Express Bus/Feeder Network (HCT): Add transit service as currently included in the Arterial Expansion Alternative.

## **Arterial Expansion/High Occupancy Vehicle Express Alternative**

This alternative is proposed as a means to complete or expand certain elements of the existing north-south and circumferential roadway system. It includes expanding Highway 217 to four lanes in each direction with one lane in each direction utilized for express travel, including buses. There would also be expanded local and feeder bus service. Roadway improvements would include additional lanes on 216th and 219th Avenues, extension of Murray Boulevard to I-5, and an expressway from I-5 to Highway 99W in the Tualatin area.

This alternative also includes all the improvements in the No-Build and TSM Alternatives.

### **Proposed Modeling Modifications - Arterial Expansion/HOV Express Alternative:**

- Roadway modifications: Add capacity improvements as noted for the TSM Alternative.
- Highway 99W - Durham Road to Commercial Street: Modify roadway capacity to more accurately reflect the proposed 6-lane section.
- Demand Responsive Transit: Add service as included in the TSM Alternative.

## **Bypass Alternative**

This alternative includes a new four-lane, limited access highway between I-5 and Highway 26, from the Tualatin area to the Hillsboro area. Other improvements include expansion of Highway 217 with preferential treatment for high-occupancy vehicles (HOVs) and transit. Expanded local, feeder, and express bus service would be focused in the Highway 217 corridor.

This alternative also includes all the improvements in the No-Build and TSM Alternatives.



**Proposed Modeling Modifications - Bypass Alternative:**

- Highway 99W - Durham Road to Commercial Street: modify roadway capacity to more accurately reflect the proposed 6-lane section.
- Demand Responsive Transit (DRT): Add service as included in the TSM Alternative.

**LUTRAQ Alternative**

The LUTRAQ Alternative includes three primary components. First, the alternative focuses the higher density land uses projected for the study area into transit corridors. These land uses are moderate in density, mixed use in nature, and designed for transit, pedestrian, and bicycle transportation, as well as for automobile use.

Second, the alternative includes a number of transportation improvements. On the transit side the LUTRAQ Alternative includes light rail in the Westside corridor to downtown Hillsboro, in the Barbur corridor to Tigard, in the Willamette Shores corridor to Lake Oswego and Tualatin, and in the 217 corridor from Beaverton to Tualatin. It includes express bus service from Forest Grove to the Beaverton Transit Center (TC), from Sherwood to the Tualatin light rail station, from Scholls Ferry Rd. at Murray Blvd. to the Beaverton TC, and from the Bethany area to the Sunset TC (Peterkort). There would also be expanded local and feeder bus service. LUTRAQ also includes, in the corridors that would be served by fixed route transit, the construction of bicycle and pedestrian improvements such as sidewalks, bicycle lanes, and roadway crossings.

Third, the LUTRAQ alternative includes the transportation demand management (TDM) program developed by the Western Bypass Study process (see attached TDM description).

This alternative also includes all of the improvements in the No-Build Alternative.

**Proposed Modeling Modifications - LUTRAQ Alternative:**

- Demand Responsive Transit (DRT): Add service as included in the TSM Alternative (see attached DRT description).

A series of roadway improvements selected from the TSM Alternative:

- Highway 26      Widen to 6 lanes between Hwy 217 and Cornelius Pass;  
Add a lane in each direction between Katherine Lane and Hwy 217;  
Improve interchange with Jackson Road;
- Highway 99W      Widen to 6 lanes between Pfaffle and Commercial;
- Highway 217      Add one additional through lane and one additional  
collector/distributor road southbound and one additional through lane  
northbound between Hwy 26 and TV Highway;  
Widen to 6 lanes between TV Highway and 72nd;  
Add ramp metering between Hwy 26 and Scholls Ferry;
- TV Highway      Various intersection improvements;
- Farmington Road      Widen to four lanes between 149th and 209th;
- Tualatin Road      Widen to three lanes between 99W and Upper Boones Ferry;
- Durham Road      Widen to three lanes between 99W and Hall;
- McDonald St.      Widen to three lanes between 99W and 97th;
- Gaarde Street      Widen to three lanes between 121st and 99W.


# NO-BUILD ALTERNATIVE

## WESTERN BYPASS STUDY

October, 1992

Oregon Department of Transportation

IONS  
BRINCKERHOFF



### ROADWAY IMPROVEMENTS

PROJECT	DESCRIPTION
1 I-5/1-205 INTERCHANGE	REALIGN, WIDEN NB RAMP, ADD AUXILIARY LANE TO I-205
2 I-5 UPPER BOONES FERRY RD. - I-205	CONSTRUCT AUXILIARY LANES
3 TV HWY. SW 170TH, 185TH, BROOKWOOD AVE	CONSTRUCT RIGHT-TURN LANES
4 SCHOLLS FERRY RD. @ BEEF BEND RD.	CONSTRUCT LEFT-TURN REFUGE
5 SCHOLLS FERRY RD. @ MURRAY BLVD - FAHNO CRK	WIDEN TO 5 LANES
6 HALL BLVD @ SW WASHINGTON	CONSTRUCT LEFT-TURN REFUGE
7 HALL BLVD @ SW OAK ST.	CONSTRUCT LEFT-TURN LANES
8 HWY. 28 @ NW 185TH AVE. INTERCHANGE	WIDEN INTERCHANGE AND STRUCTURE, LEFT-TURN STORAGE
9 I-5/HWY. 217 INTERCHANGE	INTERCHANGE IMPROVEMENTS INCLUDING 72ND AVE. RAMP
10 U.S. 26 BETWEEN KATHERINE LANE AND SYLVAN INTERCHANGE	SCHOLLS FERRY RD. TO CANYON RD.; ADD 12' TO EXISTING WB LANES. CANYON RD. TO KATHERINE LANE; WIDEN TO 3 LANES EACH DIRECTION
11 TV HWY. SE 21st AVE - OAK ST.	WIDEN TO 5 LANES
12 HALL BLVD. ALLEN BLVD. - GREENWAY	WIDEN TO 5 LANES
13 BARNES EXTENSION: HWY. 217 - CORNELL RD.	CONSTRUCT NEW 3-LANE ROAD E/W OF CEDAR HILLS
14 SW 170th AVE. @ FARMINGTON RD.	ADD LEFT-TURN LANES N/S, MOOREY SIGNAL
15 SW 185th AVE. @ KIRKHAM RD.	ADD LEFT-TURN - 4 LGS, TRAFFIC SIGNAL
16 SW 185th AVE. @ ROSA RD.	ADD LEFT-TURN LANES, TRAFFIC SIGNAL
17 DURHAM RD. @ HALL BLVD. - 72ND AVE.	ADD LEFT-TURN LANES, EXTEND TO SW 72ND AVE.
18 GREENBURG RD. @ HWY. 217 INTERCHANGE	WIDEN, IMPROVE OVERCROSSING IMPROVE ALIGNMENT, TURN LANES AT
19 BEEF BEND RD. @ HWY. 99W - 131ST AVE.	INTERSECTION, WIDEN AS POSSIBLE
20 NW 185th AVE/ROCK CR. BLVD-TAMARACK WAY	WIDEN TO 5 LANES, TURN LANES AT INTERSECTION
21 MURRAY BLVD. @ SCHOLLS FERRY RD.	WIDEN TO 5 LANES, ADD TURN LANES
22 BASELINE RD. @ 185th AVE. - 185th AVE.	WIDEN TO 3 LANES, 170TH - 185TH AVE. CONSTRUCT NEW ROAD W/185TH
23 EAST MAIN ST. @ 10th AVE - BROOKWOOD AVE	WIDEN TO 3 LANES, BIKE LANES, S/W
24 FOREST GROVE ARTERIAL HWY 47 - QUINCE RD	CONSTRUCT NEW 3-LANE ROAD
25 TUALATIN-SHERWOOD/EDY RD. @ HWY. 99W TO AVERY AVE. TO BOONES FERRY RD.	WIDEN TO 3 LANES WIDEN TO 5 LANES
26 MCDONALD ST. @ HALL BLVD.	ADD TURN LANES AT INTERSECTION
27 121st AVE. @ SCHOLLS FERRY RD. - BURLINGAME DR	ADD TURN LANES
28 I-5 @ STAFFORD INTERCHANGE	WIDEN BRIDGE TO 5 LANES
29 CORNELL RD. @ CORNELL PASS RD. - 185TH AVE	WIDEN TO 5 LANES
30 RE EVERGREEN PKWY. @ CORNELL PASS RD.	CONSTRUCT 3 LANE EXTENSION
31 CORNELL PASS RD. @ CORNELL RD. - HWY. 28	WIDEN TO 5 LANES
32 NW 229th AVE. @ CORNELL RD. - EVERGREEN PKWY	CONSTRUCT 3 LANE EXTENSION

### OTHER ELEMENTS

WESTSIDE LRT	TO 185TH AVE. - SUPPORTED BY FEEDER BUS ROUTES
--------------	--

### Legend:

- ROADWAY IMPROVEMENTS
- INTERSECTION IMPROVEMENT
- PROJECT NUMBER
- LRT STATION WITH P&R
- WESTSIDE LRT
- UGB


ARTERIAL EXPANSION/  
HIGH-OCCUPANCY VEHICLE (HOV)  
EXPRESS ALTERNATIVE

October, 1992

WESTERN BYPASS STUDY

Oregon Department of Transportation

PARSONS  
BRINCKERHOFF



# TRANSPORTATION SYSTEM MANAGEMENT (TSM)/ PLANNED PROJECTS ALTERNATIVE

## WESTERN BYPASS STUDY

PARSONS  
BRINCKERHOFF

October, 1992

Oregon Department of Transportation



0 1000' 2000' 4000'

### ROADWAY IMPROVEMENTS


#	PROJECT	DESCRIPTION
100	EAST/WEST ARTERIAL: MURRAY BLVD. - HWY. 217	NEW 5-LANE ROAD
101	SW BEAVERTON-HILLSDALE HWY. 117TH AVE. - HALL BLVD.	NEW 3-LANE ROAD
103	SW BEAVERTON-HILLSDALE HWY. 117TH AVE. - HWY. 217	CONSTRUCT 6-LANE SECTION
104	SW BANS RD: 180TH AVE. - MURRAY BLVD.	RECONSTRUCT ROADWAY CONNECT TO ALLEN BLVD
105	SW BONNEY RD: HWY. 217 - SCHOLLS FERRY RD.	RECONSTRUCT ROADWAY WITH LEFT-TURN
106	SW FARMINGTON RD: 149TH AVE. - MURRAY BLVD.	RECONSTRUCT ROADWAY, LEFT-TURN, NEW LANES
107	SW HART RD: 185TH AVE. - MURRAY BLVD.	RECONSTRUCT ROADWAY, LEFT-TURN
108	SW LONGBARO AVE: HWY. 10 - HWY. 8	CONSTRUCT NEW 5-LANE ROAD
109	DARTMOUTH ST: I-5/HANES - HWY 99W/78TH AVE	CONSTRUCT NEW 3-LANE ROAD
110	BULL MOUNTAIN RD AT HWY. 99W	ADD APPROACH LANE ON BULL MTH. ROAD
111	HWY. 99W: PFAFFLE ST. - COMMERCIAL ST.	WIDEN TO 6 TRAVEL LANES
112	TAYLORS FERRY RD: WASHINGTON DR. - OLESON RD	EXTENSION OF TAYLORS FERRY ROAD - 2 LANE
113	MURRAY BLVD: OLD SCHOLLS FERRY RD-135TH AVE	EXTENSION, CONSTRUCTION OF NEW ROAD
114	135TH AVE: WALNUT ST. - BULL MOUNTAIN RD.	CONSTRUCT NEW 2-LANE ROAD
115	132ND AVE: WALNUT ST. - BULL MOUNTAIN RD.	CONSTRUCT NEW 2-LANE ROAD
116	CORNELL PASS RD: HWY. 28 - WEST UNION RD.	CONSTRUCT 3-LANE SECTION, BIKE LANES
117	CORNELL RD: 185TH AVE. - 158TH AVE.	WIDEN TO 6 LANES WITH BIKE PATH
118	MURRAY BLVD: MULLIKAN WAY - JENKINS RD.	WIDEN STRUCTURE TO 5 LANES, BIKE PATH
119	OLD SCHOLLS FERRY RD: MURRAY BLVD - REUSSER RD	WIDEN TO 5 LANES
120	112TH AVE. EXTENSION: CORNELL RD - BARNES RD	CONSTRUCT NEW 3-LANE ROAD
121	SW BARNES RD: CORNELL RD - BARNES EXT.	RECONSTRUCT TO 5 LANES, ALIGH
122	SW BARNES RD: MILLER RD - LEAHY RD	WIDEN TO 5 LANES
123	SW BARNES RD: MUTHOMAH CO. LINE - MILLER RD.	WIDEN TO 5 LANES
124	CORNELL RD: HWY. 28 - BARNES RD	RECONSTRUCT TO 5 LANES
125	DREXBURG RD: REDDMAN AVE. - HWY. 99W	WIDEN TO 5 LANES
126	JENKINS RD: MURRAY BLVD. - 158TH AVE.	RECONSTRUCT TO 5 LANES W/BKE
127	MURRAY BLVD: HWY. 28 - CORNELL RD	WIDEN TO 5 LANES, INCLUDING INTERCHANGE
128	SW 85TH ST: HYBERG ST. - BORLAND RD	WIDEN TO 3 LANES
129	SW 158TH AVE: WALKER RD - JENKINS RD	WIDEN TO 5 LANES, W/BKE PATH
130	BARNES EXTENSION HWY. 217 - CEDAR HILLS BLVD.	BUILD 5 LANE ULTIMATE SECTION
131	CORNELL RD: SALTZMAN RD. - WASH. COUNTY LINE	RECONSTRUCT TO 3 LANES, W/BKE
132	HYBERG RD: INTERSTATE 5 - 85TH AVE.	RECONSTRUCT TO 5 LANES
133	WALKER ROAD: 185TH AVE. - CORNELL RD	WIDEN TO 5 LANES
134	SW 170TH EXTENSION: BASELINE RD - WALKER RD	CONSTRUCT NEW 3-LANE ROAD, BIKE LANE
135	BROOKWOOD AVE: CORNELL RD - BASELINE RD	CONSTRUCT 2-LANE ROAD, NEW
136	HWY. 217: HWY. 28 - TV HWY.	HIGHWAY IMPROVEMENTS ONLY, INCLUDING ALL ROW
137	HWY. 28: HWY. 217 - KATHERINE LANE	ADD 2 LANES - 1 EACH DIRECTION
138	HWY. 28: HWY. 217 - CORNELL PASS RD	WIDEN TO 5 LANES
139	HWY. 28: JACKSON RD INTERCHANGE	CONSTRUCT NEW INTERCHANGE
140	HALL BLVD: SCHOLLS FERRY RD - DURHAM RD	WIDEN TO 3 LANES
141	SW 170TH AVE: FARMINGTON RD - MERLO RD	UPGRADE TO 3 LANES
142	FARMINGTON RD: 149TH AVE. - 209TH AVE.	WIDEN TO 4 LANES
143	BEEF BEND RD: SOUTH OF SCHOLLS FERRY RD TO ELSNER RD	ALIGNMENT IMPROVEMENTS TO SCHOLLS/SHERWOOD WIDEN TO 3 LANES CONSTRUCT NEW 3-LANE FACILITY TO ELSNER RD.
144	HWY. 217: CANYON ROAD - 72ND AVENUE	WIDEN TO 3 LANES EACH DIRECTION
145	MURRAY BOULEVARD EXTENSION: WALNUT/135TH AVE. - GAARDE ST. GAARDE STREET: 121ST AVE. - HWY. 99W	CONSTRUCT NEW 3-LANE COLLECTOR WIDEN TO 3 LANES
146	HWY. 99W: INTERSECTION IMPROVEMENTS	
147	TV HIGHWAY INTERSECTION IMPROVEMENTS	
148	BASELINE RD: BROOKWOOD AVE. - 216TH AVE. 218TH AVE. - 158TH AVE.	WIDEN TO 3 LANES WIDEN TO 5 LANES
149	WALKER RD: 180TH AVE. - MURRAY BLVD.	WIDEN TO 5 LANES
150	DURHAM RD: HWY 99W - HALL BLVD.	WIDEN TO 3 LANES
151	BONITA RD: HALL BLVD. - I-5	WIDEN TO 3 LANES
152	MCDONALD STREET: HWY 99W - 87TH AVENUE	ADD TURN LANES, SIDEWALKS
153	TUALATIN RD: HWY 99W - UPPER BOONES FERRY	WIDEN TO 3 LANES
154	UPPER/LOWER BOONES FERRY RD: TUALATIN RD - I-5	WIDEN TO 3 LANES
155	SCHOLLS FY. RD: 121ST AVE. TO HWY 217	WIDEN TO 7 LANES

### OTHER ELEMENTS

ALL ELEMENTS OF NO-BUILD ALTERNATIVE	
WESTSIDE LRT	185TH AVE. TO HILLSBORO - SUPPORTED BY FEEDER BUS ROUTES
DEMAND RESPONSIVE TRANSIT (DRT)	DIAL-A-RIDE SERVICE
TRANSPORTATION DEMAND MANAGEMENT (TDM)	DEMAND REDUCTION MEASURES
HWY 217 EXPRESS BUS SERVICE (HCT)	SUPPORTED BY FEEDER BUS ROUTES


### Legend:

- ROADWAY IMPROVEMENTS
- INTERSECTION IMPROVEMENTS
- SIGNAL TIMING IMPROVEMENTS
- PROJECT NUMBER
- TRANSIT CENTER
- PARK-AND-RIDE
- HILLSBORO LRT EXTENSION
- UGB



## October, 1992

## Oregon Department of Transportation


**PARSONS  
BRINCKERHOFF**

LUTRAQ ALTERNATIVE  
Transportation Elements  
October, 1992


WESTERN BYPASS STUDY

Oregon Department of Transportation

PARSONS  
BRINCKERHOFF







Legend:

- MIXED USE CENTER
- URBAN TOD
- NEIGHBORHOOD TOD
- TOD RESIDENTIAL AREA
- SINGLE FAMILY RESIDENTIAL
- LARGE LOT RESIDENTIAL
- LOW INTENSITY EMPLOYMENT
- LIGHT RAIL TRANSITWAY
- EXPRESS BUS

LAND USE ELEMENT

THE LAND USE, TRANSPORTATION, AIR  
QUALITY CONNECTION  
WASHINGTON COUNTY, OREGON  
FOR  
1000 FRIENDS OF OREGON

CALTHORPE ASSOCIATES  
AND  
CAMBRIDGE SYSTEMATICS

**PROPOSED  
TRANSPORTATION DEMAND MANAGEMENT PROGRAM  
OCTOBER, 1992**

**Background**

A Transportation Demand Management (TDM) Program will be modeled as an element of all of the "Build Alternatives" for the Western Bypass Study. A previous memo, distributed to the advisory committees at the July 1991 meetings, described possible program elements and their potential for being included in the Metro regional model as part of proposed study alternatives. To be included in the modeling process, the TDM program elements need to the number of trips by mode due to measurable or quantifiable differences in time or cost or time differences. The impact of TDM elements, such as information or ride matching services, are difficult to quantify and thus cannot be modeled. This does not mean that they cannot be part of a TDM program, as they can provide support to other elements, making them more effective.

There are two reasons for including such a program as part of the alternatives: 1) one of the adopted objectives of the study, Objective 2.5 of Goal 2 of the Evaluations Measures and Criteria, is to "Reduce reliance on the private automobile and reduce or delay the need for additional vehicular capacity through support of transit, ride sharing (carpools, vanpools), and other demand management strategies"; and 2) the Transportation Rule, adopted by LCDC in 1991, which also has the objective of reducing reliance on automobiles. The rule seeks to achieve this objective by requiring reductions in parking spaces, reductions in VMT per capita, and developments to be designed to encourage transit, walking, and bicycling. A program of incentives and disincentives, is being proposed to reduce single-occupancy vehicle (SOV) trips within the study area.

The region has certain TDM programs already in place. These activities are generated from policies in the Regional Transportation Plan and focus on ridesharing and parking management. The parking management efforts are centered in downtown Portland. There is currently no parking management program enforced within the study area.

**TDM Program**

The proposed TDM program is designed to address the objectives for the study area as stated above: to reduce the use of single occupancy vehicles and also reduce VMT per capita in the study area. The following assumptions are incorporated into modeling this element:

- \* A parking charge will be applied to all work-related single-occupancy vehicles parking in the study area.
- \* The charge will be applied uniformly throughout the study area.
- \* There will be no parking charge for carpool or vanpool parking.
- \* A full transit subsidy will be provided for all study area employer sites for all employees who work in the study area and who ride transit.



**PROPOSED  
DEMAND RESPONSIVE TRANSIT PROGRAM  
OCTOBER, 1992**

**Background**

A Demand Responsive Transit (DRT) program will be modeled as an element of the all Western Bypass Study "Build Alternatives". The addition of this program was suggested by the study advisory committees. Initially included in only the TSM alternative, DRT will now be modeled as an element of the Arterial Expansion and Bypass Alternatives as well. This type of service was described in the January, 1991 Western Bypass Study Report entitled "Alternative Transportation Technology Report", and was presented and discussed at the January 1991 advisory committee meetings. DRT was also considered in the April 1989 Tri-Met report entitled "Suburban Transit Study".

Demand responsive transit provides service to riders when it is needed and where it is needed. It includes types of dial-a-ride, shared ride and shuttle services. It provides flexibility that fixed-route service cannot, as well as more intensive transit coverage.

**DRT Program**

The following assumptions are incorporated into modeling this element:

- \* A system of five Demand Responsive Transit cells has been mapped which together cover the entire study area.
- \* A dial-a-ride service will be provided to users within each of these cells.
- \* DRT vehicles will be accessed by a call-in service. Vehicles will be routed by a dispatcher in response to requests for service.
- \* Service coverage will be to all and any destinations within a cell, including residences, offices, shopping centers, bus stops, light rail stops and transit centers, if they are located within the cell.
- \* DRT service will not be provided between cells but service will be provided by fixed route service such as bus routes and light rail.
- \* DRT service will be provided in addition to the expanded fixed-route bus service planned by the year 2010.
- \* A full transit subsidy will be provided to all study area employees who use transit for work trips as part of the TDM program.

# OREGON ENVIRONMENTAL COUNCIL

027 S.W. Arthur Street, Portland, Oregon 97201

Phone: 503/222-1963 • Fax: 503/241-4260

## MEMORANDUM

DATE: November 9, 1992

ATTN: Joint Policy Advisory Committee on Transportation  
(JPACT)

FROM: John Charles, Executive Director - OEC  
James E. Beard, Transportation Project Director - OEC

SUBJ: Resolution No. 92-1706 For the Purpose of Endorsing  
Alternatives for Evaluation in the Draft Environmental  
Impact Statement (DEIS) Phase of the Western Bypass Study

---

Agenda item number three for the Thursday, November 12 meeting of the Joint Policy Advisory Committee on Transportation (JPACT) calls for approval of Resolution No. 92-1706 endorsing the recommended alternatives for evaluation in the Draft Environmental Impact Statement for the Western Bypass Study.

The Oregon Environmental Council, after close study, is convinced that the recommended Western Bypass Study Alternatives are inadequate, and should be amended to include discussion and modeling of the effect congestion/road pricing and a Portland metropolitan area mileage-based smog fee system would have in the Western Bypass Study Area.

The proposed Western Bypass Study Alternatives are inadequate and incomplete in that they do not fully reflect ongoing state and regional transportation policy discussions in which congestion/road pricing and mileage-based smog fees are being seriously considered. These policy discussions include, for example, the Oregon Transportation Plan, the Governor's Task Force on Motor Vehicle Emissions Reductions, and the Oregon Roads Financing Study (see, for example, Oregon Transportation Plan at Policy 1B, Action 1B.1, Action 1B.2, pg. 23; and Goal 4: Implementation Policies, pg. 44).

We would like to ask that in the JPACT meeting on Thursday, November 12, you consider amending the proposed Western Bypass Study Alternatives as follows (proposed changes in CAPITAL LETTERS):

- 2) Planned Projects/Transportation System Management (TSM) Alternative -- The TSM Alternative includes all of the projects in the No-Build Alternative plus those planned projects without secured funding which expand the capacity of the existing transportation system. Such

projects are included in existing jurisdictional, Tri-Met, and ODOT plans. Among the improvements are the extension of Westside LRT from 185th Avenue to Hillsboro, expansion of Highway 217 to three lanes in each direction, extension of Beef Bend Road to Elsnor Road, extension of Murray Boulevard as a three-lane collector to Highway 99W, and various other roadway and intersection improvements.

MODELING OF THE EFFECTS OF A MARGINAL COST PRICING SYSTEM (I.E., CONGESTION/ROAD PRICING) AND A MILEAGE-BASED SMOG FEE IS INCLUDED FOR THIS ALTERNATIVE, ALONG WITH MODELING FOR ALL COMPONENTS OF THE PROPOSED TSM PROGRAM EXCEPT THE PARKING FEE COMPONENT OF THE TSM PROGRAM, AS THIS IS REDUNDANT WITH THE MODELING OF PARKING FEES IN THE LUTRAQ ALTERNATIVE.

The fee-based system proposed for modeling above would have an effect on Vehicle Miles Traveled in Western Bypass Study Area. How big would it be? Might it be possible that VMT reductions would be large enough that congestion in the Western Bypass Study Area could be reduced enough to eliminate any need for the Western Bypass, making some lower level of investment (e.g., Alternatives 1, 2, or 3) adequate for the desired levels of transportation service? If some of the revenue stream from congestion and smog fees is diverted to increased transit service and transit pass subsidies, similar to what is proposed in the Western Bypass Study Transportation Demand Management Program, could the level of investment in roads be further reduced?

These are questions that should be answered, and the Draft Environmental Impact Statement, OEC believes, is the place to answer them.

# OREGON ENVIRONMENTAL COUNCIL

027 S.W. Arthur Street, Portland, Oregon 97201

Phone: 503/222-1963 • Fax: 503/241-4260

## MEMORANDUM

DATE: November 9, 1992

ATTN: Joint Policy Advisory Committee on Transportation  
(JPACT)

FROM: John Charles, Executive Director - OEC  
James E. Beard, Transportation Project Director - OEC

SUBJ: Resolution No. 92-1706 For the Purpose of Endorsing  
Alternatives for Evaluation in the Draft Environmental  
Impact Statement (DEIS) Phase of the Western Bypass Study

---

Agenda item number three for the Thursday, November 12 meeting of the Joint Policy Advisory Committee on Transportation (JPACT) calls for approval of Resolution No. 92-1706 endorsing the recommended alternatives for evaluation in the Draft Environmental Impact Statement for the Western Bypass Study.

The Oregon Environmental Council, after close study, is convinced that the recommended Western Bypass Study Alternatives are inadequate, and should be amended to include discussion and modeling of the effect congestion/road pricing and a Portland metropolitan area mileage-based smog fee system would have in the Western Bypass Study Area.

The proposed Western Bypass Study Alternatives are inadequate and incomplete in that they do not fully reflect ongoing state and regional transportation policy discussions in which congestion/road pricing and mileage-based smog fees are being seriously considered. These policy discussions include, for example, the Oregon Transportation Plan, the Governor's Task Force on Motor Vehicle Emissions Reductions, and the Oregon Roads Financing Study (see, for example, Oregon Transportation Plan at Policy 1B, Action 1B.1, Action 1B.2, pg. 23; and Goal 4: Implementation Policies, pg. 44).

We would like to ask that in the JPACT meeting on Thursday, November 12, you consider amending the proposed Western Bypass Study Alternatives as follows (proposed changes in CAPITAL LETTERS):

- 2) Planned Projects/Transportation System Management (TSM) Alternative -- The TSM Alternative includes all of the projects in the No-Build Alternative plus those planned projects without secured funding which expand the capacity of the existing transportation system. Such

projects are included in existing jurisdictional, Tri-Met, and ODOT plans. Among the improvements are the extension of Westside LRT from 185th Avenue to Hillsboro, expansion of Highway 217 to three lanes in each direction, extension of Beef Bend Road to Elsner Road, extension of Murray Boulevard as a three-lane collector to Highway 99W, and various other roadway and intersection improvements.

MODELING OF THE EFFECTS OF A MARGINAL COST PRICING SYSTEM (I.E., CONGESTION/ROAD PRICING) AND A MILEAGE-BASED SMOG FEE IS INCLUDED FOR THIS ALTERNATIVE, ALONG WITH MODELING FOR ALL COMPONENTS OF THE PROPOSED TSM PROGRAM EXCEPT THE PARKING FEE COMPONENT OF THE TSM PROGRAM, AS THIS IS REDUNDANT WITH THE MODELING OF PARKING FEES IN THE LUTRAQ ALTERNATIVE.

The fee-based system proposed for modeling above would have an effect on Vehicle Miles Traveled in Western Bypass Study Area. How big would it be? Might it be possible that VMT reductions would be large enough that congestion in the Western Bypass Study Area could be reduced enough to eliminate any need for the Western Bypass, making some lower level of investment (e.g., Alternatives 1, 2, or 3) adequate for the desired levels of transportation service? If some of the revenue stream from congestion and smog fees is diverted to increased transit service and transit pass subsidies, similar to what is proposed in the Western Bypass Study Transportation Demand Management Program, could the level of investment in roads be further reduced?

These are questions that should be answered, and the Draft Environmental Impact Statement, OEC believes, is the place to answer them.

## COMMITTEE MEETING TITLE

SPACT

DATE

11/12/92 - 7:15 am

## NAME

## AFFILIATION

✓ Earl Blumenauer	City of Portland
✓ LARRY COLE	CITIES OF WASHINGTON COUNTY
✓ Marge Schmuck	City of Multnomah Co.
✓ Craig J. Tommich	City of Clackamas Co.
✓ David Lohman	Port of Portland
✓ Kerry Smith	WSDOT
✓ Don Adams	ODOT
✓ Steve Greenwood	DEQ
Molly O'Reilly	citizen
Tim RUTTEN	Senator Hatfield
STEVE DUTTERRER	CITY OF PORTLAND STAFF
Cathy Thomas	Metro
Sue Laseau	Port of Portland
Joan Lookingbill	RTA
KIM CHIN	C-TRAN
Ted Spence	ODOT
Keith Bartholomew	1000 Friends of Oregon
Bill Ciz	ODOT
MARK TURPEL	METRO
ROD SANDOZ	Clackamas County
John E. Rosenberg	Washington County
Jim Mager	Oregonian
DAVE WILLIAMS	ODOT

COMMITTEE MEETING TITLE JFACT

DATE 11/12/92

NAME

AFFILIATION

GB ARRINGTON

Meeky Blizzard

Richard Frank

Jim BEARD

ERIC STACHOIV

John Charles

Keith Loefer

✓ Tom Walsh

Andy Cotugno

✓ Richard Devlin

✓ Pauline Pederson

✓ Roy Rogers

✓ Jim Gardner

✓ Mike Quinn

Nichol West

Bob Brannan

✓ Susan McLain

✓ Bob Liddell

Tri-Met

STOP

Metro

OBC

Policy Initiatives Group

OBC

Metro

Tri-Met

Metro

Metro

Multnomah County

Washington Cty.

Metro

Clackamas Co.

ODOT

Parsons Brinkerhoff

Metro Council

Cities of Clackamas Co.