

Metro | Agenda

Meeting: Transportation Policy Alternatives Committee (TPAC)
Date: Friday, August 26, 2011
Time: 9:30 a.m. to noon
Place: 370A

- | | | | |
|-----------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| 9:30 AM | 1. | Call to Order and Declaration of a Quorum | Tom Kloster, Chair |
| 9:30 AM | 2. * | Comments from the Chair and Committee Members <ul style="list-style-type: none">• September 26 TSP Guidance Workshop | Tom Kloster, Chair |
| 9:35 AM | 3. | Citizen Communications to TPAC on Non-Agenda Items | |
| 9:40 AM | 4. * | Consideration of the TPAC Minutes for July 29, 2011 | |
| 9:45 AM | 5. * | Approach to Vehicle Electrification Regional Flexible Fund Allocation – <u>RECOMMENDATION TO JPACT REQUESTED</u> <ul style="list-style-type: none">• <i>Purpose:</i> Review options to support vehicle electrification recommended by the Electric Vehicle work group.• <i>Outcome:</i> Recommendation on options JPACT should release for public review and comment | Ted Leybold
John MacArthur, OTREC |
| 10:05 AM | 7. * | Metropolitan Transportation Improvement Program (MTIP) Amendments: State Enhancements Project Awards, Carmen Drive Ramp Project – <u>RECOMMENDATION TO JPACT REQUESTED</u> <ul style="list-style-type: none">• <i>Purpose:</i> Present and have TPAC review the resolution.• <i>Outcome:</i> A recommendation from TPAC to JPACT on amending the MTIP. | Ted Leybold
Rian Windsheimer,
ODOT |
| 10:25 AM | 9. # | Climate Smart Communities Scenarios: Project Status and Release of Strategy Toolbox Report – <u>DISCUSSION</u> <ul style="list-style-type: none">• <i>Purpose:</i> Provide update on Scenarios project and share review of latest research on greenhouse gas (GHG) emissions reduction strategies.• <i>Outcome:</i> Understanding of the range of strategies available to help meet state GHG targets along with their benefits and synergy with each other. | Kim Ellis
Ray Valone |

Copies of the Strategy Toolbox Report will be available at the meeting.

Continued on back...

10:45 AM 8. # Application of Criteria to Review Candidate TIGER 3 Applications – INFORMATION / DISCUSSION

Andy Cotugno
Elissa Gertler

- Purpose: Review the application of criteria to rank the candidate TIGER 3 applicants
- Outcome: Information to allow JPACT to determine application to endorse

12 PM 10. ADJOURN

Tom Kloster, Chair

- * Material available electronically.
- ** Material will be distributed prior to the meeting.
- # Material will be available at the meeting.

*For agenda and schedule information, call Kelsey Newell at 503-797-1916, e-mail: kelsey.newell@oregonmetro.gov.
To check on closure or cancellations during inclement weather please call 503-797-1700#.*

Future TPAC discussion items:

- MOVES update
- High Speed Rail
- Context sensitive design and least cost planning
- A briefing on the Metro Auditor's *Tracking Transportation Project Outcomes* report
- Congestion Pricing Pilot Study


2011 TPAC Work Program

8/18/11

<p><u>August 26, 2011 – Regular Meeting</u></p> <ul style="list-style-type: none">• Climate Smart Communities Scenarios - Discussion on Preliminary Results• TriMet’s Pedestrian Network Analysis – Information• Approach to Vehicle Electrification RFF Allocation – Discussion and Recommendation to JPACT	<p><u>September 23, 2011 – Regular Meeting</u></p> <ul style="list-style-type: none">• Climate Smart Communities Scenarios - Discussion on Preliminary Results
<p><u>October 28, 2011 – Regular Meeting</u></p> <ul style="list-style-type: none">• Climate Smart Communities Scenarios – Discussion on Findings and Recommendations to be Submitted to 2012 Legislature	<p><u>November 18, 2011 – Regular Meeting</u></p> <ul style="list-style-type: none">• 2012-15 MTIP/STIP Approval and Air Quality Conformity – Recommendation to JPACT• Climate Smart Communities Scenarios – Recommendation to JPACT on Findings and Recommendations to be Submitted to 2012 Legislature• 2014-15 Regional Flexible Fund Allocation – Recommendation to JPACT

Parking Lot:

- MOVES update
- High Speed Rail
- Context sensitive design and least cost planning
- A briefing on the Metro Auditor’s *Tracking Transportation Project Outcomes* report
- Congestion Pricing Pilot Study



TRANSPORTATION POLICY ALTERNATIVES COMMITTEE

July 29, 2011

Metro Regional Center, Council Chamber

MEMBERS PRESENT

Katherine Kelly
Nancy Kraushaar
Alan Lehto
Mike McKillip
Dave Nordberg
Charlie Stephens
Tracy Ann Whalen
Sharon Zimmerman

AFFILIATION

City of Gresham, Representing Cities of Multnomah Co.
City of Oregon City, Representing Cities of Clackamas Co.
TriMet
City of Tualatin, Representing Cities of Washington Co.
Oregon Department of Environmental Quality
Citizen
Citizen
Washington State Department of Transportation

MEMBERS EXCUSED

Chris Beanes
Karen Buehrig
Mara Gross
Heidi Guenin
John Hoefs
Scott King
Dean Lookingbill
Satvinder Sandhu
Karen Schilling
Paul Smith
Rian Windsheimer
Jenny Weinstein

AFFILIATION

Citizen
Clackamas County
Citizen
Citizen
C-TRAN
Port of Portland
Southwest Washington Regional Transportation Committee
FHWA
Multnomah County
City of Portland
Oregon Department of Transportation
Citizen

ALTERNATES PRESENT

Andy Back
Lynda David
John Gillam
Kathryn Williams

AFFILIATION

Washington County
Southwest Washington Regional Transportation Committee
City of Portland
Port of Portland

STAFF: Aaron Brown, Crista Gardner, Elissa Gertler, Ted Leybold, Tony Mendoza, John Mermin, Kelsey Newell, Dylan Rivera, Amy Rose, Colin Rowan, John Williams

1. CALL TO ORDER AND DECLARATION OF A QUORUM

Chair Tom Kloster called the meeting to order and declared a quorum at 9:38 a.m.

2. COMMENTS FROM THE CHAIR AND COMMITTEE MEMBERS

Chair Kloster updated the committee on the following items:

- The Vehicle Electrification work group is scheduled to have its first meeting in the upcoming month, and will be presenting to TPAC in August with their recommendation.
- The status of the Metropolitan Transportation Improvement Program (MTIP). Chair Kloster introduced Ted Leybold of Metro, who stated that counties and cities are currently finalizing their list of projects recommended for funding. The recommendations are due to Metro by August 29, will be presented to the Joint Policy Advisory Committee on Transportation (JPACT) on September 8, and will be released for public comment. The recommendations for the State Transportation Improvement Program (STIP), administered by Oregon Department of Transportation (ODOT), are currently available for public comment, and materials are located at www.oregon.gov/odot/hwy/stip.
- Greater Portland Pulse, formerly known as the Greater Portland Vancouver Indicators (GPVI) project, is now online at www.portlandpulse.org.

Mr. Alan Lehto of TriMet stated that July marked the beginning of a new fiscal year for the agency, and that TriMet would begin a modest service enhancement with extra bus trips on select routes in September. The agency is also coordinating with Metro and Home Forward on a Federal Transportation Administration (FTA) grant for a traffic improvement near a housing project in southwest Portland and for a separate grant to build a headquarters facility for the nonprofit transit organization Ride Connection.

3. CITIZEN COMMUNICATIONS TO TPAC ON NON-AGENDA ITEMS

There was none.

4. CONSIDERATION OF THE TPAC MINUTES FOR JUNE 24, 2011

Chair Kloster requested to amend the minutes; the proposed amendments to the minutes are included in the packet. Ms. Nancy Kraushaar requested to amend the minutes to mark her as present at the previous meeting.

MOTION: Ms. Tracy Ann Whalen moved, Mr. Alan Lehto seconded, to approve the TPAC minutes for June 24, 2011 as amended.

ACTION TAKEN: With all in favor, the motion passed.

5. INFORMATION / DISCUSSION ITEMS

5.1 Tigard High Capacity Transit (HCT) Land Use Plan

Mr. Tony Mendoza of Metro provided background to the committee of the City of Tigard's efforts to develop a land use plan in anticipation of a potential High Capacity Transit (HCT) in the Southwest Corridor. Mr. Tony Mendoza is the Project Manager of the Southwest Corridor. The Metro Council is scheduled to appoint a Southwest Corridor steering committee on August 4, and the first meeting of the committee, along with a kickoff for project, will be in September. The Southwest Corridor project is using local aspirations for land use as a guide for studying a potential route and mode of HCT; Mr. Mendoza noted that the City of Tigard is leading the way having conducted extensive public outreach to determine which locations would be most ideal for HCT.

Mr. Mendoza introduced Crista Gardner of Metro, who briefed the committee on the history of the Southwest Corridor project, noting the corridor's presence in the 2009 Regional Transportation Plan and the route's status as a prioritized Mobility Corridor and High Capacity Transit Corridor. Ms. Gardner is the Co-Project Manager of the Tigard HCT Land Use Plan. Ms. Gardner then introduced Judith Gray, the Co-Project Manager of the Tigard HCT Land Use Plan, of the City of Tigard, who gave a presentation on the six month effort to engage the public on potential changes in land use to accommodate the arrival of high capacity transit. She discussed the four different typologies of neighborhoods being considered for the seven potential station communities, noting how each community could be zoned in concert with local aspirations informed by public involvement. Centers could be designated as a "Town Center," "Employment/Retail Destination," "Corridor Neighborhood," or a "Transit Neighborhood," with varying densities and zoning components. Presenters distributed materials cataloguing the differences in these center typologies, which are included in the packet.

Committee discussion included:

- Questions about how Metro would choose which centers to connect with the HCT facility. Metro staff and Ms. Gray explained that the corridor is currently being evaluated to determine the feasibility of each aspired town center, and that the City of Tigard intends to have its Preferred Concept Plan finished in November.
- Definition of a "center." Committee members noted the difficulty that the State of the Centers had in determining exactly which urban forms can create a center outside of traditional city centers, and that relatively newer developments, such as the City of Lake Oswego's Kruse Way, could be overlooked by this typology classification despite its importance to the region's economy.
- Questions about the City of Tigard's citizens' support for land use changes and subsequent HCT facilities. Ms. Gray noted that citizen input has so far been fairly positive, but noted that the citizen outreach process is designed to specifically reflect the aspirations of the local community. She stated that she believes that given correct information and ample opportunities to provide feedback, the citizens of Tigard would be able to inform the City of their desires, and she noted that the process allows Tigard's citizens to demonstrate opposition and concern towards future HCT implementation.
- How the City of Tualatin relates to the current Southwest Corridor plan. Ms. Gray noted that the City of Tualatin is about to begin undergoing a significant public outreach program, similar to Tigard's, to determine whether Tualatin's residents were interested in

similar town-center typologies. Questions were also raised about redevelopment potential in neighboring King City.

5.2 Bus Rapid Transit

Mr. Lehto of TriMet discussed Bus Rapid Transit (BRT) as a tool that has not been fully realized in the Portland Metropolitan Area. His presentation outlined on the tangible elements that distinguish Bus Rapid Transit from other forms of High Capacity Transit and bus service, the modality's successful implementation across the country, and the potential to build BRT-related elements and facilities in the region.

Committee discussion included the possibility of BRT construction serving as a precursor to light rail or other rail-based transit, the success of the EmX, the BRT line in Eugene, Oregon; and the viability of BRT components on corridors such as Powell/Foster and along I205 between Clackamas Town Center and Tualatin.

5.3 Proposed Amendments to the Transportation Planning Rule (TPR) and Oregon Highway Plan (OHP)

Chair Kloster introduced Mr. Michael Rock of ODOT and Mr. Matt Crall of the Department of Land Conservation and Development (DLCD) to discuss potential amendments to the Transportation Planning Rule (TPR) and Oregon Highway Plan (OHP). Changes to these documents are being discussed by a working group of Commissions, which include Chair Kloster, with the intent of having JPACT sign off on proposed changes by the end of the year. The Oregon Transportation Commission and the DLCD are discussing these amendments after the passing of Senate Bill 795, which requires the revision process to be completed by Jan 1, 2012.

These amendments to the TPR and OHP are intended to address concerns from local communities that some pieces of the state-wide laws regarding the design and implementation of state highway facilities are too inflexible to meet the needs of the diverse urban forms in different impacted communities. Constituents expressed frustration that local economic development aspirations were occasionally stunted by rigid laws designed to ensure transportation mobility.

Committee discussion included:

- The ability for local governments to make amendments to zoning maps. TPAC members expressed concern that amendments to the TPR need to avoid restricting local community aspirations to develop density by requiring a certain threshold of density for designation.
- Problematic nature of language of "urban center." Some TPAC members suggested changing the language of the TPR from "urban center" to "activity center" or another term more palatable for smaller communities for whom "urban" might bring negative connotations. Members also discussed the inherent difficulty of drawing boundaries of an urban center at the parcel level.

- Whether all of the “urban centers” in the Metro region should automatically be considered as “exempt” from the TPR standards. Mr. Lehto noted that there are important locations beyond the centers designated by Metro that are asking to be exempt from TPR rules, and conversely other jurisdictions with aspirations to keep their centers in line with TPR regulations. Others expressed concern as to whether centers with HCT facilities would be best designated as “urban centers” and might instead warrant higher priority for mobility considerations.
- Potential to allow specific projects with significant economic development potential to be exempt from TPR management. Mr. Rock noted that ODOT staff is working to establish thresholds at which developments with projected traffic increases under a certain threshold would be able to move forward.

Chair Kloster noted that the Metropolitan Technical Advisory Committee (MTAC) will be reviewing these amendments at their August meeting.

6. ADJOURN

Chair Kloster adjourned the meeting at 12:02 p.m.

Respectfully submitted,



Aaron Brown
Recording Secretary

ATTACHMENTS TO THE PUBLIC RECORD FOR JULY 29, 2011

The following have been included as part of the official public record:

ITEM	DOCUMENT TYPE	DOC DATE	DOCUMENT DESCRIPTION	DOCUMENT No.
4.0	Agenda	07/29/11	REVISED 06/24/11 TPAC Agenda	72911t-01
5.1	Handout	07/11/11	Southwest Corridor Plan: Phases and Milestones	72911t-02
5.1	Handout	7/18/11	Draft: Southwest Corridor Plan: Decision-Making Structure	72911t-03
5.1	Handout		Southwest Corridor Plan: Fact Sheet	72911t-04
5.1	Handout		City of Tigard: Typology Comparisons	72911t-05
5.1	Handout		City of Tigard: High Capacity Transit Land Use Plan Public Workshop	72911t-06
5.2	Slideshow	07/29/11	Bus Rapid Transit Briefing: "BRT for TPAC"	72911t-07
5.3	Document	4/11/05	Transportation Planning Rule (TPR) 0060 – Plan and Land Use Regulation Amendments	72911t-08
5.3	Document	6/19/11	DRAFT Amendments to TPR 0060 – Upzonings in Urban Centers	72911t-09
5.3	Bill	6/7/11	Senate Bill 795: Relating to transportation planning; and declaring an emergency	72911t-10



Metro | *Memo*

Date: August 18, 2011
To: TPAC and MTAC
From: John Mermin, Associate Transportation Planner
RE: Upcoming Transportation System Plan (TSP) Guidance activities

Purpose

The purpose of this memo is to hold the date for an upcoming workshop and inform TPAC and MTAC of Metro's approach to providing guidance to local Transportation system plans (TSP).

Background

The 2035 Regional Transportation Plan (RTP) was adopted by the Joint Policy Advisory Committee on Transportation (JPACT) and the Metro Council on June 1, 2010 and approved by the Oregon Department of Land Conservation and Development (DLCD) on November 24, 2010. State law requires that local jurisdictions update their Transportation System Plans to be consistent with the most recent RTP.

Metro's approach to TSPs

Metro will provide assistance to local TSPs in the following ways:

- Hosting a regional workshop
- Providing written and online guidance materials
- Providing limited staff assistance through designated TSP contacts

The workshop is scheduled for **Monday afternoon, September 26, 2011**, 1-5pm (exact time TBD). It will be targeted at local jurisdictions and consultants that are updating TSPs, but interested citizens are welcome to participate. Metro staff will share regional policies within their areas of modal expertise.

Metro will develop a webpage providing a "one-stop shop" for various TSP guidance materials, including RTP policy fact sheets, the Regional Transportation Functional Plan and guidance, and links to ODOT and TriMet's TSP guidance materials.

Metro staff will not be able to participate as actively within local TSP development as in the past. However, each jurisdiction will be assigned a Metro staff person. This contact list will be distributed at the September workshop.

For more information on the September workshop or other upcoming TSP guidance activities, please contact John Mermin at 503-797-1747 or john.mermin@oregonmetro.gov

Metro | Memo

Date: August 17, 2011
To: Transportation Policy Alternatives Committee (TPAC) & Interested Parties
From: Deena Platman, Principal Transportation Planner
Subject: FY 2014-15 Regional Flexible Fund Allocation – Vehicle electrification funds

Purpose

At its September 8th 2011, the Joint Policy Advisory Committee on Transportation (JPACT) will take action on the list of 2014-15 Regional Flexible Fund Allocation (RFFA) project nominations for public comment. As part of this action, JPACT will consider project recommendations for funds set aside to support vehicle electrification readiness. This memorandum lays out recommended options for allocating these dedicated funds. TPAC will provide direction to JPACT on how to advance these options into the public comment period.

Background

On July 8th 2010, JPACT adopted a one-time set aside of \$500,000 for electric vehicle (EV) acquisition and infrastructure development. Metro convened an ad hoc work group comprised of TPAC members and EV knowledgeable staff from partner agencies to craft options for applying these funds. Attachment A summarizes the work group's charge and lists its participants. The work group met twice, on July 26, 2011 and August 8, 2011, to generate, evaluate and prioritize a set of project options that would be considered by JPACT for advancement into the RFFA public comment period that begins on September 9th, 2011.

Oregon's EV Readiness Activities

Oregon is a national leader in the transition to vehicle electrification. There are a number of active initiatives that have bearing on how the RFFA funding could be applied most effectively.

- *Transportation Electrification Executive Council (TEEC)* – In September 2010, then Governor Kulongoski formed the TEEC to develop and implement actions to coordinate public, private and civic leadership to ensure that Oregon is well-positioned to capitalize on the economic benefits of transportation electrification. The council continues its work under the leadership of Governor Kitzhaber. Multnomah County Commissioner Jeff Cogen serves as its chair. For more information, go to <http://www.orsolutions.org/statewide/electrification.htm>
- *EV Project* – In 2009, the U.S. Department of Energy awarded a \$99.8 million grant to ECOtality to install 14,000 electric vehicle charging stations in six states including Oregon. ECOtality is partnering with Nissan North America to deploy approximately 1,000 Nissan Leaf electric cars in Oregon and as many as 2,500 charging stations to be

installed at homes and businesses that choose to purchase the Leaf and participate in the program. The grant will focus on the Portland, Eugene, Salem and Corvallis areas. For more information, go to <http://www.theevproject.com/>

- *West Coast Green Highway* – The West Coast Green Highway is an initiative to promote the use of cleaner fuels in the I-5 corridor. California, Oregon, Washington, and British Columbia are partnering with the private sector and other agencies to lay the groundwork for a smooth and rapid shift to widespread use of vehicles that run on electricity and other sustainable fuels. ODOT received \$700,000 in federal stimulus funds to install up to eight EV fast-charging stations in southern Oregon, from Eugene to Ashland. The initiative is meant to complement existing EV charging installations underway and to electrify an important leg of the West Coast Green Highway to the California border. For more information go to <http://westcoastgreenhighway.com/about.htm>
- *TIGER II Grant for Electric Vehicle Infrastructure* – In October 2010, ODOT also announced that it received an additional \$2 million from the TIGER II program of the U.S. Department of Transportation for up to 20 EV fast-charging stations. For more information, go to http://www.oregon.gov/ODOT/HWY/OIPP/inn_ev-charging.shtml
- *Clean Cities Community Readiness and Planning for Plug-in Electric Vehicles (PEV) and Charging Infrastructure Grant* – Business Oregon submitted a grant proposal to leverage and accelerate current investments by developing and implementing a statewide integrated PEV plan. The U.S. Department of Energy will announce grant awardees in September 2011.

Project Priorities and Considerations

Cognizant of the dynamic environment for transportation electrification, the work group brainstormed ideas and developed evaluation criteria to help narrow down the ideas to a few recommended project options. Attachment B lists the evaluation criteria and the complete set of ideas generated.

The project ideas landed into one of three categories: Readiness Education and Outreach, Charging Infrastructure Investment, and Vehicle Investment. The work group regarded projects that addressed public readiness for transportation electrification or provided charging infrastructure as the most effective use for these funds because they can be used to augment current activities. The work group ranked the vehicle investment options low because the available funds were too small to make a real impact in expanding the EV fleet given the cost differential between internal combustion engine vehicles (ICEs) and EVs, particularly for urban delivery vehicles.

The TE work group prioritized the following options for investing dedicated vehicle electrification funds:

Option	Description	Considerations
Readiness Education and Outreach		
A.	Market research/public education campaign – research public’s concerns and knowledge of EVs. Form public/private partnership to educate public about shift to electric transportation and help stimulate adoption.	<ul style="list-style-type: none"> ▪ Opportunity to leverage other public or private funding sources ▪ Scalable, could be combined with other options ▪ Accelerate funding to FY 2012
Charging Infrastructure Investment		
B.	“Last Mile” support – develop demonstration project for EV enable shuttle trips between transit centers and employment/commercial centers.	<ul style="list-style-type: none"> ▪ Opportunity to leverage other public or private funding sources ▪ Makes EV technology potentially accessible to EJ/underserved populations
C.	Workplace and multifamily charging – invest in demonstration projects to support Level I/II charging for workplace and multifamily	<ul style="list-style-type: none"> ▪ Location types not addressed by existing EV charging projects ▪ Opportunity to public or private leverage other funding sources ▪ Makes EV technology potentially accessible to EJ/underserved populations
D.	EV Fast Chargers – Install Level 3 charging stations in the Portland metro region, which can fully charge an EV in 20-30 minutes.	<ul style="list-style-type: none"> ▪ Augments current fast charge projects ▪ Opportunity to leverage other public or private funding sources

While the Transportation Electrification work group offered priorities for how to invest these funds, they cautioned that the EV landscape is fast evolving. The work group suggested that JPACT advance project ideas for public comment to generate input but refrain from a final allocation decision until nearer to when the funds become available to ensure the investment is in sync with future market conditions.

Questions for TPAC

- How should these prioritized project options be packaged and presented to JPACT?

Transportation Electrification Work Group is an ad hoc committee charged with recommending project(s) that will help ready the region for electric powered vehicles.

The Joint Policy Advisory Committee on Transportation (JPACT) has allocated \$500,000 from the region's 2014-15 federal funds to support transportation electrification initiatives.

7/08/10	Metro Council adopts Regional Flexible Funds Allocation (RFFA) policy framework
7/26/11	Transportation Electrification WG meeting #1
8/08/11	Transportation Electrification WG meeting #1
8/26/11	TE recommendation to Transportation Policy Alternatives Committee (TPAC)
9/08/11	TE recommendation to JPACT
9/08/11	RFFA public comment period begins
12/8/11	JPACT action on RFFA
12/15/11	Metro Council action on RFFA

TE Team

Andy Back	Washington Co/TPAC	Ashley Horvat	ODOT
Karen Buerig	Clackamas Co/TPAC	Scott King	Port of Portland
Peter Brandom	City of Hillsboro	James Mast	Citizen
Ronda Chapman-Duer	Washington Co	John Macarthur	PSU/OTREC
Katja Dillman	City of Portland	Young Park	TriMet
Warren Fish	Multnomah Co	Deena Platman	Metro
		Eben Polk	Clackamas County

Transportation Electrification Project Evaluation Criteria

Purpose: Rank each project idea High (5), Medium (3), Low (1) for each criterion listed below.

- Project contributes to readying the region for transportation electrification in the near term.
- Project supports region's effort to attract green industries and jobs.
- Project has opportunity to leverage other resources and/or integrate with other regional and statewide efforts to advance transportation electrification.
- Project provides a benefit to environmental justice and underserved communities.
- Project is politically and technologically feasible in the near term.

Transportation Electrification Project Ideas Ranked by Evaluation Criteria

A. Readiness education & outreach	Rank
A.1 Education – “Brand” transportation electrification for Portland region. Expand knowledge about different ways to “participate” in new paradigm; for example support business that use EV for deliveries, car sharing, taxi cabs, or buy EV for personal use.	21
A.2 Market research - Conduct on customer response to messaging about transportation electrification in Portland region	19
A.3 EV ambassadors – establish an EV ambassador program, similar to the solar ambassador program, to enlist owners of EV to share their experiences with shifting to EV.	21
A.4 RTO partnership – Combine TE funds with RTO funding to support general public education campaign.	19
A.5 Education public/private partnership – Form a coalition of public/private sector entities to create an education campaign.	23
A.6 Electric vehicle eco tourism – Support development of eco tourism that includes electric vehicle transportation.	13

B. Infrastructure investment	Rank
B.1 EV Fast Chargers – Install Level 3 charging stations in the Portland metro region.	19
B.2 Expand EV charging to multi-family dwellings – Support policy, design and demonstration projects that incorporate charging facilities into multi-family complexes.	19
B.3 Expand EV charging to dense, urban areas – Support policy, design and demonstration projects that incorporate charging facilities into dense residential areas, ex. South Waterfront.	Merged with B.2
B.4 TriMet park-and-ride EV charging – Conduct demonstration project to use TriMet park-and-ride lots for EV charging. Allow multi-family residents access to charging stations overnight.	15
B.5 Grant program – Market funding to leverage investment from private/non-profit sector. Create grant categories ex. charging infrastructure or loan program.	13
B.6 Cab fleet electrification – Support transition of taxi cab fleet to electric vehicles. The Port of Portland is installing charging stations at PDX, some of which will serve taxi cabs.	17
B.7 Traffic incident response charging – purchase portable charging units for traffic incident responders to ease range anxiety for EV users.	11
*B.8 Last Mile fleet support - Support for transit/shuttle trips at demonstration sites	21
B.9 Workplace charging - Support workplace charging through policy, design and demonstration projects.	19

C. Vehicle investment	Rank
C.1 Urban delivery vehicle electrification – Support transition of truck fleet to EV.	15
C.2 Fleet vehicle purchase – Establish grant program to support conversion from ICE to EV in local government fleets. Pay difference between ICE and EV for government fleets.	13

BEFORE THE METRO COUNCIL

FOR THE PURPOSE OF AMENDING THE 2010-)	RESOLUTION NO. 11-XXXX
13 METROPOLITAN TRANSPORTATION)	
IMPROVEMENT PROGRAM (MTIP) TO ADD)	Introduced by Councilor
THE I-5 CARMEN DRIVE RAMP OPERATIONS)	
PROJECT)	

WHEREAS, the Metropolitan Transportation Improvement Program (MTIP) prioritizes projects from the Regional Transportation Plan to receive transportation related funding; and

WHEREAS, the Joint Policy Advisory Committee on Transportation (JPACT) and the Metro Council must approve the MTIP and any subsequent amendments to add new projects to the MTIP; and

WHEREAS, JPACT and the Metro Council approved the 2010-13 MTIP on September 16, 2010; and

WHEREAS, the Oregon Department of Transportation (ODOT) has conducted a corridor operations analysis for the south Interstate 5 corridor as programmed in the 2009-10 Unified Planning Work Program; and

WHEREAS, Oregon Department of Transportation (ODOT) has proposed an operations project as a priority improvement emerging from this analysis to modify the design of the southbound on-ramp to Interstate 5 from Highway 217 to connect to the existing auxiliary lane between the Carmen Drive and Lower Boones Ferry Road exit to reduce crash incidents and reduce vehicle delay; and

WHEREAS, ODOT wishes to add a construction phase to this project, as described in Exhibit A to this resolution; and

WHEREAS, a corresponding Regional Intelligent Transportation System / Transportation System Management & Operations program (Project #11104) is contained within the Regional Transportation Plan financially constrained system; and

WHEREAS, interchange reconfiguration projects are exempt from regional emissions analyses by the code of federal regulations 40 CFR 93.135; and

WHEREAS, funding for the project is available within existing revenues, consistent with the TIP financial plan; and

WHEREAS, JPACT approved the resolution September 8, 2011; now therefore

BE IT RESOLVED that the Metro Council hereby adopts the recommendation of JPACT to add the I-5 Carmen Drive ramp operations project to the 2010-13 MTIP.

ADOPTED by the Metro Council this ____ day of September 2011.

Tom Hughes, Council President

Approved as to Form:

Alison Kean Campbell, Acting Metro Attorney

Exhibit A to Resolution No. 11-XXXX

2010-13 Metropolitan Transportation Improvement Plan Table 3.1.1 amendment

Action: Amend MTIP to add construction phase to ODOT project.

Existing programming:

Project Name	Project Description	ODOT Key #	Lead Agency	Estimated Total Project Cost (all phases, all years)	Project Phase	Fund Type	Program Year	Federal Funding	Minimum Local Match	Other Funds	Total Funding
I-5 Carmen Drive Ramp Operations Project	Restripe the existing merge lane of the Highway 217 ramp to I-5 southbound to connect to the existing auxiliary lane of the Carmen Drive southbound access ramp to I-5.	17515	ODOT	\$1,950,823	PE	STP	2011	\$400,000	\$45,782	\$0	\$445,782

Amended programming:

Project Name	Project Description	ODOT Key #	Lead Agency	Estimated Total Project Cost (all phases, all years)	Project Phase	Fund Type	Program Year	Federal Funding	Minimum Local Match	Other Funds	Total Funding
I-5 Carmen Drive Ramp Operations Project	Restripe the existing merge lane of the Highway 217 ramp to I-5 southbound to connect to the existing auxiliary lane of the Carmen Drive southbound access ramp to I-5.	17515	ODOT	\$1,950,823	PE	STP	2011	\$400,000	\$45,782	\$0	\$445,782
				\$1,950,823	Cons	STP	2011	\$1,550,823	\$177,499	\$0	\$1,728,322

STAFF REPORT

FOR THE PURPOSE OF AMENDING THE 2011-13 METROPOLITAN TRANSPORTATION
IMPROVEMENT PROGRAM (MTIP) TO ADD THE I-5 CARMEN DRIVE RAMP
OPERATIONS PROJECT

Date: September 8, 2011

Prepared by: Ted Leybold, 503-797-1759

BACKGROUND

The Oregon Department of Transportation (ODOT) is completing a corridor operations analysis of the southern portion of Interstate 5 and has identified potential operational projects to reduce vehicle crashes and increase vehicle flow to reduce congestion. A priority project emerging from this analysis is to realign the south bound Carmen Drive on-ramp to Interstate 5 (I-5) to allow a safer transition for vehicles merging onto I-5 with vehicles preparing to exit at Lower Boones Ferry Road to the south. The configuration of existing and proposed lanes is shown in Attachment 1.

The project would restripe the existing merge lane of the Highway 217 ramp to I-5 southbound to connect to the existing auxiliary lane of the Carmen Drive southbound access ramp to I-5. This will allow vehicles entering I-5 southbound from Highway 217 to not have to merge and change lanes in the short distance between Highway 217 and the Carmen Drive overpass where the existing merge lane ends. The benefits of the new configuration are summarized in Attachment 1.

ODOT has identified financial capacity to fund this project from savings to existing projects. Urban STP funds will be programmed on the project to ensure timely obligation of federal funds and avoid the potential for a rescission of federal funds allocated to the state. State administered funds will be programmed to replace the urban STP funds at a later date.

Air quality conformity was completed on the 2035 Regional Transportation Plan, which included a small program of regional system management and operations program projects, consistent with this project, as a part of the financially constrained system. Additionally, interchange reconfiguration projects are exempt from regional emissions analyses by the code of federal regulations 40 CFR 93.135.

The Joint Policy Advisory Committee on Transportation and the Metro Council must approve amendments to the MTIP. This amendment will add a construction phase the I-5 Carmen Drive Ramp Operations project to the 2010-13 MTIP with programming as shown in Exhibit A to Resolution No. 11-XXXX.

ANALYSIS/INFORMATION

1. **Known Opposition** None known at this time.
2. **Legal Antecedents** Amends the 2010-13 Metropolitan Transportation Improvement Program adopted by Metro Council Resolution 10-4186 on September 16, 2010 (For the Purpose of Approving the 2010-13 Metropolitan Transportation Improvement Program for the Portland Metropolitan Area).
3. **Anticipated Effects** Allows
4. **Budget Impacts** None.

RECOMMENDED ACTION

Metro staff recommends the approval of Resolution No. 11-XXXX.

INTEROFFICE MEMORANDUM

TO: TED LEYBOLD, MTIP PROGRAM MANAGER
FROM: RIAN WINDSHEIMER
SUBJECT: I-5 @ CARMEN DR OPERATIONAL IMPROVEMENT
DATE: 8/15/2011

ODOT Region 1 started the I-5/I-205 Operations Study in 2009 to identify, rank and provide conceptual low cost, low impact operational solutions for the worst bottlenecks on I-5 south of the Marquam Bridge and I-205 in the Portland Metro Region. The study has identified several bottlenecks on I-5 and I-205 based on PORTAL data, ODOT traffic cameras, travel time runs, collision data and field observations. This study identified a solution at I-5@ Carmen Drive involving restriping at a low cost.


The primary bottleneck problem between OR 217 and Lower Boones Ferry Road is caused by a heavy entering volume from OR 217 that is weaving with traffic exiting at Carmen Drive. Traffic with destinations beyond Carmen Drive tend to get over to the left immediately upon entering I-5 rather than making use of the existing auxillary lane because the lane merges under the Carmen Drive overcrossing. The result has been 308 crashes over a 5 year period and speeds of 10 miles per hour when the bottleneck activates.


The proposed operational improvement will re-purpose the existing merge lane that under the Carmen Drive structure on southbound I-5 by restriping it to connect with the existing auxillary lane between Carmen Drive and Lower Boones Ferry Road. This project requires rebuilding the existing Carmen Drive on-ramp to create safe merging operations and improving acceleration distances for vehicles entering from Carmen Drive. VISSIM, a micro-simulation software package, predicts the following operational and safety improvements (see Figure 1):

- shorten the peak hour back-ups on I-5 South by approximately 1 mile,
- increase peak operating speeds by approximately 4 mph (40% increase),
- shrink the peak duration by up to 60 minutes per day,
- reduce accidents related to merging and weaving and;
- increase reliability in the corridor.

The proposed improvement makes more efficient use of pavement that exists today. Transport, the TPAC subcommittee that coordinates operational improvements in the region, has indicated support for the project in an attached letter.

Figure 1: I-5 Southbound Carmen Drive Auxiliary Lane Extension





Project Benefits

- Queue reduced by 1 Mile
- Increase of 4 mph in slowest areas
- Hours of Congestion 1 hour shorter
- Increased reliability and less fluctuation in speed
- Reduction in crashes near OR 217 SB entrance

Attachment 1

DATE:

TO: Oregon Transportation Commission

FROM: Matthew L. Garrett
Director

SUBJECT: 2010-2013 Statewide Transportation Improvement Program (STIP)
Amendment request to add a construction phase to an Interstate
Operations Project

Requested Action:

Region 1 requests approval to amend the 2010-2013 STIP to add a construction phase to the following Operations D-STIP project:

Project Name	I-5 SB: Carmen Dr – Lower Boones Ferry KN 17515	
PHASE	YEAR	COST
PE	2011	\$400,000
RW		
UR		
CN	2011	\$1,550,823
TOTAL		\$1,950,823

Background:


ODOT Region 1 conducted an I-5/I-205 Operations Study in 2009 to identify, rank and provide conceptual solutions for the worst bottlenecks in the Portland Metro Region on I-5 south of the Marquam Bridge and along I-205. The study identified several bottlenecks on these facilities based on PORTAL traffic data, ODOT traffic cameras, field observations and travel time and collision data.

The bottleneck on I-5 at Carmen Drive has been identified as one of the worst on I-5 south as well as one of the most affordable to address. The proposed solution will restripe an existing merge lane that currently drops under the Carmen Drive structure to extend the auxiliary lane from Hwy 217 to Lower Boones Ferry Road. As part of the project, the Carmen Drive on-ramp will be realigned and lengthened to improve the weave distance and improve safety. This improvement is expected to reduce the congestion in the area by an hour, reduce the Southbound backup in the PM peak by approximately 1 mile, and reduce accidents and increase reliability in the corridor.

Funding is coming from operations project savings within Region 1.

Copies (w/enclosures) to:

Jason Tell
Rian Windsheimer
Naveen Chandra
Jeff Flowers
Steve Leep



Oregon Department
of Transportation

Clackamas County

Multnomah County

Washington County

City of Beaverton

City of Gresham

City of Hillsboro

City of Portland

TriMet

Port of Portland

Metro

Portland State
University

Southwest
Washington

Regional
Transportation
Council

Washington State
Department of
Transportation

C-Tran

August 15, 2011

Rian Windsheimer, Policy and Development Manager
ODOT Region 1
123 NW Flanders Street
Portland OR 97209

Subject: TransPort Endorsement of ODOT's I-5 at Carmen Drive
Operational Improvement Project MTIP Amendment

Dear Mr. Windsheimer:

TransPort, the Transportation System Management & Operations (TSMO) Subcommittee for the Portland metropolitan region is pleased to submit this letter of support on behalf of ODOT's I-5 at Carmen Drive Operational Improvement project.

TransPort reviewed this project at its August 2011 meeting and concluded that ODOT's operational solution of connecting an existing merge lane to an existing auxiliary lane on southbound I-5 between Carmen Drive and Lower Boones Road is a cost-effective operations solution to a known bottleneck location. The VISSUM model findings of reduced duration and length of vehicle backups, increased travel speeds, and decreased merge/weave crashes are the compelling reasons for TransPort endorsement of the MTIP amendment necessary to advance this project.

We have high confidence that the completion of this project will result in safer and more efficient mobility for I-5 travelers.

Sincerely,

A handwritten signature in black ink, appearing to read 'Dennis Mitchell'.

Dennis Mitchell, ODOT Region 1
TransPort Chair

BEFORE THE METRO COUNCIL

FOR THE PURPOSE OF AMENDING THE 2010-)	RESOLUTION NO. 11-YYYY
13 METROPOLITAN TRANSPORTATION)	
IMPROVEMENT PROGRAM (MTIP) TO ADD)	Introduced by Councilor
THREE SIDEWALK PROJECTS AWARDED)	
TRANSPORTATION ENHANCEMENT FUNDS)	

WHEREAS, the Metropolitan Transportation Improvement Program (MTIP) prioritizes projects from the Regional Transportation Plan to receive transportation related funding; and

WHEREAS, the Joint Policy Advisory Committee on Transportation (JPACT) and the Metro Council must approve the MTIP and any subsequent amendments to add new projects to the MTIP; and

WHEREAS, JPACT and the Metro Council approved the 2010-13 MTIP on September 16, 2010; and

WHEREAS, Oregon Transportation Commission has awarded funding to three projects within the metropolitan area to receive Transportation Enhancement funding; and

WHEREAS, these projects, as described in Exhibit A to this resolution are contained within the Regional Transportation Plan financially constrained system; and

WHEREAS, pedestrian projects are exempt from the requirement that a conformity determination be made by the code of federal regulations 40 CFR 93.134; and

WHEREAS, funding for the projects is available within existing revenues, consistent with the TIP financial plan; and

WHEREAS, JPACT approved the resolution September 8, 2011; now therefore

BE IT RESOLVED that the Metro Council hereby adopts the recommendation of JPACT to add the three pedestrian projects awarded Transportation Enhancement funds to the 2010-13 MTIP.

ADOPTED by the Metro Council this ____ day of September 2011.

Tom Hughes, Council President

Approved as to Form:

Alison Kean Campbell, Acting Metro Attorney

Exhibit A to Resolution No. 11-YYYY

2010-13 Metropolitan Transportation Improvement Plan Table 3.1.1 amendment

Action: Amend MTIP to add three projects.

Existing programming: None

Amended programming:

Project Name	Project Description	ODOT Key #	Lead Agency	Estimated Total Project Cost (all phases, all years)	Project Phase	Fund Type	Program Year	Federal Funding	Minimum Local Match	Other Funds	Total Funding
Birchwood Road: SW 87th to SW Laurelwood	Add sidewalks to Birchwood Road between SW 87th Avenue and SW Laurelwood Road.	TBD	City of Beaverton	\$528,000	PE	TE	2011	\$100,000	\$11,445	\$0	\$111,445
					Cons	TE	2012	\$268,000	\$30,674	\$117,881	\$416,555

Draft

Project Name	Project Description	ODOT Key #	Lead Agency	Estimated Total Project Cost (all phases, all years)	Project Phase	Fund Type	Program Year	Federal Funding	Minimum Local Match	Other Funds	Total Funding
Safe Routes to Powellhurst-Gilbert Schools	Add sidewalks, crossings and stripe bike lanes on SE Ramona Street between 122nd and 132nd and on SE Harold Street between 122nd and 136th.	TBD	City of Portland	\$1,662,000	PE	TE	2011	\$413,655	\$47,345	\$0	\$461,000
					Cons	TE	2012	\$1,073,345	\$127,655	\$0	\$1,201,000

Project Name	Project Description	ODOT Key #	Lead Agency	Estimated Total Project Cost (all phases, all years)	Project Phase	Fund Type	Program Year	Federal Funding	Minimum Local Match	Other Funds	Total Funding
122nd and 132nd Avenue sidewalks: SE Sunnyside to SE Hubbard	Add sidewalks to 122nd and 132nd Avenues between Sunnyside and Hubbard Roads.	TBD	Clackamas County	\$595,000	PE	TE	2011	\$200,000	\$22,891	\$4	\$222,895
					Cons	TE	2012	\$333,894	\$38,211	\$0	\$372,105

STAFF REPORT

FOR THE PURPOSE OF AMENDING THE 2011-13 METROPOLITAN TRANSPORTATION IMPROVEMENT PROGRAM (MTIP) TO ADD THREE PROJECTS AWARDED TRANSPORTATION ENHANCEMENT FUNDS

Date: September 8, 2011

Prepared by: Ted Leybold, 503-797-1759

BACKGROUND

The Oregon Transportation Commission (OTC) awarded Transportation Enhancement funds to three projects within the metropolitan area. The projects are Birchwood Road: SW 87th to SW Laurelwood in Beaverton, Safe Routes to Powellhurst-Gilbert Schools in SE Portland, and 122nd and 132nd Avenue Sidewalks: Sunnyside to Hubbard in Clackamas County. Maps of these projects are shown in Attachment 1.

Transportation Enhancement funding is awarded by the Oregon Transportation Commission through a competitive application process. Criteria for which projects are eligible and prioritized for funding is adopted by the OTC and administered by the Oregon Department of Transportation.

Air quality conformity was completed on the 2035 Regional Transportation Plan financially constrained system that included these projects. Additionally, pedestrian and bicycle projects are exempt from the requirement that a regional air quality conformity determination be made by the code of federal regulations 40 CFR 93.134.

The Joint Policy Advisory Committee on Transportation and the Metro Council must approve amendments to the MTIP. This amendment will add these three projects to the 2010-13 MTIP with programming as shown in Exhibit A to Resolution No. 11-YYYY.


ANALYSIS/INFORMATION

- 1. Known Opposition** None known at this time.
- 2. Legal Antecedents** Amends the 2010-13 Metropolitan Transportation Improvement Program adopted by Metro Council Resolution 10-4186 on September 16, 2010 (For the Purpose of Approving the 2010-13 Metropolitan Transportation Improvement Program for the Portland Metropolitan Area).
- 3. Anticipated Effects** Allows funding to become available to three pedestrian projects in the metropolitan region.
- 4. Budget Impacts** None.


RECOMMENDED ACTION

Metro staff recommends the approval of Resolution No. 11-YYYY.

Attachment 1




BEFORE (87TH AVE)



AFTER (87TH AVE)




Y:\TRANSPORTATION\Drawings\2009\2009 FED Stimulus Maps\SW BIRCHWOOD SIDEWALK (Laurelwood-87th)\VICINITY MAP_11.dwg




VICINITY MAP
**SW BIRCHWOOD SIDEWALK
 (SW LAURELWOOD - SW 87TH)**

**PUBLIC WORKS DEPARTMENT
 ENGINEERING SECTION**

Drawn By: AL Date: 6-29-10
 Reviewed By: _____ Date: _____
 Approved By: _____ Date: _____



Safe Routes to Powellhurst-Gilbert Schools



- TE Project
- Multi-Use Paths
- MAX Green Line (light rail)
- Planned 122nd sidewalk infill (locally funded)
- Planned Neighborhood Greenway (locally funded)

Site Plan

Clackamas County Community and Schools Sidewalk Connection Project.

Project includes 2287' of sidewalk to complete
3.0 mile route. All sidewalks to be 6' wide.

 Existing Sidewalk  Proposed Sidewalk



 Metro | Memo

Date: August 19, 2011
To: TPAC and interested parties
From: Kim Ellis, Principal Transportation Planner
Ray Valone, Principal Land Use Planner
Re: Climate Smart Communities: Scenarios Project

BACKGROUND

The purpose of this agenda item is to provide an update on the Phase 1 Scenarios analysis and distribute the recently completed Strategy Toolbox report. No TPAC action is requested.

PHASE 1 SCENARIOS ANALYSIS

General purpose: Phase 1 of the Climate Smart Communities Scenarios project is focused on testing broad-level, regional-scale scenarios to learn what policies, or combination of policies, may be needed to meet regional greenhouse gas emissions (GHG) reduction targets adopted by the Land Conservation and Development Commission in May. The State requires the Portland metropolitan area to reduce per capita GHG emissions from cars, small trucks and SUVs by 20 percent below 2005 levels by 2035.

The policy levers to be tested include: (1) community design strategies, (2) marketing & incentives strategies, (3) transportation pricing strategies, (4) transportation management strategies, (5) fleet improvements and (6) technology improvements. While the focus of Phase 1 is to understand what it will take for the region to meet state targets - including how far current plans and policies will take us. This phase also provides an important opportunity to identify and understand the potential challenges, opportunities and tradeoffs that come with different strategies.

Status: The analysis is underway. Metro and ODOT staff have been working together to develop a metropolitan GreenSTEP model for the analysis. In addition to model development work, the TPAC/MTAC scenario work group met in May and June to define the scenarios to be tested consistent with the approach recommended by the Metro Policy Advisory Committee and the Joint Policy Advisory Committee on Transportation in June. Preliminary findings are anticipated to be available in September.

STRATEGY TOOLBOX

General purpose: A variety of GHG reduction strategies are available, many of which are already being implemented in the region to realize the 2040 Growth Concept and local plans and aspirations. The Strategy Toolbox summarizes research related to land use and transportation strategies that can be applied to reduce GHG emissions from light duty vehicles in the region to document their potential effectiveness, co-benefits and synergy with each other.

Status: The Toolbox is completed and will serve as important background information for the Climate Smart Communities Scenarios Project. The report will be used in conjunction with scenarios analysis to inform development of findings and recommendations for discussion by the region's decision-makers this fall. Copies will be available at the meeting.

Meeting handouts:

- Climate Smart Communities Scenarios project factsheet (April 2011)
- A collaborative approach to building livable, prosperous, equitable and climate smart communities (June 2011)



The region's six desired outcomes

Climate Smart Communities Scenarios

Background

In 2007, the Oregon Legislature established statewide goals to reduce carbon emissions – calling for stopping increases in emissions by 2010, a 10 percent reduction below 1990 levels by 2020, and a 75 percent reduction below 1990 levels by 2050. The goals apply to all sectors, including energy production, buildings, solid waste and transportation.

In 2009, the Oregon Legislature passed House Bill 2001, directing the region to “develop two or more alternative land use and transportation scenarios” by January 2012 that are designed to reduce carbon emissions from cars, small trucks and SUVs. The legislation also mandates adoption of a preferred scenario after public review and consultation with local governments, and local government implementation through comprehensive plans and land use regulations that are consistent with the adopted regional scenario. The Climate Smart Communities Scenarios effort responds to these mandates and Senate Bill 1059, which provided further direction to scenario planning in the Portland metropolitan area and the other five metropolitan areas in Oregon.

Metro’s Making the Greatest Place initiative resulted in a set of policies and investment decisions adopted in the fall of 2009 and throughout 2010. These policies and investments focused on six desired outcomes for a successful region, endorsed by the Metro Council and Metro Policy Advisory Committee in 2008: vibrant communities, economic prosperity, safe and reliable transportation, environmental leadership, clean air and water, and equity. Making the Greatest Place included the adoption of the 2035 Regional Transportation Plan and the designation of urban and rural reserves. Together these policies and actions provide the foundation for better integrating land use decisions with transportation investments to create prosperous and sustainable communities and to meet state climate goals.



The 2040 Growth Concept - the region's adopted growth management strategy

State response Oregon Sustainable Transportation Initiative

The Oregon Department of Transportation and the Department of Land Conservation and Development are leading the state response through the Oregon Sustainable Transportation Initiative. An integrated effort to reduce carbon emissions from transportation, the initiative will result in a statewide transportation strategy, toolkits and specific performance targets for the region to achieve.

Regional response Climate Smart Communities Scenarios

The Climate Smart Communities Scenarios effort will build on the state-level work and existing plans and efforts underway in the Portland metropolitan area. The project presents an opportunity to learn what will be required to meet the state carbon goals and how well the strategies support the region’s desired outcomes.

A goal of this effort is to further advance implementation of the 2040 Growth Concept, local plans and the public and private investments needed to create jobs, build great communities and meet state climate goals. Addressing the climate change challenge will take collaboration, partnerships and focused policy and investment discussions and decisions by elected leaders, stakeholders and the public to identify equitable and effective solutions through strategies that create livable, prosperous and healthy communities.

Metro’s policy and technical advisory committees will guide the project, leading to Metro Council adoption of a “preferred” land use and transportation strategy in 2014.

About Metro

Clean air and clean water do not stop at city limits or county lines. Neither does the need for jobs, a thriving economy, and sustainable transportation and living choices for people and businesses in the region. Voters have asked Metro to help with the challenges and opportunities that affect the 25 cities and three counties in the Portland metropolitan area.

A regional approach simply makes sense when it comes to providing services, operating venues and making decisions about how the region grows. Metro works with communities to support a resilient economy, keep nature close by and respond to a changing climate. Together we're making a great place, now and for generations to come.

Stay in touch with news, stories and things to do.

www.oregonmetro.gov/connect

Metro Council President

Tom Hughes

Metro Council

Shirley Craddock,
District 1

Carlotta Collette,
District 2

Carl Hosticka,
District 3

Kathryn Harrington,
District 4


Rex Burkholder,
District 5

Barbara Roberts,
District 6

Auditor

Suzanne Flynn

Climate Smart Communities Scenarios planning process



Phase 1

Understanding the choices (We are here)

The first phase of regional-level scenario analysis will occur during summer 2011 and focus on learning what combinations of land use and transportation strategies are required to meet the state greenhouse gas emissions targets. Strategies will include transportation operational efficiencies that can ensure faster, more dependable business deliveries; more sidewalks and bicycle facilities; more mixed use and public transit-supportive development in centers and transit corridors; more public transit service; incentives to walk, bike and use public transit; and user-based fees.

Potential impacts and benefits will be weighed against the region's six desired outcomes. Findings and recommendations from the analysis will be reported to Metro's policy committees in fall 2011 before being finalized for submittal to the Legislature in January 2012.

Phase 2

Shaping the direction

In 2012, the region will analyze more refined alternative regional-level scenarios that apply the lessons learned from phase 1 to develop a "draft" preferred land use and transportation scenario. This phase provides an opportunity to incorporate strategies and new policies identified through local and regional planning efforts

that are underway in the region (e.g., SW Corridor Plan, East Metro Connections Plan, Portland Plan, and other local land use and transportation plan updates).

By the end of 2012, Metro's policy committees will be asked to confirm a "draft" preferred scenario that will be brought forward to the final phase of the process.

Phase 3

Building the strategy and implementation

The final project phase during 2013 and 2014 will lead to adoption of a "preferred" land use and transportation strategy. The analysis in this phase will be conducted using the region's most robust analytic tools and methods – the regional travel demand model, MetroScope and regional emissions model, MOVES. Additional scoping of this phase will occur in 2012 to better align this effort with mandated regional planning and growth management decisions.

This phase will identify needed changes to regional policies and functional plans, and include updates to the Regional Transportation Plan and region's growth management strategy. Implementation of approved changes to policies, investments, and other actions would begin in 2014 at the regional and local levels to realize the adopted strategy.

A collaborative approach to building livable, prosperous, equitable and climate smart communities

As recommended by the Metro Policy Advisory Committee (MPAC) and the Joint Policy Advisory Committee on Transportation (JPACT) on June 8 and June 9, 2011



www.oregonmetro.gov

ACHIEVING THE REGION'S SIX DESIRED OUTCOMES AND MEETING STATE CLIMATE GOALS More than a decade ago, the region set a course for growth with the adoption of the 2040 Growth Concept. Over the years, Metro and its partners have collaborated to help communities realize their local aspirations while moving the region toward its goals to make the Portland metropolitan region a great place to live, work and play.

We have set our region on a wise course – but mounting scientific evidence shows Oregon's climate is changing. Oregon has been a national leader and has taken some steps to do its part to address climate change. Regional and local leaders in the Portland region have agreed that it is important to provide leadership and do their part.

Now it's time to act and focus on the investments needed to collaboratively realize those local aspirations and shared regional goals, as well as address state climate goals. The Climate Smart Communities scenarios work is intended to do that.

While reducing greenhouse gas (GHG) emissions is important to the health of the region and the planet, the Climate Smart Communities scenarios work will demonstrate that the region can progress toward the GHG reduction goals set by the state within the context of achieving outcomes of equal importance to residents: a healthy economy; clean air and water; and access to good jobs, affordable housing, transportation options, nature, trails and recreational opportunities.

The region has choices about how to respond. Through this effort, the region will build on a long tradition of innovation, excellence in planning, and conservation and stewardship of our natural environment. The bold decisions made decades ago have given this region a head start over other cities and regions across the country. It is in this context that we will look to the bold actions needed to tackle the climate challenge and show that solutions are at hand that will turn the challenge of climate change into opportunities to enhance our region's resilience, prosperity and quality of life, now and for generations to come.

For now, the Climate Smart Communities scenarios effort will focus on reducing GHG emissions from cars, small trucks and sport utility vehicles (SUVs) – as required by House Bill 2001. Preparation for and adaptation to a changing climate will be addressed in future phases and through other efforts already underway in the region and state.




The region's six desired outcomes – adopted by the Metro Council on December 16, 2010.

WHERE WE'VE BEEN AND WHERE WE'RE HEADED In 2007, the Oregon Legislature established statewide goals for GHG emissions – calling for stopping increases in emissions by 2010; a 10 percent reduction below 1990 levels by 2020 and at least a 75 percent reduction below 1990 levels by 2050. The targets apply to all emission sectors, including energy production, buildings, solid waste and transportation.

In 2009, the Oregon Legislature passed House Bill 2001, directing Metro to “develop two or more alternative land use and transportation scenarios” by January 2012 that are designed to reduce GHG emissions from light-duty vehicles. The legislation also mandated adoption of a preferred scenario after public review and consultation with local governments. Finally, HB 2001 calls for local government implementation through comprehensive plans and land use regulations that are consistent with the adopted regional scenario.

In 2010, Metro, its technical and policy committees and local elected officials continued to support the 2040 vision for the region by adopting an outcomes-based blueprint for the future – the Community Investment Strategy - through updates to the Regional Transportation Plan, Regional Freight Plan, High Capacity Transit Plan, Transportation System Management and Operations Plan, Capacity Ordinance, Urban Growth Report, urban growth boundary process and designating urban and rural reserves. These actions provide the policy foundation for better integrating land use decisions with transportation investments to achieve the region’s 2040 vision and six desired outcomes, as well as the state climate goals.



Adopted in 1995, the 2040 Growth Concept is the region’s blueprint for the future, guiding growth and development based on a shared vision to create livable, prosperous, equitable and climate smart communities.

In May 2011, the Land Conservation and Development Commission (LCDC) adopted per capita GHG emissions reduction targets for the Portland region. The State calls for the region to reduce per capita GHG emissions from cars, small trucks and SUVs by 20 percent below 2005 levels by 2035 in order to be on track to meet the state’s 2050 goal. The targets assume the region will achieve a certain amount of emissions reduction through improvements to fuel economy, fleet mix and vehicle technology. This means the region needs to build, and eventually adopt, a land use and transportation strategy that will reduce GHG emissions an additional 20 percent below what we can anticipate from fuel, fleet and technology improvements.

A variety of different strategies are available to reduce GHG emissions, many of which are already being implemented in the region to realize the 2040 Growth Concept and local plans. Concerns have been raised that the fuel, fleet and technology changes assumed in the targets may be too aggressive and difficult to reach and that the region should not rely on state or federal actions to meet the targets. Instead, the region should prepare itself to reduce emissions by more than 20 percent in case the technology and fleet improvements do not come to fruition as quickly as anticipated.

DESIRED OUTCOME The goal of the Climate Smart Communities scenarios effort is to collaborate across different levels of government and public and private sectors to target investments to generate maximum local and regional benefits, and identify and implement programs and policies that help build prosperous, vibrant, equitable and climate smart communities.

HOW WE GET THERE This is a multi-year collaborative effort designed to help communities realize their local aspirations and maximize achievement of the region’s six desired outcomes and state climate goals.

CLIMATE SMART COMMUNITIES SCENARIO PLANNING TIMELINE



PHASE 1 TESTING POLICY OPTIONS TO UNDERSTAND CHOICES (JAN. - DEC. 2011) In 2011, the region will use scenario planning and other research to determine the combinations of land use and transportation strategies that are most promising for meeting the region’s GHG emission reduction target for cars, small trucks and SUVs in the Portland metropolitan region. The analysis will include development of a “Strategy Toolbox” that synthesizes existing research on different strategies in terms of their GHG reduction potential, potential co-benefits and synergies, and implementation feasibility. In addition, potential impacts and benefits will be evaluated against the region’s six desired outcomes, local aspirations and feasibility of implementation using a combination of qualitative and quantitative indicators.

The analysis will be used to identify potential policy options and provide information useful for policymakers and stakeholders to discuss the trade-offs and choices presented by the most effective GHG reduction strategies during Fall 2011. The regional policy discussion will shape the findings and potential packages of strategies recommended for further evaluation in 2012.

PHASE 2 SHAPING THE DIRECTION BY TURNING POLICY OPTIONS INTO A REGIONAL STRATEGY (JAN. - DEC. 2012) In 2012, the region will apply the most promising strategies to communities around the region in a more customized way, examining the potential to pursue different strategies that support distinct community goals in recognition that implementation may be different in each one. This phase will also identify the benefits, impacts and costs (and cost savings) associated with different scenarios across environmental, economic and equity goals, and use case studies to illustrate effects in communities around the region.

PHASE 3 BUILDING THE STRATEGY AND IMPLEMENTATION (JAN. 2013 - JUNE 2014) In 2013 and 2014, the region will collaboratively build and adopt a preferred scenario that recognizes community values and local differences while moving toward regional and state goals. This will entail selecting a preferred set of land use and transportation strategies to be implemented through

state, local and regional plans, policies and investments. Effective implementation of the preferred strategy will likely require the participation and cooperation of an array of Federal, State, regional and local government agencies, the private sector and community organizations. This work will include development of a finance strategy because many of the strategies will be implemented locally and regionally.

KEY PRODUCTS A number of products will be developed throughout the project that will support current and future planning and implementation efforts in communities throughout the region, including:

- **Resources, research and technical support** to help regional partners produce climate communications materials that inform communities, connect actions to outcomes and inspire residents to act at the neighborhood level.
- **Case studies from the Portland area** to illustrate on-the-ground examples of how local actions can achieve community aspirations and other desired outcomes. Many of the strategies being considered are already being implemented in the region to realize the 2040 Growth Concept and local plans.
- User-friendly **visualization tools** that bring local case studies and other technical information to life for decision-makers and the public by illustrating existing conditions and future choices.
- Enhanced and new **state-of-the-art analytic tools** for local and regional land use and transportation system planning efforts, available in FY 11-12. The tools will help policy- and decision-makers evaluate **market feasibility** of development alternatives, housing and transportation **affordability, fiscal, economic, equity, environmental** and **public health** impacts, and **energy consumption** of buildings and transportation. New **pedestrian and bike models** will better account for walking and biking, and access to transit in the region.
- **Alternative growth scenarios** that build on community aspirations and support the 2040 Growth Concept.
- **Locally-developed preferred scenario recommendations** for land use and transportation **investment priorities, programs** and **actions** for use in downtowns, main streets and employment areas across the region. This will include a **financing strategy** to fund investments in transportation systems and projects that support the development of great communities.
- Updated **Regional Transportation Plan, air quality conformity determination, Regional Framework Plan, Urban Growth Report, functional plans** and other growth management policies that support local elected officials and decision-makers in achieving local aspirations and meeting regional goals.

MOVING FORWARD Selecting strategies will involve policy decisions that could have political, economic, environmental, equity, community and lifestyle implications. By identifying the policy choices and tradeoffs that decision-makers will need to consider throughout the process, this summer's research can serve as a basis for continuing a regional dialogue on how to confront the threat of global climate change through state, regional and local actions while advancing the region's efforts to build livable, prosperous and equitable communities.

The next section provides additional guidance to Metro, state and local agency staff by defining the evaluation approach and analytic framework to be used in Phase 1 of the Climate Smart Communities Scenarios effort. Included are principles to guide the work, and specific direction on the strategies and outcomes to be evaluated. The approach and framework will be updated for Phase 2 to reflect lessons learned and recommendations from Phase 1.

Phase 1 Scenario Evaluation Framework (June – December 2011)

GUIDING PRINCIPLES:

- **Focus on outcomes and co-benefits:** The strategies that are needed to reduce GHG emissions can help save individuals, local governments and the private sector money, grow local businesses and create jobs and build healthy, livable communities. The multiple benefits should be emphasized and central to the evaluation and communication of the results.
- **Build on existing efforts and aspirations:** Start with local plans and 2010 regional actions¹ that include strategies to realize the region's six desired outcomes.
- **Show cause and effect:** Provide sufficient clarity to discern cause and effect relationships between strategies tested and realization of regional outcomes.
- **Be bold, yet plausible and well-grounded:** Explore a range of futures that may be difficult to achieve but are possible in terms of market feasibility, public acceptance and local aspirations.
- **Be fact-based and make relevant, understandable and tangible:** Develop and organize information so decision-makers and stakeholders can understand the choices, consequences (intended and unintended) and tradeoffs. Use case studies, visualization and illustration tools to communicate results and make the choices real.
- **Meet state climate goals:** Demonstrate what is required to meet state the GHG emission reduction target for cars, small trucks and SUVs, recognizing reductions from other emissions sources must also be addressed in a comprehensive manner.



The region's six desired outcomes – adopted by the Metro Council on December 16, 2010.

WHAT WE HOPE TO ACCOMPLISH:

- Determine what combinations of land use and transportation strategies are required to meet the state GHG emission reduction targets for light vehicles.
- Show potential impacts and benefits through a comprehensive array of measures that link back to the six desired outcomes and community values. This information will be used to demonstrate how well the strategies support local plans and the region's desired outcomes, and communicate the relationship of these strategies to GHG emission reductions in other sectors beyond light duty vehicles.
- Identify the potential challenges, opportunities and tradeoffs associated with different strategies and the fiscal, social equity, economic and environmental implications for the region and state.
- Identify the key characteristics and combinations of strategies that are most promising for meeting the region's GHG emission reduction target and that should be carried forward to Phase 2 for further evaluation. This should include identifying the strategies that are needed if technology advancements do not come to fruition.
- Report findings and make recommendations to the 2012 Legislature and Phase 2 (Jan. - Dec. 2012).

¹ In 2010, the Metro Council adopted the Community Investment Strategy and Regional Transportation Plan, and designated urban and rural reserves. These actions provide the policy foundation for better integrating land use decisions with transportation investments to achieve the region's six desired outcomes and state climate goals.

DEFINING THE SCENARIOS:

- **Build on lessons learned from statewide scenarios.** In Phase 1, scenarios will be created to test different levels of implementation for each strategy to meet state GHG targets. The region will use the attributes of the best performing statewide scenarios as a starting point for this work. The region may want to consider different assumptions, however, such as more or less aggressive assumptions for deployment of electric vehicle and hybrid vehicles.
- **Develop complementary packages of strategies to test policy options.** In Phase 2, scenario inputs will be based on different combinations of strategies and levels of implementation or investment, reflecting MPAC, JPACT and Metro Council direction. For example, combining mixed-use development, expanded public transit and parking management could make one scenario and combining industrial centers, travel demand management and vehicle travel fees could create another one.
- **Explore a range of possible futures.** Phase 1 (June – Dec. 2011) is not about ‘picking a winner’ from the set of scenarios evaluated, but to explore a range of possible futures and then discuss and agree on the associated opportunities, challenges and implications for the region and state.
- **Test realistic pricing strategies.** The scenarios need to be realistic about pricing as a strategy given the lack of public acceptance and current economic climate.

Table 1 summarizes the strategies that can be tested during Phase 1. The strategies are assumed to be implemented with consideration of environmental justice and equity concerns; there may be some strategies that by their very nature could pose challenges. The evaluation will be supplemented with national and local research findings, past regional model runs and scenarios work, and localized case studies from current planning efforts.

The top performing combinations of strategies will be evaluated in more detail, using the indicators listed in Table 2. Additional sensitivity analysis may be conducted after the initial scenarios are evaluated as time and resources allow.

Scenario is a term that is used to describe a possible future, representing a hypothetical set of strategies or sequence of events.

Scenario planning is a way to test and experiment with different actions and policies to see their affect on GHG emissions reduction and other quality of life indicators without actually implementing the policies. This effort will use a 2-step scenario evaluation process.

In **Phase 1 (June – Dec. 2011)**, **policy option scenarios** will be tested using different combinations of strategies and levels of implementation to determine the most promising strategies for meeting the state climate goals, considering cost, economic, equity and environmental implications. Level 1 will represent a Reference Case that reflects current adopted plans and policies. Up to 3 levels will be tested for some strategies.

In **Phase 2 (Jan. - Dec. 2012)**, **alternative scenarios** will test the most promising combinations of strategies in a more customized manner across the region. This will reflect lessons learned from Phase 1 and include examining the potential to pursue different strategies that support distinct community goals in recognition that implementation may be different in each community. The alternative scenario evaluation will be used to determine the best course of action to achieve the region’s desired outcomes and state climate goals.

The table is for research purposes only, and does not represent a Metro Council, JPACT or MPAC endorsed policy proposal.

Table 1. Policies, programs and investment strategies to be tested in Phase 1 and Phase 2

Key Strategies to be Tested (indicated in bold)		Phase 1 & 2 GreenSTEP	Phase 2 Envision Tomorrow
COMMUNITY DESIGN	Urban growth boundary (rate of expansion relative to rate of population growth)	X	
	Balance of jobs and housing		X
	Households located in mixed-use areas and neighborhoods with public amenities ² (percent)	X	X
	Pedestrian travel (in GreenSTEP, this is accounted for in the mixed-use areas strategy)	X	X
	Bicycle travel (percent of bike roundtrips less than 6 miles)	X	
	Households with access to transit (percent)		X
	Road capacity (lane miles of arterial and freeway capacity)	X	
	Bus and rail transit service levels (rate of revenue miles of growth relative to rate of population growth)	X	
PRICING	Workers that pay for parking (percent and cost in 2005\$)	X	
	Non-work trips that pay for parking (percent and cost in 2005\$)	X	
	Pay-as-you drive insurance (cost per mile driven)	X	
	Emissions pricing ³ (cost per pound of carbon emitted)	X	
	Gas tax ⁴ (cost per gallon)	X	
	Vehicle travel pricing ⁵ (cost per mile driven)	X	

² Forecasted population and employment held constant across all scenarios. This policy lever links several strategies to account for the effect of density (people and jobs), design, diversity of uses, destinations and distance to transit on vehicle miles traveled. Examples of amenities include pedestrian-friendly street designs, well-connected network of streets, sidewalks and biking facilities, and good transit.

³ Carbon fee or other instruments could be used.

⁴ Increased gas tax, or other instruments could be used.

⁵ Vehicle miles traveled fee or other instruments could be used.

Key Strategies to be Tested (indicated in bold)		Phase 1 & 2 GreenSTEP	Phase 2 Envision Tomorrow
MANAGEMENT	System management strategies such as traffic signal timing, incident management (percent of delay addressed)	X	
MARKETING & INCENTIVES	Households participating in individualized marking programs (percent)	X	X
	Workers participating in employer-based commute options programs ⁶ (percent)	X	
	Individuals participating in carsharing (target participation rate per carshare vehicle)	X	
	Households participating in ecodriving ⁷ (percent)	X	
FLEET	Auto/truck vehicle proportions (light truck percent)	X	
	Fleet turnover rate/ages (vehicle age)	X	
TECHNOLOGY	Fuel economy (average of auto and light trucks)	X	
	Carbon intensity of fuels	X	
	Electric vehicles and plug-in hybrids market shares (percent)	X	

Phase 1 and Phase 2 scenario evaluation tools

Greenhouse Gas State Transportation Emissions Planning (GreenSTEP) is a non-spatial model used to estimate transportation sector emissions with sensitivity to mixed-use, vehicle fleet mix, transportation cost, fuels and other factors which are used to calculate household vehicle miles traveled (VMT) and corresponding GHG emissions. Inputs within the statewide model will be tailored where more current local/regional information is available to create a metropolitan GreenSTEP model for Phase 1 (June - Dec. 2011). GreenSTEP will also be used in Phase 2 (Jan. – Dec. 2012)

Envision Tomorrow is a spatial GIS-based scenario planning tool that estimates the effect of changes to land use using a combination of land use, environmental and transportation data. The inputs will be tailored where more current local/regional information is available for more refined scenario analysis in Phase 2 (Jan. – Dec. 2012).

⁶ Examples include transit fare reduction, carpool matching and other carpool programs, and compressed work week.

⁷ Educating motorists on how to drive in order to reduce fuel consumption and cut emissions. Examples avoiding rapid starts and stops, matching driving speeds to synchronized traffic signals, and avoiding idling.

OUTCOMES TO BE EVALUATED:

A variety of policy options will be tested using a metropolitan GreenSTEP model. The evaluation will be supplemented with national research, past regional model runs and scenarios work, localized case studies from current planning efforts and the Envision Tomorrow scenario planning tool. The results of the analysis will be summarized and brought forward for discussion by the region's decision-makers and community and business leaders in Fall 2011. The regional policy discussion will shape the findings and recommendations forwarded to the next phase of the process and the 2012 Legislature.

While the primary objective of the Phase 1 analysis (June - Dec. 2011) is to estimate the GHG emissions reduction potential of different combinations of strategies and their ability to achieve state targets for cars, small trucks and SUVs, the evaluation will also consider:

- **Outcomes and co-benefits** – Evaluate the costs, benefits and impacts across environmental, economic, and equity goals from a business, individual/household, local government and regional perspective to clearly illustrate the policy choices and tradeoffs as well as the political, community, social equity, and economic implications of different strategies. There are many choices – the first phase should clearly pose the consequences (intended and unintended) of different choices, including the consequences of no action and current plans and policies. Evaluation methods and criteria will be clearly explained and available.
- **Effectiveness and cost** – A full cost-benefit analysis cannot be conducted. GHG emissions reduction potential will be evaluated, along with the costs and cost effectiveness of different strategies. The analysis will use a “triple bottom line” approach to show the cost implications and tradeoffs across economic, environmental and equity goals. The evaluation will identify potential public and private costs (and savings) associated with different strategies and the potential costs of inaction. The information provided must be well-grounded and fact-based to inform a variety of backgrounds and interests.
- **Implementation opportunities and challenges** – The feasibility of implementing different strategies, potential financing strategies and the timeframe required will be assessed to inform next steps and recommendations for Phase 2 (Jan. – Dec. 2012). Recommended solutions should not put the state, region or local governments at an economic disadvantage, but rather should boost economic competitiveness and provide greater economic opportunity for everyone.
- **Public health and equity** – The evaluation will meaningfully consider public health and equity. This should include assessing the impacts to transportation disadvantaged communities in the region that do not have well-connected street systems, transit, sidewalks, and bicycle facilities, or households of modest means that may not have access to lower carbon vehicle options (e.g., electric vehicles, more fuel-efficient vehicles).
- **Community investment revenues generated** – The evaluation should assess how parking management and other resources developed by the strategies could be used to help fund expanded transit or streetscape enhancements in downtowns and main streets.



MEASURING THE COSTS, BENEFITS AND IMPACTS TO FRAME A REGIONAL DIALOGUE:

Table 2 identifies a draft scorecard of indicators that reflect the outcomes that the GreenSTEP model is able to measure. During Phase 1, the indicators will measure the GHG emissions reduction potential of different combinations of strategies in addition to their potential community, environmental, economic, and equity costs, benefits and impacts from a business, individual/household, and regional perspective. This information will be used to communicate which combination of strategies (e.g., scenarios) will achieve the state GHG targets and how different approaches could affect the cost of moving freight, air quality, household expenditures, public health, infrastructure costs, travel behavior, and other outcomes. The results of the analysis will be brought forward for discussion by the region’s decision-makers and community and business leaders in Fall 2011.

Table 2. Draft Community Scorecard (beta-indicators)

Business	Individuals and Households	Region
Delay by vehicle type (light vehicle, bus, freight truck)	Amount of daily driving (VMT) & travel time per capita for all income groups	Carbon emissions
Freight truck travel costs	Housing and transportation cost per household by income group	Air quality emissions
Freight truck travel time	People living in areas with a range of affordable housing choices and access to jobs and services by income group	Transportation and building energy consumption
Private costs	Physical activity /Walking, biking and transit per capita	Community investment revenues generated
	Fuel consumption per capita and by income group	Public infrastructure costs (capital and operations)
	Water consumption per capita	Land consumption
	Transit service levels per capita	

The evaluation process may reveal that not all of the community scorecard indicators are relevant, or it may reveal additional indicators that are better for measuring how well the scenarios support achievement of the state climate goals and the region’s desired outcomes. As a result, the indicators will continue to be refined in Phase 2 (Jan. - Dec. 2012) as the evaluation effort transitions to using Envision Tomorrow in combination with the metropolitan GreenSTEP model. These tools will expand the region’s spatial analysis capabilities allowing for a more robust analysis of economic development, public/private costs, accessibility, public health and environmental justice indicators.

Materials following this page were distributed at the meeting.

 **Metro** | *Memo*

Date: August 24, 2011
To: TPAC and MTAC
From: John Mermin, Associate Transportation Planner
RE: Upcoming Transportation System Plan (TSP) Guidance activities

Purpose

The purpose of this memo is to hold the date for an upcoming workshop and inform TPAC and MTAC of Metro's approach to providing guidance to local Transportation system plans (TSP).

Background

The 2035 Regional Transportation Plan (RTP) was adopted by the Joint Policy Advisory Committee on Transportation (JPACT) and the Metro Council on June 1, 2010 and approved by the Oregon Department of Land Conservation and Development (DLCD) on November 24, 2010. State law requires that local jurisdictions update their Transportation System Plans to be consistent with the most recent RTP.

Metro's approach to TSPs

Metro will provide assistance to local TSPs in the following ways:


- Hosting a regional workshop
- Providing written and online guidance materials
- Providing limited staff assistance through designated TSP contacts

The workshop is scheduled for **Monday afternoon, October 17, 2011**, tentatively 1-5pm (exact time TBD). It will be targeted at local jurisdictions and consultants that are updating TSPs, but interested citizens are welcome to participate. Metro staff will share regional policies within their areas of modal expertise.

Metro will develop a webpage providing a "one-stop shop" for various TSP guidance materials, including RTP policy fact sheets, the Regional Transportation Functional Plan and guidance, and links to ODOT and TriMet's TSP guidance materials.


Metro staff will not be able to participate as actively within local TSP development as in the past. However, each jurisdiction will be assigned a Metro staff person. This contact list will be distributed at the September workshop.

For more information on the September workshop or other upcoming TSP guidance activities, please contact John Mermin at 503-797-1747 or john.mermin@oregonmetro.gov



EV charging metrics/performance

Voltage	Typical Charging Time	Range (mi)	Energy (kWh)	Typical Locations
120 V	8 – 12 hours	15-20	2	Standard 120 volt plug; NEV/ Motorcycle charging, Emergency charging
240 V	2 – 4 hours	30-50 Typical	3-6	Residential garages, parking lots, public garages, transit centers
480 V 3 phase	20 – 40 minutes		50-100	Public charging facility near high traffic volume arterials



West Coast Green Highway Initiative


- Installing DC Fast charging “waypoints” along I-5 corridor
- Federal DOT and BC-WA-OR-CA DOTs
- OR-WA-BC MOC
- Then north to Puget Sound and Vancouver, B.C.
- 450 miles long with 10M population base
- To allow residents of one metro area to travel to other metro areas using EVs

Oregon's EV Readiness Activities

- Governor's TEEC
- EVproject (Nissan/ECOtality)
- TIGER II infrastructure grant
- Clean Cities PEV grant
- West Coast Green Highway
- Drive Oregon
- EV Roadmap 4: Getting to 1 Million (Nov 2-4)



Statewide Readiness Evaluation



BEFORE THE METRO COUNCIL

FOR THE PURPOSE OF AMENDING THE 2010-) RESOLUTION NO. 11-4287
13 METROPOLITAN TRANSPORTATION)
IMPROVEMENT PROGRAM (MTIP) TO ADD) Introduced by Councilor Collette
THE I-5 CARMEN DRIVE RAMP OPERATIONS)
PROJECT)

WHEREAS, the Metropolitan Transportation Improvement Program (MTIP) prioritizes projects from the Regional Transportation Plan to receive transportation related funding; and

WHEREAS, the Joint Policy Advisory Committee on Transportation (JPACT) the Metro Council approved the 2010-13 MTIP on September 16, 2010; and

WHEREAS, JPACT and the Metro Council must approve any subsequent amendments to add new projects or substantially modify existing projects in the MTIP; and

WHEREAS, the Oregon Department of Transportation (ODOT) has conducted a corridor operations analysis for the south Interstate 5 corridor as programmed in the 2009-10 Unified Planning Work Program; and

WHEREAS, as a result of this analysis, ODOT has proposed an operations project as a priority improvement that would modify the design of the southbound on-ramp to Interstate 5 from Highway 217 to connect to the existing auxiliary lane between the Carmen Drive and Lower Boones Ferry Road exit to reduce crash incidents and reduce vehicle delay (the "I-5 Carmen Drive Ramp Operations Project"); and

WHEREAS, ODOT wishes to add a construction phase to the I-5 Carmen Drive Ramp Operations Project, as described in Exhibit A to this resolution; and

WHEREAS, the Clean Air Act requires that federally funded transit and highway projects demonstrate conformity with the state's air quality goals; and

WHEREAS, the I-5 Carmen Drive Ramp Operations Project is considered a part of the development of a Regional Intelligent Transportation System / Transportation System Management & Operations program (Project #11104) included in the Regional Transportation Plan financially constrained system, which plan has demonstrated conformity; and

WHEREAS, the code of federal regulations 40 CFR 93.127 further exempts interchange reconfiguration projects from the Clean Air Act's requirements that a regional emissions analysis be performed to demonstrate the project's conformity with the state's air quality goals; and

WHEREAS, funding for the I-5 Carmen Drive Ramp Operations Project is available within existing revenues, consistent with the MTIP financial plan; and

WHEREAS, JPACT approved this resolution September 8, 2011; now therefore

BE IT RESOLVED that the Metro Council hereby adopts the recommendation of JPACT to add the I-5 Carmen Drive Ramp Operations Project to the 2010-13 MTIP.

ADOPTED by the Metro Council this ____ day of September 2011.

Tom Hughes, Council President

Approved as to Form:

Alison Kean Campbell, Acting Metro Attorney

Exhibit A to Resolution No. 11-4287

2010-13 Metropolitan Transportation Improvement Plan Table 3.1.1 amendment

Action: Amend MTIP to add construction phase to ODOT project.

Existing programming:

Project Name	Project Description	ODOT Key #	Lead Agency	Estimated Total Project Cost (all phases, all years)	Project Phase	Fund Type	Program Year	Federal Funding	Minimum Local Match	Other Funds	Total Funding
I-5 Carmen Drive Ramp Operations Project	Restripe the existing merge lane of the Highway 217 ramp to I-5 southbound to connect to the existing auxiliary lane of the Carmen Drive southbound access ramp to I-5.	17515	ODOT	\$1,950,823	PE	STP	2011	\$400,000	\$45,782	\$0	\$445,782

Exhibit A to Resolution No. 11-4287

Amended programming:

Project Name	Project Description	ODOT Key #	Lead Agency	Estimated Total Project Cost (all phases, all years)	Project Phase	Fund Type	Program Year	Federal Funding	Minimum Local Match	Other Funds	Total Funding
I-5 Carmen Drive Ramp Operations Project	Restripe the existing merge lane of the Highway 217 ramp to I-5 southbound to connect to the existing auxiliary lane of the Carmen Drive southbound access ramp to I-5.	17515	ODOT	\$1,950,823	PE	STP	2011	\$400,000	\$45,782	\$0	\$445,782
				\$1,950,823	Cons	STP	2011	\$1,550,823	\$177,499	\$0	\$1,728,322

STAFF REPORT

FOR THE PURPOSE OF AMENDING THE 2011-13 METROPOLITAN TRANSPORTATION IMPROVEMENT PROGRAM (MTIP) TO ADD THE I-5 CARMEN DRIVE RAMP OPERATIONS PROJECT

Date: September 8, 2011

Prepared by: Ted Leybold, 503-797-1759

BACKGROUND

The Oregon Department of Transportation (ODOT) is completing a corridor operations analysis of the southern portion of Interstate 5 and has identified potential operational projects to reduce vehicle crashes and increase vehicle flow to reduce congestion. A priority project emerging from this analysis is to realign the south bound Carmen Drive on-ramp to Interstate 5 (I-5) to allow a safer transition for vehicles merging onto I-5 with vehicles preparing to exit at Lower Boones Ferry Road to the south. The configuration of existing and proposed lanes is shown in Attachment 1.

The project would restripe the existing merge lane of the Highway 217 ramp to I-5 southbound to connect to the existing auxiliary lane of the Carmen Drive southbound access ramp to I-5. This will allow vehicles entering I-5 southbound from Highway 217 to not have to merge and change lanes in the short distance between Highway 217 and the Carmen Drive overpass where the existing merge lane ends. The benefits of the new configuration are summarized in Attachment 1.

ODOT has identified financial capacity to fund this project from savings to existing projects. Urban STP funds will be programmed on the project to ensure timely obligation of federal funds and avoid the potential for a rescission of federal funds allocated to the state. State administered funds will be programmed to replace the urban STP funds at a later date.

Air quality conformity was completed on the 2035 Regional Transportation Plan, which included a small program of regional system management and operations program projects, consistent with this project, as a part of the financially constrained system. Additionally, interchange reconfiguration projects are exempt from regional emissions analyses by the code of federal regulations 40 CFR 93.127.

The Joint Policy Advisory Committee on Transportation and the Metro Council must approve amendments to the MTIP. This amendment will add a construction phase the I-5 Carmen Drive Ramp Operations project to the 2010-13 MTIP with programming as shown in Exhibit A to Resolution No. 11-4287.

ANALYSIS/INFORMATION

- 1. Known Opposition** None known at this time.
- 2. Legal Antecedents** Amends the 2010-13 Metropolitan Transportation Improvement Program adopted by Metro Council Resolution 10-4186 on September 16, 2010 (For the Purpose of Approving the 2010-13 Metropolitan Transportation Improvement Program for the Portland Metropolitan Area).
- 3. Anticipated Effects** Allows
- 4. Budget Impacts** None.

RECOMMENDED ACTION

Metro staff recommends the approval of Resolution No. 11-4287.

Attachment 1

INTEROFFICE MEMORANDUM

TO: TED LEYBOLD, MTIP PROGRAM MANAGER
FROM: RIAN WINDSHEIMER
SUBJECT: I-5 @ CARMEN DR OPERATIONAL IMPROVEMENT
DATE: 8/15/2011

ODOT Region 1 started the I-5/I-205 Operations Study in 2009 to identify, rank and provide conceptual low cost, low impact operational solutions for the worst bottlenecks on I-5 south of the Marquam Bridge and I-205 in the Portland Metro Region. The study has identified several bottlenecks on I-5 and I-205 based on PORTAL data, ODOT traffic cameras, travel time runs, collision data and field observations. This study identified a solution at I-5@ Carmen Drive involving restriping at a low cost.

The primary bottleneck problem between OR 217 and Lower Boones Ferry Road is caused by a heavy entering volume from OR 217 that is weaving with traffic exiting at Carmen Drive. Traffic with destinations beyond Carmen Drive tend to get over to the left immediately upon entering I-5 rather than making use of the existing auxillary lane because the lane merges under the Carmen Drive overcrossing. The result has been 308 crashes over a 5 year period and speeds of 10 miles per hour when the bottleneck activates.


The proposed operational improvement will re-purpose the existing merge lane that under the Carmen Drive structure on southbound I-5 by restriping it to connect with the existing auxillary lane between Carmen Drive and Lower Boones Ferry Road. This project requires rebuilding the existing Carmen Drive on-ramp to create safe merging operations and improving acceleration distances for vehicles entering from Carmen Drive. VISSIM, a micro-simulation software package, predicts the following operational and safety improvements (see Figure 1):

- shorten the peak hour back-ups on I-5 South by approximately 1 mile,
- increase peak operating speeds by approximately 4 mph (40% increase),
- shrink the peak duration by up to 60 minutes per day,
- reduce accidents related to merging and weaving and;
- increase reliability in the corridor.


The proposed improvement makes more efficient use of pavement that exists today. Transport, the TPAC subcommittee that coordinates operational improvements in the region, has indicated support for the project in an attached letter.

Attachment 1

Figure 1: I-5 Southbound Carmen Drive Auxiliary Lane Extension



Attachment 1



Attachment 1

DATE:

TO: Oregon Transportation Commission

FROM: Matthew L. Garrett
Director

SUBJECT: 2010-2013 Statewide Transportation Improvement Program (STIP)
Amendment request to add a construction phase to an Interstate
Operations Project

Requested Action:

Region 1 requests approval to amend the 2010-2013 STIP to add a construction phase to the following Operations D-STIP project:

Project Name	I-5 SB: Carmen Dr – Lower Boones Ferry KN 17515	
PHASE	YEAR	COST
PE	2011	\$400,000
RW		
UR		
CN	2011	\$1,550,823
TOTAL		\$1,950,823

Background:


ODOT Region 1 conducted an I-5/I-205 Operations Study in 2009 to identify, rank and provide conceptual solutions for the worst bottlenecks in the Portland Metro Region on I-5 south of the Marquam Bridge and along I-205. The study identified several bottlenecks on these facilities based on PORTAL traffic data, ODOT traffic cameras, field observations and travel time and collision data.

The bottleneck on I-5 at Carmen Drive has been identified as one of the worst on I-5 south as well as one of the most affordable to address. The proposed solution will restripe an existing merge lane that currently drops under the Carmen Drive structure to extend the auxiliary lane from Hwy 217 to Lower Boones Ferry Road. As part of the project, the Carmen Drive on-ramp will be realigned and lengthened to improve the weave distance and improve safety. This improvement is expected to reduce the congestion in the area by an hour, reduce the Southbound backup in the PM peak by approximately 1 mile, and reduce accidents and increase reliability in the corridor.

Funding is coming from operations project savings within Region 1.

Copies (w/enclosures) to:

Jason Tell
Rian Windsheimer
Naveen Chandra
Jeff Flowers
Steve Leep



Oregon Department
of Transportation

Clackamas County

Multnomah County

Washington County

City of Beaverton

City of Gresham

City of Hillsboro

City of Portland

TriMet

Port of Portland

Metro

Portland State
University

Southwest
Washington
Regional
Transportation
Council

Washington State
Department of
Transportation

C-Tran

August 15, 2011

Rian Windsheimer, Policy and Development Manager
ODOT Region 1
123 NW Flanders Street
Portland OR 97209

Subject: TransPort Endorsement of ODOT's I-5 at Carmen Drive
Operational Improvement Project MTIP Amendment

Dear Mr. Windsheimer:

TransPort, the Transportation System Management & Operations (TSMO) Subcommittee for the Portland metropolitan region is pleased to submit this letter of support on behalf of ODOT's I-5 at Carmen Drive Operational Improvement project.

TransPort reviewed this project at its August 2011 meeting and concluded that ODOT's operational solution of connecting an existing merge lane to an existing auxiliary lane on southbound I-5 between Carmen Drive and Lower Boones Road is a cost-effective operations solution to a known bottleneck location. The VISSUM model findings of reduced duration and length of vehicle backups, increased travel speeds, and decreased merge/weave crashes are the compelling reasons for TransPort endorsement of the MTIP amendment necessary to advance this project.

We have high confidence that the completion of this project will result in safer and more efficient mobility for I-5 travelers.

Sincerely,

Dennis Mitchell, ODOT Region 1
TransPort Chair

BEFORE THE METRO COUNCIL

FOR THE PURPOSE OF AMENDING THE 2010-) RESOLUTION NO. 11-4286
13 METROPOLITAN TRANSPORTATION)
IMPROVEMENT PROGRAM (MTIP) TO ADD) Introduced by Councilor Collette
THREE SIDEWALK PROJECTS AWARDED)
TRANSPORTATION ENHANCEMENT FUNDS)

WHEREAS, the Metropolitan Transportation Improvement Program (MTIP) prioritizes projects from the Regional Transportation Plan to receive transportation related funding; and

WHEREAS, the Joint Policy Advisory Committee on Transportation (JPACT) and the Metro Council approved the 2010-13 MTIP on September 16, 2010; and

WHEREAS, JPACT and the Metro Council must approve any subsequent amendments to add new projects to the 2010-13 MTIP; and

WHEREAS, the Oregon Transportation Commission through a competitive grant process has awarded federal Transportation Enhancement funding from the Federal Highway Administration to three pedestrian improvement projects within the metropolitan area, whose lead agencies now desire to add the projects to the 2010-13 MTIP; and

WHEREAS, the Clean Air Act requires that federally funded transit and highway projects demonstrate conformity with the state’s air quality goals; and

WHEREAS, these three projects, as described in Exhibit A to this resolution, are contained within the Regional Transportation Plan financially constrained system, which plan has demonstrated conformity;

WHEREAS, the code of federal regulations 40 CFR 93.126 further exempts pedestrian projects from the Clean Air Act’s requirements that federally funded transportation projects demonstrate conformity with the state’s air quality goals; and

WHEREAS, funding is available for these projects within existing revenues, consistent with the MTIP financial plan; and

WHEREAS, JPACT approved this resolution September 8, 2011; now therefore

BE IT RESOLVED that the Metro Council hereby adopts the recommendation of JPACT to add the three pedestrian projects awarded Transportation Enhancement funds to the 2010-13 MTIP.

ADOPTED by the Metro Council this ____ day of September 2011.

Tom Hughes, Council President

Approved as to Form:

Alison Kean Campbell, Acting Metro Attorney

Exhibit A to Resolution No. 11-4286

2010-13 Metropolitan Transportation Improvement Plan Table 3.1.1 amendment

Action: Amend MTIP to add three projects.

Existing programming: None

Amended programming:

Project Name	Project Description	ODOT Key #	Lead Agency	Estimated Total Project Cost (all phases, all years)	Project Phase	Fund Type	Program Year	Federal Funding	Minimum Local Match	Other Funds	Total Funding
Birchwood Road: SW 87th to SW Laurelwood	Add sidewalks to Birchwood Road between SW 87th Avenue and SW Laurelwood Road	TBD	City of Beaverton	\$528,000	PE	TE	2011	\$128,763	\$14,737	\$0	\$143,500
					ROW	TE	2012	\$1,346	\$154	\$0	\$1,500
					Cons	TE	2013	\$267,892	\$30,661	\$84,447	\$383,000

Exhibit A to Resolution No. 11-4286

Project Name	Project Description	ODOT Key #	Lead Agency	Estimated Total Project Cost (all phases, all years)	Project Phase	Fund Type	Program Year	Federal Funding	Minimum Local Match	Other Funds	Total Funding
SE Holgate & Ramona: 122nd-136th Ave Sdwk (Portland)	Add sidewalks, crossings and stripe bike lanes on SE Ramona Street between 122nd and 132nd and on SE Harold Street between 122nd and 136th.	TBD	City of Portland	\$1,662,000	PE	TE	2011	\$323,925	\$37,074		\$361,000
							2013	\$1,795	\$205		\$2,000
					Cons	TE	2013	\$1,161,280	\$132,914	\$4,806	\$1,299,000

Project Name	Project Description	ODOT Key #	Lead Agency	Estimated Total Project Cost (all phases, all years)	Project Phase	Fund Type	Program Year	Federal Funding	Minimum Local Match	Other Funds	Total Funding
122nd and 132nd Avenue sidewalks: SE Sunnyside to SE Hubbard	Add sidewalks to 122nd and 132nd Avenues between Sunnyside and Hubbard Roads.	TBD	Clackamas County	\$595,000	PE	TE	2011	\$70,994	\$8,125		\$79,119
					ROW	TE	2013	\$153,438	\$17,562		\$171,000
					Cons	TE	2013	\$309,569	\$35,431		\$345,000

STAFF REPORT

FOR THE PURPOSE OF AMENDING THE 2011-13 METROPOLITAN TRANSPORTATION IMPROVEMENT PROGRAM (MTIP) TO ADD THREE PROJECTS AWARDED TRANSPORTATION ENHANCEMENT FUNDS

Date: September 8, 2011

Prepared by: Ted Leybold, 503-797-1759

BACKGROUND

The Oregon Transportation Commission (OTC) awarded Transportation Enhancement funds to three projects within the metropolitan area. The projects are Birchwood Road: SW 87th to SW Laurelwood in Beaverton, Safe Routes to Powellhurst-Gilbert Schools in SE Portland, and 122nd and 132nd Avenue Sidewalks: Sunnyside to Hubbard in Clackamas County. Maps of these projects are shown in Attachment 1.

Transportation Enhancement funding is awarded by the Oregon Transportation Commission through a competitive application process. Criteria for which projects are eligible and prioritized for funding is adopted by the OTC and administered by the Oregon Department of Transportation.

Air quality conformity was completed on the 2035 Regional Transportation Plan financially constrained system that included these projects. Additionally, pedestrian and bicycle projects are exempt from the requirement that a regional air quality conformity determination be made by the code of federal regulations 40 CFR 93.126.

The Joint Policy Advisory Committee on Transportation and the Metro Council must approve amendments to the MTIP. This amendment will add these three projects to the 2010-13 MTIP with programming as shown in Exhibit A to Resolution No.11-4286.


ANALYSIS/INFORMATION

- 1. Known Opposition** None known at this time.
- 2. Legal Antecedents** Amends the 2010-13 Metropolitan Transportation Improvement Program adopted by Metro Council Resolution 10-4186 on September 16, 2010 (For the Purpose of Approving the 2010-13 Metropolitan Transportation Improvement Program for the Portland Metropolitan Area).
- 3. Anticipated Effects** Allows funding to become available to three pedestrian projects in the metropolitan region.
- 4. Budget Impacts** None.

RECOMMENDED ACTION

Metro staff recommends the approval of Resolution No. 11-4286.


Attachment 1



VICINITY MAP
NOT TO SCALE



BEFORE (87TH AVE)



AFTER (87TH AVE)



City Of Beaverton


VICINITY MAP
SW BIRCHWOOD SIDEWALK
(SW LAURELWOOD - SW 87TH)

PUBLIC WORKS DEPARTMENT
ENGINEERING SECTION


Drawn By: AL Date: 6-29-10

Reviewed By: _____ Date: _____

Approved By: _____ Date: _____



Safe Routes to Powellhurst-Gilbert Schools



- TE Project
- Multi-Use Paths
- MAX Green Line (light rail)
- Planned 122nd sidewalk infill (locally funded)
- Planned Neighborhood Greenway (locally funded)

Site Plan

Clackamas County Community and Schools Sidewalk Connection Project.

Project includes 2287' of sidewalk to complete
3.0 mile route. All sidewalks to be 6' wide.

 Existing Sidewalk  Proposed Sidewalk





Climate Smart Communities: Scenarios Project

Strategy Toolbox

for the Portland metropolitan region

Review of the latest research on greenhouse gas emissions reduction strategies and the benefits they bring to the region

August 2011



Metro | *Making a great place*

About Metro

Clean air and clean water do not stop at city limits or county lines. Neither does the need for jobs, a thriving economy, and sustainable transportation and living choices for people and businesses in the region. Voters have asked Metro to help with the challenges and opportunities that affect the 25 cities and three counties in the Portland metropolitan area.

A regional approach simply makes sense when it comes to making decisions about how the region grows. Metro works with communities to support a resilient economy, keep nature close by and respond to a changing climate. Together we're making a great place, now and for generations to come.

Stay in touch with news, stories and things to do.

www.oregonmetro.gov/climatescenarios

Metro Council President

Tom Hughes

Metro Councilors

Shirley Craddick, District 1

Carlotta Collette, District 2

Carl Hosticka, District 3

Kathryn Harrington, District 4

Rex Burkholder, District 5

Barbara Roberts, District 6

Auditor

Suzanne Flynn

The preparation of this report was financed in part by the Oregon Department of Transportation, U.S. Department of Transportation, Federal Highway Administration and Federal Transit Administration. The opinions, findings and conclusions expressed in this report are not necessarily those of the Oregon Department of Transportation, U.S. Department of Transportation, Federal Highway Administration and Federal Transit Administration.

TABLE OF CONTENTS

I. PURPOSE AND LEGISLATIVE BACKGROUND	1
Oregon greenhouse gas emissions (GHG) reduction goals.....	1
Oregon Sustainable Transportation Initiative.....	2
II. REGIONAL PLANNING FRAMEWORK	3
Climate Smart Communities: Scenarios Project.....	3
2040 Growth Concept and the six desired outcomes.....	4
Regional Transportation Plan.....	7
Regional inventory of greenhouse gas emissions sources.....	9
III. GREENHOUSE GAS REDUCTION STRATEGIES	11
Community Design Strategies.....	15
<i>Mixed-use Development in Centers and Transit Corridors</i>	17
<i>Active Transportation and Complete Streets</i>	29
<i>Public Transit Service</i>	37
Pricing Strategies.....	43
<i>Parking Pricing</i>	45
<i>Tolls, Fees, and Insurance</i>	49
Marketing and Incentives Strategies.....	55
<i>Public Education and Marketing</i>	57
<i>Individualized Marketing</i>	61
<i>Employer-based Commuter Programs</i>	65
Management Strategies.....	71
<i>Traffic Management</i>	73
<i>Traffic Incident Management</i>	77
Fleet and Technology Strategies.....	81
<i>Fleet Mix and Turnover</i>	83

<i>Vehicle Technology and Fuels</i>	87
IV. CONCLUSIONS	96
Phase 1 Scenario development, evaluation and tools	96
Measuring the costs, benefits and impacts to frame a regional dialogue	97
Next steps	98
V. BIBLIOGRAPHY	103
ACKNOWLEDGEMENTS	

I. PURPOSE AND LEGISLATIVE BACKGROUND

Purpose

The purpose of the Strategy Toolbox (Toolbox) is to summarize research related to land use and transportation strategies that can be applied to reduce greenhouse gas (GHG) emissions from light duty vehicles in the Portland metropolitan region. A variety of strategies are available, many of which are already being implemented to realize the 2040 Growth Concept and the aspirations of communities throughout the region.


Created for the Climate Smart Communities Scenarios Project, this report will be used to develop a common understanding of potential policy options and the range of strategies available to the region for reducing GHG emissions from light duty vehicles. It provides information useful for the region's decision-makers to discuss the trade-offs and choices presented by the most effective strategies, including their co-benefits, synergy with each other and implementation considerations. This report and findings from regional-level scenarios analysis will be used to recommend policy options and packages of strategies for further evaluation in 2012. The findings and recommendations also will be included in a report to the Oregon State Legislature in February 2012.

Oregon greenhouse gas emissions reduction goals

Since 2006, the state of Oregon has initiated a number of actions to respond to mounting scientific evidence that shows Oregon's climate is changing. As one of five states participating in the Western Climate Initiative, Oregon has signaled a long-term commitment to significantly reduce greenhouse gas emissions. In 2007, the Oregon Legislature established statewide goals for GHG emissions. The goals require stopping increases in emissions by 2010, a ten percent reduction below 1990 levels by 2020, and at least a 75 percent reduction below 1990 levels by 2050. The goals apply to all emission sectors, including energy production, buildings, solid waste and transportation.

In 2009 the Oregon Legislature passed House Bill 2001 (HB 2001), directing Metro to "develop two or more alternative land use and transportation scenarios" by January 2012 that are designed to reduce GHG emissions from light duty vehicles to help meet the state's overall GHG emission goals. Light duty vehicles include cars, pickups, sport utility vehicles and some delivery vehicles.

On May 19, 2011, the Oregon Land Conservation and Development Commission (LCDC) approved the Metropolitan Greenhouse Gas



Greenhouse gas goals adopted by the Oregon Legislature and Governor Kulongoski in HB 3543:

- **Short-term:** by 2010, stop increases in greenhouse gas emissions
- **Medium-term:** by 2020, reduce greenhouse gas emissions to 10 percent below 1990 levels
- **Long-term:** by 2050, reduce greenhouse gas emissions to 75 percent below 1990 levels.

Emissions Reduction Target Rule. The rule identifies specific per capita GHG emissions reduction targets for each of Oregon’s six metropolitan areas. Assuming significant advancements in vehicle fleet, technologies and fuels to reduce GHG emissions, it calls for the Portland region to reduce per person GHG emissions by 20 percent below 2005 emission levels by the year 2035 through land use and transportation strategies. This means the region needs to build, and eventually adopt, a preferred alternative comprising a set of land use and transportation strategies that will reduce GHG emissions an additional 20 percent below what we can anticipate from fuel, fleet and technology improvements.

The state LCDC target is intended to guide the region as it conducts land use and transportation scenario planning to help move toward the state’s overall GHG emissions goal. Table 1 summarizes the state goals and regional GHG emissions reduction targets.

Table 1. GHG emissions reduction goals (per capita)

Area	Baseline	2010 Reduction goal	2020 Reduction goal	2035 Reduction goal	2050 Reduction goal
Portland metropolitan region	2005 emissions levels			20% below 2005 levels	
Oregon	1990 emissions levels	Stop increases in GHG emissions	10% below 1990 levels		75% below 1990 levels

The Oregon Department of Transportation (ODOT) and the Oregon Department of Land Conservation and Development (DLCD) must report the scenario planning results to the state legislature by February 1, 2012. HB 2001 also requires:

- Metro to adopt a preferred alternative by June 2014 that meets the light duty vehicle GHG emissions reduction target for the region, and
- Local governments within Metro’s jurisdiction to amend their comprehensive plans and land use regulations to implement the adopted preferred alternative.

Oregon Sustainable Transportation Initiative

The Oregon Sustainable Transportation Initiative (OSTI)¹ is the integrated statewide effort to reduce GHG emissions from transportation while also considering ways to improve the built environment for healthier, more livable communities and greater economic opportunity for everyone. It has four major components:

- development of a statewide transportation strategy,

¹ For more information on the Oregon Sustainable Transportation Initiative, please refer to the following web site: <http://www.oregon.gov/ODOT/TD/OSTI/>

- adoption of rules that set GHG emission reduction targets for the state’s six metropolitan areas,
- development of scenario planning guidelines, and
- creation of a toolkit for use by local governments.

ODOT and DLCD are leading this effort which resulted from state legislation passed in 2010 (Senate Bill 1059).

II. REGIONAL PLANNING FRAMEWORK

Climate Smart Communities Scenarios Project

Regional and local leaders in the Portland region agree that Oregon must provide leadership in addressing climate change. The Climate Smart Communities Scenarios project (Scenarios Project) supports this goal by supplementing state efforts and OSTI with a regional collaboration effort that will advance local aspirations and implementation of the 2040 Growth Concept.

There are three phases to the Scenarios Project. Phase 1 consists of testing strategies and identifying policy options for further evaluation in Phase 2. Phase 2 will include developing and evaluating alternative land use and transportation scenarios for achieving GHG emission reductions. Phase 3, taking place during 2013 and 2014, will entail selecting a preferred alternative and beginning implementation of various policies at the regional level.



Figure 1. Climate Smart Communities Scenarios Timeline

Phase 1: Understanding choices

During 2011, the region will use scenario planning and the research summarized in this document to determine the combinations of land use and transportation strategies that are most

promising for meeting the region’s GHG emissions reduction target for cars, small trucks and sport utility vehicles. Several strategies will be tested and evaluated to further the knowledge about their potential application in the region. The analysis will be used to identify potential policy options and provide information useful for policymakers and stakeholders to discuss the trade-offs and choices presented by the most effective GHG emission reduction strategies during Fall 2011. The regional policy discussion will shape the findings and potential packages of strategies recommended for further evaluation in 2012, and will be included in a report to the Oregon State Legislature in February 2012.

Phase 2: Shaping the direction

In 2012, the region will examine the most promising strategies in exploring scenarios in communities around the region in a more customized way. This approach allows for pursuing different strategies that support distinct community goals across the region, in recognition that implementation may be different in each community. This phase will also identify the benefits, impacts and costs (and cost savings) associated with different scenarios across environmental, economic and equity goals, and use case studies to illustrate effects in communities around the region.

Phase 3: Building the strategy

In 2013 and 2014, the region will collaboratively build and adopt a preferred alternative that recognizes community values and local differences while moving toward regional and state goals. This will entail analysis and selection of a preferred set of land use and transportation strategies to be implemented through state, local and regional plans, policies and investments. The information acquired throughout the Scenarios Project and embodied in the preferred alternative will provide policy guidance and requirements for the next update of the Regional Transportation Plan, Metro’s next capacity analysis and ordinance, the Regional Framework Plan and Metro functional plans, which direct local government implementation of regional policies.

2040 Growth Concept and the six desired outcomes

In 1995, the region established a course for growth with the adoption of the 2040 Growth Concept. Metro and its partners have collaborated to help communities realize their local aspirations while moving the region toward its goals: making the region a great place to live, work and play, while balancing growth with sound environmental, social and economic strategies. The result is efficient land development and transportation choices and a growing legacy of protecting the farms, forests and natural areas that are so critical to the quality of life residents of the region enjoy.



Figure 2. The region’s six desired outcomes – adopted by the Metro Council on December 16, 2010.

In 2010, Metro continued to support the 2040 vision for the region by adopting an outcomes-based blueprint for the future – the Community Investment Strategy. Through updates to land use and transportation plans Metro provided the policy foundation for better integrating land use decisions with transportation investments to achieve the region’s 2040 vision and six desired outcomes, as well as the state climate goals.

While these efforts are commendable, additional policies and strategies are needed to reduce GHG emissions from the transportation sector. GHG emissions reductions are not only a requirement of the state; they are also instrumental in realizing the vision of the 2040 Growth Concept. Ultimately, a preferred strategy will be adopted by the Metro Council that helps fulfill local government aspirations, that meets state climate goals, and that helps realize the region’s adopted six desired outcomes:

- Vibrant communities
- Economic prosperity
- Transportation choices
- Leadership on climate change
- Clean air and water
- Equity




Figure 3. The 2040 Growth Concept is the region’s blueprint for the future, guiding growth and development based on a shared vision to create livable, prosperous, equitable and climate smart communities.

2040 Design Types and Development Typologies

The 2040 Growth Concept is expressed graphically as a composition of land use design types, including regional and town centers, corridors, employment areas, and station areas. There are regional policies associated with each design type to guide implementation of the region's long-range growth management vision.

Following the first phase of understanding choices, development typologies will be used in the second phase to create scenarios of urban places that function in a way that supports the region's six desired outcomes as well as help meet the state's GHG emissions reduction goals.

The typologies are classifications of places, each defined in terms of their character, role and function in an urban context. They offer a way to identify a vision for the future of an area based on building characteristics, type of transit, the mix of land uses, the intensity of activities in the area, types of jobs, and parking characteristics. Examples include 'historic downtown, 'office district', 'regional commercial district', 'neighborhood node' and 'light industrial / campus district.' While the typologies emphasize the specific context of a particular place, they also take into account the role of the other urban forms in the region as well as transit access, street connectivity, freight access, and bike and pedestrian networks. A 2040 design type may include several development typologies.

The 2040 design types will be used during Phase 2 as a guiding framework for developing alternative regional scenarios. These scenarios will be created by 'painting' specific areas within the design types with the development typologies. Each scenario can then be evaluated to measure the impacts and benefits from different land use and transportation strategies to determine the best approach for meeting state climate goals and the region's six desired outcomes.

In addition, during Phase 2 local government aspirations will be considered and incorporated into the alternative scenarios. This will help in examining different strategies that support distinct community goals across the region, in recognition that implementation may be different in each community.

The alternative scenarios analysis will lead to development of a draft preferred alternative by the end of 2012, and the adoption of the preferred alternative during Phase 3.

Regional Transportation Plan

The Regional Transportation Plan (RTP) is the blueprint that guides investments in the region's transportation system. The plan focuses on outcomes and achieving the region's 2040 Growth Concept vision, and recommends how to invest more than \$20 billion in anticipated federal, state and local transportation funding in the Portland metropolitan area over the next 25 years. The following elements of the plan will help inform the Scenarios project:

The **Regional High Capacity Transit System Plan (HCT)** is designed to focus on the frequent, fast and high capacity element of the public transit system. High capacity transit is characterized by exclusive right of way and routes with fewer stops. The plan is intended to support and enhance the goals of the 2040 Growth Concept and the RTP. To accomplish these goals, the plan prioritizes 18 corridors based on planned land uses, community values, environmental benefits, economic potential and deliverability. Due to the number of identified future HCT corridors, there are many choices and levels of transit service that could be evaluated.

Information from the HCT Plan will be used to identify potential transit strategies that support various land use intensities and locations in Phase 2 of the Scenarios Project.

Another part of the RTP, the **Regional Freight Plan**, defines goals, strategies and actions designed to guide the stewardship of our multimodal regional freight infrastructure and protecting access to critical industrial lands. The plan also addresses goals for freight mobility, accessibility and travel time reliability through a combination of strategies that will also reduce transportation costs for businesses and individuals, while reducing freight's environmental and community impacts. While the Scenarios Project is focused on GHG emissions from light-duty vehicles, the

The Scenarios Project is one element of a larger set of climate-related initiatives at Metro collectively known as **Climate Smart Communities**:

Regional Greenhouse Gas Emissions Inventory

In 2010, Metro completed a regional GHG emissions inventory, which established a snapshot of the region's carbon footprint to focus planning efforts to achieve long-term GHG reductions.

Greenhouse Gas Emissions Assessment Toolkit

Metro developed a regional GHG Emissions Assessment Toolkit that establishes a framework for regional climate impact assessments and provides consistent guidance on analysis methods, reporting, and evaluation of Metro projects, programs, and policies.

Climate Leadership Initiative

Metro participated in the Climate Leadership Initiative, completed in January 2010, which engaged local experts and stakeholders on how to prepare the lower Willamette Valley River Basin for climate change impacts.

Climate Prosperity Strategy

Metro worked with local governments, businesses, educational institutions, and the Portland Oregon Sustainability Institute to develop the 2011 Portland Metro Climate Prosperity Strategy—a 'greenprint' for integrating climate change policy and economic development into a single strategy.

Regional Freight Plan and potential benefits and impacts to freight will be considered as part of the Scenarios Project to understand how different GHG reduction approaches could affect the cost of moving freight and other freight-related outcomes, including implications for the region's economy.

The **Regional Transportation System Management and Operations Plan (TSMO)** includes a set of integrated transportation strategies intended to improve the performance of existing transportation infrastructure. TSMO addresses transportation goals such as mobility, reliability, safety and accessibility through a combination of transportation system management systems, transportation demand management, traffic incident management, and traveler information. These functional components are also strategies included in the toolbox and are an important consideration to reducing vehicle miles traveled (VMT) and associated GHG emissions.

The RTP also includes a new **Mobility Corridors** policy to guide consideration of land use and transportation in each of the region's 24 major travel corridors. The policy addresses the region's land uses served by an integrated network of freeways, highways, arterial streets, bicycle corridors, walking corridors, high capacity transit routes, and frequent bus service routes. The primary function of the corridors network is metropolitan mobility – moving people and goods between different parts of the region and, in some corridors, connecting the region with the rest of the state and beyond. The policy will provide a useful framework for developing and evaluating alternative scenarios as a part of Phase 2 of the Scenarios Project.




Figure 4: The Regional High Capacity Transit System Plan prioritizes future investments in frequent, fast, and high capacity public transit services throughout the Metro region.

Regional greenhouse gas emissions inventory

In 2010, Metro completed a GHG emissions inventory for the region. This inventory establishes a snapshot of the region's carbon footprint assisting Metro in focusing its planning efforts on achieving long-term GHG emissions reductions. The total estimated emissions from activities associated with the region are 31 million metric tons for 2006.² The three major emission sources are transportation (25 percent), energy (27 percent) and materials (48 percent). Transportation emissions come mainly from on-road vehicles and air travel, with smaller shares from rail, marine, and mass transit.




Figure 5. Regional emission sources (2006)

Transportation emissions are traditionally thought to result from three main factors: vehicle technology, fuel characteristics, and VMT. Dramatic progress in vehicle emissions control technology and fuel quality has reduced criteria pollutant emissions over the past 30 years. While we must continue to make progress on vehicle technologies and fuels – and the policies to implement them – we must also assess the extent to which we can reduce VMT.

The light duty vehicle transport component is responsible for approximately 15 percent of the region's GHG emissions.³ These local passenger transport categories include cars, pickups, sport utility vehicles, and local freight less than 10,000 pounds and are the subject of the state law that the Scenarios Project will address in the Portland metropolitan region.

State law requires Metro to show how the region can meet the goal of 20 percent per capita reduction from light duty vehicles, in addition to what we can anticipate from technology and fleet improvements. Therefore, it is important to realize and address the fact that approximately 86 percent of the region's GHG emissions come from other sources. For this reason, the intent of the Scenarios Project is, in part, to use the scenario planning process to help determine how land use and transportation strategies can result in outcomes that meet other goals as well as help reduce greenhouse gas emissions from other sectors such as buildings. As referenced earlier, the region's six desired outcomes will guide the strategies and evaluation process.

² Measured and stored at standard atmospheric pressure, one metric ton of CO₂ occupies a cube approximately the size of a three-story building (27 feet x 27 feet x 27 feet).

³ The EPA has calculated that the annual emissions from a typical passenger vehicle should be equated to 5.5 million metric tons of CO₂.

The project will evaluate the relationship between a reduction in VMT and changes to urban form on one hand, and land use and transportation policies to individuals, businesses and the region’s economy on the other. The evaluation will assess the costs, benefits and co-benefits of GHG reduction strategies and other indicators such as avoided infrastructure costs, fuel savings, transit operating costs and ridership, water use, economic development, household costs, social equity, and public health. The outputs will include how a set of strategies performs relative to GHG emissions, VMT, energy consumption, household travel costs, natural resource impacts, and public health impacts, among others.




Figure 6. Explanation of regional emission sources

These categories reflect the ones that Metro will use to develop scenarios for testing possible futures for the region in order to meet the state goal of 20 percent per capita reduction of GHG emissions by 2035. Metro will use ODOT's Greenhouse Gas State Transportation Emissions (GreenSTEP) model to perform this analysis in Phase 1. The scenario analysis, to be conducted by Metro with the help of a technical work group during the summer of 2011, provides an opportunity to understand the impacts of both individual strategies and the synergistic effects of different combinations of strategies. In Phase 2, Metro will use the GreenSTEP model in conjunction with the Envision Tomorrow scenario planning tool. This approach assures compatibility with state modeling efforts throughout the process while enabling results to be 'mapped' to specific locations.

For each of the five sections above, two or more strategies are discussed in detail according to the following outline:

- Introduction
- Existing research findings
- Co-benefits and synergy with other strategies
- Considerations moving forward

In addition, this chapter includes case studies, summarized in the blue boxes, which provide examples and results of applying the strategy; descriptions of other tools or mechanisms that can enhance GHG emissions reductions are also highlighted in boxes.


Balanced approach

As previously stated, generation of transportation-related GHG emissions is the result of three main factors: vehicle technology, fuel characteristics and how much people drive (i.e. VMT). These three components can be compared to a three-legged stool, in recognition that a comprehensive transportation GHG emissions reduction strategy needs to be balanced. A fourth factor that can influence GHG emission reductions, and can be viewed as the fourth leg of a four-legged stool, is system management and operations of the transportation network. Improving the efficiency of the network through technological and behavioral changes can reduce GHG emissions

Visualizing a Metric Ton of CO₂

Throughout the chapter, information for each strategy regarding GHG emissions or VMT reduction draws from a range of different research.

At times, the reduction is referred to as a percentage, but other times it is referred to in tons or metric tons. In the case of the latter, it is helpful to visualize the volume of CO₂. One metric ton of CO₂ is equivalent to 27 cubic feet.



The average US person emits a metric ton of CO₂ every two weeks.

For additional resources see:

<http://www.epa.gov/cleanenergy/energy-resources/calculator.html>

<http://carbonquilt.org/visualiser>

from the transportation sector. Figure 7 shows this relationship.

The Toolbox primarily addresses the VMT and system management legs of the stool for two reasons. First, Metro must coordinate the regional scenario analysis with the statewide transportation strategy development. In this regard, Metro is dependent on the assumptions provided by ODOT on improved vehicle technology and fuels that are assumed to be in place by 2035 for the initial scenario testing.

Second, changes to vehicle technology and fuels are not within the control of Metro or local governments, whereas VMT reductions through land use and transportation policy changes are.

Selecting strategies will involve policy decisions that could have political, economic, environmental, equity, community and lifestyle implications as described in this report. Many strategies offer multiple potential benefits beyond GHG emissions reduction. By identifying the policy choices and tradeoffs that decision-makers will need to consider throughout the process, this report serves as a basis for continuing a regional dialogue on how to confront the threat of global climate change through state, regional and local actions while advancing the region's efforts to build livable, prosperous and equitable communities.




Figure 7. Greenhouse Gas transportation strategies -- the “four-legged stool”

This page was intentionally left blank.



Community Design

Community design refers to a collection of complementary strategies including a diverse mix of uses in an area or district (commercial, cultural, residential, entertainment), a mix of housing for all income levels and generations, maintenance of a tight urban growth boundary, pedestrian and bicycle-friendly design, and reliable and frequent transit service. The relationship between development patterns and travel behavior can be explained through the lens of the Five P's of mixed use development: people, places, physical form, pedestrian/bicycle connectivity, and performance. The combined impact of these efforts has the potential for significant reductions in GHG emissions.

MIXED-USE DEVELOPMENT

People: the number of people or the development intensity of a given area is often used as a proxy for compact urban form, which directly affects increases in transit ridership

5 to 25 percent

VMT reduction when doubling the amount of housing in a given area

Places: by providing retail goods and services plus employment opportunities in proximity, a diverse environment enhances the viability of walking, bicycling and use of transit

2 to 11 percent

VMT reduction for each 1 percent increase in land use mix

Physical form: the urban form and character of a community such as street grids, connected sidewalks and bike lanes, and the use of lighting and trees

1 to 6 percent

VMT reduction for every mile closer to a transit station, an effect likely to occur only within 2 miles of a rail station and 0.75 miles of a bus stop

ACTIVE TRANSPORTATION AND COMPLETE STREETS

Pedestrian/bicycle connectivity: bicycling, walking and access to transit; complete streets are designed with all users in mind

33 to 91 million metric tons

CO₂ reduction through increased active transportation options

PUBLIC TRANSIT SERVICE

Performance: a collection of strategies that can improve transit ridership includes frequency, system expansion, fares, and transit access

30,000 metric tons

CO₂ reduction annually when the Bay Area Rapid Transit authority implemented the performance strategies

CO-BENEFITS

Public health benefits

- Increased physical activity from walking and biking and reduced likelihood of obesity
- Enhanced public safety
- Improved air quality; fewer air toxics emissions

Environmental benefits

- Lower levels of pollution
- Less energy use
- Natural areas, farm and forest protection

Economic benefits

- Job opportunities
- Improved access to jobs, goods and services
- Consumer savings in home energy and transportation
- Municipal savings
- Leverage private investment, increased local tax revenues
- Increased property values
- Reduced fuel consumption
- Improved energy security

SYNERGY WITH OTHER STRATEGIES

- Parking pricing
- Tolls, fees, and insurance
- Public education and marketing
- Individualized marketing
- Employer-based commuter programs
- Traffic management
- Fleet mix and turnover

IMPLEMENTATION

Despite impressive long-term returns for mixed-use development, it can have significantly higher upfront costs associated with redevelopment. Public transit service can also have significant costs when considered on its own while bicycle and pedestrian infrastructure is relatively inexpensive. The combined effects of these approaches, however, yield greater cost effectiveness and can result in greater economic activity.

Mixed-use development is the use of a building, a set of buildings, a district or a neighborhood for more than one purpose. Often located in existing urban areas or as part of a new urban center or corridor, mixed-use development provides a full complement of jobs, affordable housing options, services, civic uses, and community spaces. It is sometimes called “smart growth,” “compact” mixed-use development, or transit- and pedestrian-oriented development.

Mixed-use development is comprised of a group of strategies including higher residential and employment densities, a diverse mix of uses (commercial, cultural, residential, entertainment), a mix of affordable housing and transportation choices, maintaining a tight urban growth boundary, pedestrian and bicycle friendly design, and reliable and frequent transit service.

Mixed-use development is connected to local and regional destinations via a dense network of pedestrian and bicycle facilities and transit options, connecting people to social and economic opportunities. Housing types are diverse, potentially ranging from studio apartments to detached single-family residences, thereby providing housing opportunities for a range of incomes and generations.

Mixed-use developments often result in residential buildings with street front commercial space – typically called “vertical mixed use.” However, mixed-use development can also be integrated horizontally across several parcels, a corridor, a district or a neighborhood. When jobs, housing, and commercial activities are located close together, a community’s transportation options increase. Retailers have the assurance that they will always have customers living right above and around them, while residents have the benefit of being able to walk or bike a short distance to goods and services.

Research has shown that mixed-use development can produce diverse and vibrant communities that can have the added benefit of reducing traffic and related transportation costs. By integrating different uses such as homes, offices, and shopping, many daily vehicle trips can be eliminated or reduced in length. Zoning was established in the 1920’s to separate different uses whose proximity was undesirable, such as separating factories from residences. But today most workplaces are clean and quiet and can be built closer to homes without adverse effects. Many employers also find that locating workplaces near shops, banks, dry cleaners, and restaurants can save their employees time.



With the adoption of the 2040 Growth Concept, the region committed to this holistic approach to future growth by targeting development in those areas with access to local goods and services and with transit connections to regional centers. The aim is to reduce dependence on the private automobile by reducing and shortening vehicle trips, thereby decreasing VMT and the related GHG emissions. In addition to efficient use of land, denser urban forms also include building types that tend to be more energy efficient.

Although the 2040 Growth Concept has helped leverage significant changes to local comprehensive plans and development codes in support of mixed-use development, the cost and complexity of this style of development often renders it infeasible in all but the strongest real estate submarkets. In addition, these cost constraints, in combination with limited regional policy mechanisms, can create barriers to addressing housing affordability. Thus, the full GHG emissions reduction potential of this strategy is constrained to some degree by local market conditions.

The Five P's of mixed-use development

As part of its strategic planning process, Metro's Transit Oriented Development Program explains the relationship of development patterns to travel behavior by analyzing the Five P's of transit oriented development.

People: Intensity of development and/or population in an area

Places: Mix of uses, especially neighborhood serving goods and services

Physical Form*: The built environment as experienced and navigated by the pedestrian

Pedestrian/Bicycle Connectivity: Access to sidewalks and bikeways

Performance: High quality, frequent bus and rail service

People, Places and Physical Form are addressed in this strategy section.

*People, Places and Physical Form are traditionally expressed as Three D's: Density, Diversity and Design.

Existing research findings

Greenhouse gas emissions reduction potential

People, a factor measured by the number of people or the development intensity of a given area, is often used as a proxy for compact urban form. The impact of 'People' on travel behavior and related GHG emissions is significant. Nearly every study of transit ridership has provided evidence that 'People' is its primary determinant.

Here in the Portland region, a study found that 93 percent of the variation of transit demand is explained by employment and housing density, even after controlling for 40 other socio-demographic and land use variables (Nelson\Nygaard 1995).

A study of 129 San Francisco Bay Area rail stations found that the commute mode split was 24.3 percent in neighborhoods with a housing density of ten units per gross acre. This figure jumps to 43.4 percent in station areas with 20 units per acre and 66.6 percent in station areas with 40 units per acre (*Influence of Density, Diversity, and Design* 2000). In terms of employment density, significant commuter modal shifts to transit occur as worksites reach 50-75 employees per gross acre (Frank 1994).

The direct impact of 'People' on VMT and GHG emissions has also been documented. A recent National Research Council report concluded that, on average, doubling residential density is associated with VMT reductions that range conservatively from five to 12 percent (*Driving and the Built Environment* 2009). A similar study of 28 communities in California suggests a stronger relationship, finding that doubling density yields a 25 percent reduction in VMT (Holtzclaw 1994). When factoring in building operations, households in moderate density neighborhoods (7.8-15.6 households per acre) generate half the building energy emissions of households in areas of very low density (1 household per 16 acres) (Jonathan Rose Companies 2011). This is due primarily to the inherent energy efficiency of multifamily building types with shared walls and fewer exposed surface areas.

Similarly, a study of the environmental impacts of housing development practices in Oregon found that multifamily housing had roughly half the climate impacts of an average medium-sized home (roughly 2,200 square feet). This is because the every-day use of the home (cooking, heating, cooling, etc.) contributes about 86 percent of the total lifecycle GHG impact of housing from construction to demolition. In addition, home size alone has an environmental impact. For example, a small home (1,149 square feet) provides a 40 percent reduction in GHG emissions compared to a medium-sized home (2,262 square feet) due to energy use. Further, a 4-unit multifamily building provides a 14 percent reduction in GHG emissions compared to a single-family home of the same size (2,262 square feet). An eight-unit building with a unit size of 1,149 square feet provides even greater benefits with a 46 percent reduction in GHG emissions compared to a medium-sized single family home (Oregon DEQ 2010).

Places refers to a mix of land uses. By providing retail goods and services, residential and employment opportunities in proximity, people do not have to travel as far, and walking, bicycling and transit become more convenient and viable travel options. 'Places' has been shown to impact travel behavior because areas with a greater mix of uses often result in less driving. The evidence of the relationship, however, is more variable than that shown for 'People.' This is largely due to the difficulty in subjectively defining or quantifying a mixed-use environment.

Many national studies concluded that, generally, each one percent increase in land use mix results in an average VMT decrease in a range from two to 11 percent. These studies controlled for other variables (e.g. income, density, transit availability) and used disaggregated household data. Per capita GHG emissions were estimated to be 13 percent lower in neighborhoods in the highest quintile (highest 20 percent) of land use mixing index values, compared to those in the lowest quintile (lowest 20 percent) (Lawrence Frank and Company 2008).

Housing and Transportation Affordability

Housing and transportation affordability is essential to addressing Metro's six desired outcomes. National research by the Brookings Institute has found that residential density and household income drive auto ownership, auto use and transit ridership. Low income households are more likely to take public transit if available as an option. The research also found that places with access to services, walkable destinations, extensive and frequent transit, access to jobs, and density have lower household transportation costs.

More recent local research shows lower income families in the Portland region are moving to areas that are often farther from their jobs, and are not as well-served by transit and other services, due in part to lower housing prices in these areas. This trend, if unaddressed, will likely lead to greater vehicle dependence and fuel consumption by families of modest means. Furthermore, lower income families are more likely to drive older, less fuel efficient vehicles, resulting in higher fuel consumption and transportation costs for those who can least afford it. Rising gas prices compounds this issue further adversely affecting vulnerable families in auto-dependent neighborhoods by placing more stress on family budgets.

As the region grows, demand for new housing of all types will increase. Affordable housing choices need to be integrated with the broader set of mixed-use development strategies to provide a range of housing and transportation options for all residents in the region. The two approaches are synergistic because, when implemented together, they increase access to jobs, education, essential services, transportation choices, public spaces, and parks. This in turn can help save families money and lead to more efficient land use patterns and transportation systems. The improved efficiencies will be passed on to households, businesses and governmental entities as cost savings.

Creating neighborhoods with housing and transportation affordability requires multiple and targeted strategies and coordination within and across government agencies and the private sector. Certain policies and techniques can ensure that affordable housing choices are part of any new or infill development:

- Tax increment financing
- Density bonuses
- Transfer of development rights
- Exemption from impact fees
- Allow accessory dwelling units
- Create small lots and small lot districts
- Implement performance zoning
- Adaptive reuse
- Planned unit development
- Cluster subdivisions
- Zero lot line development
- Small houses

Perhaps the mixed-use data most pertinent to the Portland region is the 1994 Household Travel Behavior Survey, which is summarized in Table 2. In this often cited survey, 4,451 households sampled from across the region reported nearly 68,000 trips (completing more than 120,000 activities) over the course of two days. This sample was stratified based on neighborhood mix of uses and relative access to high quality transit service. Respondents in mixed-use neighborhoods with access to good transit service reported daily VMT of 9.80 per capita. Limited use neighborhoods with good transit averaged approximately 35 percent more vehicle miles, or 13.28 per capita. Although this latter figure was higher, thereby reflecting the connection between land use diversity to travel behavior, it is still significantly lower than the remainder of the region, which averaged 21.79 VMT per capita. A household survey, currently underway, may find that these differences have become more pronounced since the region has since added 37 miles of MAX light rail (Westside, Airport, Interstate, I-205), more frequent bus service in major travel corridors and substantial pedestrian and bicycle infrastructure throughout the region.

Case Study: Potential CO₂ Reductions in Transit Zones

A recent study by the Center for Transit Oriented Development on behalf of the Chicago region developed national transit zone types based on characteristics of the built environment such as density, block size and transit access. It found that areas with characteristics similar to Gresham and Hillsboro regional centers produce 31 percent fewer auto-related GHG emissions than the average neighborhood in the 52 metropolitan areas sampled. Households within compact mixed-use neighborhoods like Nob Hill in Northwest Portland generated 60 percent less GHG emissions. Below is a table showing transit zone types, their performance and comparable Metro area design types.

National Transit Zone Type	Average Density (households per acre)	Average Walkable Transit Access Options	Average CO ₂ per household (metric tons)	Reduction from national average* (percent)	Similar Metro 2040 Center
Highest	62	98	1.46	78%	City Center (Pearl District)
High	30	26	2.66	60%	None**
Medium-High	9	13	4.61	31%	Gresham, Hillsboro, Lake Oswego
Medium	4	6	6.06	10%	Beaverton, Milwaukie, Oregon City
Low	4	2	6.51	3%	Tigard, Tualatin, Forest Grove
Lowest	1	1	8.81	-31%	Wilsonville, Happy Valley

*6.7 average household CO₂ in 52 sampled metropolitan regions with transit comparable area in the region

**Nob Hill-Northwest Portland is the most similar

Physical Form is the urban form and character of a community. As with ‘Places,’ operationalizing ‘Physical Form’ is subjective because the relationship to VMT and GHG emissions depends on the variables used to capture the physical design and characteristics of an area.

Street patterns and block size are commonly used as building blocks for neighborhood design. The density and configuration of street blocks dictates urban form and connectivity, both of which impact travel behavior. In fact, research suggests that the single most important urban design determinant of transit ridership is the underlying block pattern of an area. In the San Francisco Bay Area, residents in neighborhoods with an average block size of six acres (approximately 900’ x 300’) had a commute transit mode split of approximately 11 percent. Neighborhoods with blocks averaging only three acres (approximately 600’ x 200’) exhibited a 48 percent mode split (*Influence of Density, Diversity, and Design* 2000).

Greater street connectivity, a result of a traditional urban grid network, can also reduce walking distances, which impacts travel behavior. For every mile closer to a transit station, VMT decreases between 1.3 percent and 5.8 percent. This effect is likely to occur only within about two miles of a rail station and about 0.75 miles of a bus stop (California Air Resources Board 2010). Households very close to transit lines produce about one quarter of the emissions of those households that are located further away. This can translate into significant VMT and GHG reduction impacts. One study found that traditional grid circulation patterns reduce VMT by 57 percent as compared to VMT in areas with less connected street networks (Kulash 1990).

It is important to note that many of these studies do not necessarily control for the overall street design, e.g. travel lane widths, sidewalks, bike lanes, lighting and the use of trees and pedestrian furniture. Some research argues that these elements contribute to the VMT reductions (Upstream Public Health 2009). In fact, the impact of improved design on VMT ranges from a 3 to 21 percent reduction (CAPCOA 2010). Good design can help promote walking and biking as a primary mode of travel by making the network safe, interesting, and easy to use.

Combined Impact

Given that the ‘People,’ ‘Places,’ and ‘Physical Form’ are highly correlated (e.g. higher densities, a mix of uses and dense block patterns tend to occur in the same place), it is difficult to discuss the impact of their individual contributions without considering their combined impact. A study by the National Association of Home Builders, for instance, concluded that doubling density in combination with other policies, including those that affect land-use diversity, neighborhood design, access to transit, and accessibility, could have significant impacts on travel behavior – such as reductions in VMT on the order of 25 to 30 percent (National Association of Home Builders 2010). A focused compact growth strategy around transit in a region such as Chicago could reduce future VMT-related GHG emissions by 36 percent (Center for Neighborhood Technology 2010).

A number of studies across the country have measured the combined impact of the P’s of the built environment on travel behavior at the local or neighborhood level. Since much of this

research has compared rates of VMT in communities marked by different urban forms, the findings show that transportation-related GHG emissions can be highly varied.

In the San Francisco Bay Area, researchers compared two neighborhoods, controlling for variables such as income. Average daily VMT per resident was 45 percent lower in the more compact neighborhood (Rockridge) than in the auto-dependent neighborhood (Lafayette; Cervero 1995).

A case study of two recently constructed neighborhoods in North Carolina found significant differences in household VMT between mixed-use and non-mixed-use developments (Khattak 2005). The study compared a typical suburban, single-use neighborhood with a neo-traditional one that was centered on a mixed-use commercial center. The findings indicated that residents of the mixed-use development made approximately the same number of trips, but traveled 14.7 fewer miles per household per day (*Transportation Research Part A: Policy and Practice* 2005).

In a more urban setting, residents of Atlantic Station, a major neo-traditional brownfield redevelopment in Midtown Atlanta, demonstrated an average VMT 59 percent lower than the average city resident. VMT for employees in the development were 36 percent lower (Center for Clean Air Policy 2009).

The Sacramento Area Council of Governments adopted a regional vision in 2004, known as Sacramento Regional Blueprint, which included an extensive study of the linkages between transportation, land use and air quality. It was undertaken because the region faced projected worsening traffic congestion and increasingly worse air pollution based on current land use patterns and transportation investment priorities. The process used scenario planning to look at how different choices result in various outcomes. The findings and results from this effort are being used to help reduce GHG emissions in the region. See the case study inset for results of how the Preferred Blueprint Scenario is expected to perform.

Case Study: Sacramento Council of Governments (SACOG)

The Sacramento region evaluated alternative transportation and land-use growth scenarios through 2050 and calculated the costs for both the Base Case Scenario and the Preferred Blueprint Scenario. The adopted Preferred Blueprint Scenario features infill development and transportation investments in order to reduce GHG emissions and lower infrastructure costs. VMT is estimated to decrease between six percent and ten percent per capita under the Preferred Blueprint due to locating new homes and destinations closer together and expanding the range of transportation choices.

Sacramento's smart growth plan is also projected to reduce emissions by 7.2 million metric tons of carbon dioxide – a 14 percent reduction in CO₂ from the business-as-usual forecast. This scenario results in a *net* economic benefit of \$198 to \$341 per ton CO₂ saved through \$9 billion dollars on infrastructure and consumer fuel savings. Even if upfront costs amounted to \$1 billion, the net benefits would still range from \$70 to \$211 per ton CO₂ saved.

Changing multiple land use variables at the same time can produce larger effects because of synergy among different characteristics. One study compared predicted VMT for sample households in 114 urban areas (Bento 2005). The study included ‘moving’ sample households from a city with characteristics of Atlanta to a city with characteristics of Boston. It found that predicted VMT in Boston is 25 percent lower than in Atlanta, suggesting that the combined effect

of changing multiple land use variables will be larger than the effect of changing density alone.

Mixed-Use Development Incentives

The use of incentives can encourage compact, mixed-use development. Incentives are most effective when used in combination with other tools such as strategic management of the urban growth boundary, flexible development codes, parking management, and congestion pricing. In addition, local design and zoning codes must be altered to remove any potential barriers to using these incentives.

Effective incentives influence the final cost and financial return of a development project through one or more of the following components:

- Pricing (rent or sales price) that is achievable in a district
- Cost of construction
- Level of financial risk

Examples of incentives include:

Direct incentives

- Grants
- Tax abatement
- System development charges reflective of reduced impacts

Indirect incentives

- Infrastructure investments
- Investments in community amenities
- Flexible parking or landscaping standards
- Time certainty in permitting

See Metro’s Community Investment Toolkit for details about incentives.

Cost-effectiveness and feasibility of implementation

Studies suggest there is a growing demand for walkable communities and public transportation and that compact development is poised to dominate the real estate market over the next two decades (Center for Clean Air Policy 2009). This is the case because this type of development is well-suited to demographic changes and shifting market preferences (Jonathan Rose Companies 2011), and it has seen a less pronounced decline in housing values during the recent economic recession (Center for Clean Air Policy 2009). These findings suggest there is latent opportunity for significant private investment and potential profits in developing compact, walkable communities.

The Center for Transit Oriented Development estimates that “\$1 in public transit investment can leverage up to \$31 in private investment.” Public investments in transit and smart growth policies in Little Rock, Arkansas, Tampa, Florida, Portland, Oregon, Atlanta, Georgia, and Arlington, Virginia have helped leverage a ten- to thirty-fold increase in private investments. In addition, tax revenues have increased significantly and, in some cases, have far outweighed the initial upfront costs (Center for Clean Air Policy 2009). Metro’s Transit Oriented Development Program has invested \$30 million that has helped leverage \$318 million in private real estate investment across the region.

Bike and pedestrian paths provide significant economic benefits; with much lower capital costs when compared to other transportation investments, they can provide a better return on

investment, too. An analysis of Portland's Rails-to-Trails investment in bike infrastructure estimates a reduction of 0.73 million metric tons of carbon dioxide (MMTCO₂) by 2040 with a net economic benefit of \$1.2 billion (\$1,664 per ton CO₂ reduced) from fuel and health care cost savings. These savings do not account for road infrastructure savings, congestion relief, or increases in real estate values, which have been associated with investments in bicycle and pedestrian networks (Center for Clean Air Policy 2009).

The Center for Clean Air Policy also documented notably lower infrastructure costs, by 25 percent or more, for serving more compact growth patterns as opposed to lower-density, auto-dependent development patterns (Center for Clean Air Policy 2009). Infrastructure costs are lower due to the reduced size of the area being served and reduced use of existing infrastructure. Other research has shown that low-density development requires more fire and police stations, as well as more vehicles and safety equipment, per capita to adequately respond to emergencies. Similarly water and sewer systems, schools, libraries, parks and hospitals also require upfront infrastructure expenditures that are significantly less expensive in compact communities. Public services are said to be more expensive due to the greater distribution of these activities (Transit Cooperative Research Program 2000).

A study by the American Journal of Public Health found that sprawl, as opposed to compact growth, increased the amount of undeveloped land converted to developed land by 21 percent, increased water and sewer costs by 6.6 percent, increased local road costs by 9.2 percent, and increased housing costs by eight percent (Burchell and Mukherji 2003).

Despite impressive long-term returns for compact, mixed-use development in centers and corridors, this type of development can have significantly higher upfront costs associated with redevelopment. However, given the cost-effectiveness of this approach when compared to alternative development patterns, it is essential to use incentives to reduce upfront costs that make it easier to build infill and mixed-use projects. The resulting increase in economic activity in these areas can then be reinvested in site amenities and transportation alternatives.

Political feasibility is another important factor in determining which policy and investment options to pursue and implementing compact, mixed-use development. Several studies mention the need for public support to gain the political momentum necessary for new policies or investments. These issues need to be considered when exploring the potential of different policies and investments to affect VMT and GHG emissions.

According to a recent assessment of urban planning tools for climate change mitigation, there are a number of modeling tools that can help build public support and political feasibility. Real time modeling and 3D visualization tools enable citizens and policymakers to link policy decisions with sustainability, easing public concerns and making policy choices more politically feasible (Condon 2009). Phase 2 of the Climate Smart Communities Scenarios effort will use the Envision Tomorrow planning tool in conjunction with ODOT's metropolitan GreenSTEP model to advance the region's ability to weigh these important choices in a more visual way. This

approach assures compatibility with state modeling efforts throughout the process while enabling results to be ‘mapped’ to specific locations.

Caveats on research

The caveat of this research is that the full GHG emissions reduction of mixed-use development appears to depend on the “sum of the parts” or the presence of all or most of these variables.

Two primary caveats were also raised regarding the research methodology. First, some of the studies did not carefully control for some of the key socioeconomic characteristics that impact travel behavior such as income, household size and auto ownership. Second, rarely did studies account for self-selection. That is, residents and employees of compact, mixed-use neighborhoods may have chosen to live/work there because of their access to alternative transportation. Thus, one cannot necessarily attribute their travel behavior completely to the built environment if they were already predisposed to biking, walking, or riding transit.

Co-benefits and synergy with other strategies

Co-benefits

Beyond reducing GHG emissions, the compact mixed-use development strategy has the potential to provide other important benefits to a community.

Public health benefits:

- Increased physical activity from walking and biking; reduced likelihood of obesity
- Reduced traffic injuries and fatalities
- Enhanced public safety
 - More “eyes on the street”
 - Quicker emergency services response
- Improved air quality; reduced air toxics emissions

Economic benefits:

- Job opportunities
- Increased access to jobs, goods and services
- Consumer savings from reduced home energy and transportation costs

- Leverage private investment, increasing local tax revenues
- Increased property values
- Improved energy security
- Municipal savings
- Increased cost effectiveness of transit investment through improved ridership

Environmental benefits:

- Lower levels of pollution
- Less energy use
- Natural areas, farm and forest protection
 - Added capacity to absorb CO2 by preserved forest canopy

Synergies with other strategies

Synergy exists when a combination of two or more strategies enhances the potential GHG emissions reductions from an individual strategy. Mixed-use development in centers and corridors is synergistic with several other strategies including:

- Active transportation and complete streets
- Public transit service
- Parking pricing
- Tolls, fees, and insurance
- Public education and marketing
- Individualized marketing
- Employer-based commuter programs
- Traffic management
- Fleet mix and turnover

Table 2 demonstrates the synergy between public transit, mixed-use development and density in Multnomah County. Areas with good transit and mixed-use development have 58 percent auto use. By contrast, areas with good transit but without mixed-use development have more auto use and suburban areas with poor transit and less mixed-use development have as much as 87 percent auto use.

Table 2. Transportation Mode Share in Multnomah County

Land-Use Type	Auto	Walk	Transit	Bike	Other	Vehicle Miles per capita	Auto ownership per household
Good transit and mixed-use	58.1%	27.0%	11.5%	1.9%	1.5%	9.80	0.93
Good transit only	74.4%	15.2%	7.9%	1.4%	1.1%	13.28	1.50
Remainder of county	81.5%	9.7%	3.5%	1.6%	3.7%	17.34	1.74
Remainder of region	87.3%	6.1%	1.2%	0.8%	4.0%	21.79	1.93

Source: Metro Household Travel Behavior Survey (1994).

A new household survey is underway in the region that will provide updated information about the synergy between these strategies.

Urban Growth Boundary

The fact that all cities in Oregon maintain an urban growth boundary (UGB) has made the state a leader compared to most of the U.S. in the advancement of mixed-use compact urban form, which helps to reduce average VMT. Continued management of land supply through the use of the UGB will be an important strategy for encouraging a compact urban form for the region and minimizing the displacement of residential growth to neighboring cities.

UGB expansions can only be made after demonstrating that forecasted growth cannot reasonably be accommodated within the existing UGB. According to *Metro's Land Use and Investment Scenarios* guide, past scenario evaluations indicate that modest variations in where and how much the UGB is expanded are not likely to cause substantial changes in the average commute distance for the region. This is because household and job growth in expansion areas is a small share of total growth.

Past scenario analyses do, however, indicate that a tight UGB policy may result in small decreases in average commute distance for the seven-county region. These small decreases can have a large cumulative effect, particularly if complementary strategies, such as investments in existing urban areas, are pursued.

More importantly, the way in which UGB expansion areas are designed and developed will influence the travel behavior of people who live or work in the expansion area. Likewise, the efficiency of development in expansion areas will factor into the need for future UGB expansions. As new urban areas are planned and developed, careful attention to the five P's will be essential.

Considerations moving forward

There is clearly a relationship, if not causation, between urban form and transportation-related GHG emissions by way of VMT. When also factoring in differences in building-related emissions, a focus on mixed-use development in centers and corridors has strong potential to reduce transportation-related emissions. When one isolates the P's of this style of development, it appears that the components can be associated with ten to 50 percent or fewer VMT than other less efficient development patterns.

Continued land management through the urban growth boundary (UGB) is also an important strategy for encouraging a compact urban form for the region and for minimizing the displacement of residential growth to neighboring cities. Perhaps more importantly, the way in which UGB expansion areas are designed and developed will influence the non-commuter-travel behavior of people who live or work in the expansion area. Likewise, the efficiency of development in expansion areas will factor into the need for future UGB expansions.

Another important consideration in moving forward is to ensure there are tools in place to protect existing, and encourage new, affordable housing within mixed-use developments throughout the Portland metropolitan area. As new areas are planned and existing areas redeveloped, it will be important to implement a range of affordable housing choices.

At the regional level, it appears that a concerted approach to pedestrian and bicycle friendly communities, increasing densities, introducing neighborhood and retail goods and services, and enhancing street connectivity at the local and regional levels could reduce GHG emissions by a minimum of 25 to 30 percent. Thus, implementation of a mixed-use development strategy is important at all scales, ranging from regional policies and transportation funding to local development codes and incentives.

Active Transportation and Complete Streets

A COMMUNITY DESIGN STRATEGY

Active transportation, also referred to as “non-motorized transportation,” means bicycling, walking and access to transit. Complete streets are roadways designed and operated with all users in mind including people driving cars, riding bikes, using a mobility device, walking or riding transit.

Integrating Pedestrian/Bicycle connections with off-street biking and walking trails comprises the strategy analyzed in this section. For several years, the Portland region has employed this strategy as a key component to reduce auto trips and to help support the region’s 2040 Growth Concept land use vision of compact mixed-use development in centers and corridors. This



strategy must be considered in conjunction with compact mixed-use development, higher residential and employment densities, affordable housing, a mix of land uses, regional growth management (e.g. urban growth boundary), and public transportation.

The active transportation and complete streets strategy has been pursued at the regional and local scale. While the region is recognized as a national leader in active transportation, the region’s investment in bicycling and walking facilities has been piecemeal and opportunistic due to a lack of dedicated funding and a regionally-agreed upon implementation strategy. This has resulted in a less-than-seamless network that limits opportunities to safely walk or bike in many areas of the region.

Existing research findings

GHG emissions reduction potential

A range of GHG emissions reduction potential has been revealed in national research on active transportation and complete streets. *Moving Cooler* found that pedestrian and bicycle infrastructure

The Five P’s of mixed-use development

As part of its strategic planning process, Metro’s Transit Oriented Development Program explains the relationship of development patterns to travel behavior by analyzing the Five P’s of transit oriented development.

People: Intensity of development and/or population in an area

Places: Mix of uses, especially neighborhood serving goods and services

Physical Form: The built environment as experienced and navigated by the pedestrian

Pedestrian/Bicycle Connectivity: Access to sidewalks and bikeways

Performance: High quality, frequent bus and rail service

Pedestrian/Bicycle Connectivity is addressed in this strategy section.

policies applied nationally would result in a cumulative 0.2 to 0.5 percent reduction in baseline GHG emissions by the year 2050 (Cambridge Systematics 2009). This research does not take into account the combined reduction benefits that can be achieved by implementing this strategy with changes to land use, expanded transit service, marketing, and incentive programs that are described later in this document. A report by CAPCOA found that when pedestrian accommodations in urban or suburban neighborhoods exist within the project site and connect to off-site destinations, VMT reduction is estimated to reach 2 percent (2010).

Other research has estimated that bicycling and walking already reduce GHG emissions as much as 12 million metric tons of CO₂ per year (the equivalent of nearly three million cars annually). As well, the potential exists, for future GHG reductions from increased walking and biking between 33 and 91 million metric tons of CO₂ per year (Center for Clean Air Policy 2009).

National and local research has found that active transportation and complete streets strategies can replace some auto trips, especially short ones. Half of all trips in the U.S. are less than three miles in length (National Household Travel Survey 2009), which is a distance well-suited to bicycling. Portland State University researchers found that for trips less than three miles, the bicycle is time competitive with the automobile (Dill, Gliebe 2008). Additionally, they found that a well-connected street network is important to cyclists, both for minimizing travel distances and allowing for an efficient network of low-traffic streets and bicycle boulevards.

A King County, Washington study found that residents in the most interconnected areas of the county travel 26 percent fewer vehicle miles per day than those that live in the most sprawling areas of the county (Frank, Sallis, et al. 2005); a national study found five to 15 percent fewer VMT in communities with good walking and cycling conditions (Rails to Trails Conservancy 2007).

Case Study: Portland, Oregon

The City of Portland is one of the best examples in the United States of how a city's investment in completing the bicycling network has dramatically increased the bicycling mode share and thereby reduced VMT (Pucher, Dill, et al.).

- Between 1991 and 2010 the City of Portland quadrupled the size of its bikeway network from 79 to 324 miles. City bike counts show that during the same time period the amount of bicycle traffic crossing four Willamette River bridges grew six times from 2,850 to 17,576.
- The share of city workers commuting by bicycle rose from 1.1 percent in 1990 to six percent in 2008. The number of all workers commuting by bicycle increased 608 percent from 1990 to 2008, while the number of workers increased only 36 percent.
- One study indicates that given the low baseline level in the early 1990s and the large increase in bicycle counts through 2010, it is fair to assume that there is a causal relationship between investments and the observed exponential growth in bicycling (Gotschi 2011).

Cost-effectiveness and feasibility of implementation

Constructing pedestrian and bicycle infrastructure has a relatively low cost of implementation. While more expensive than some system and demand management strategies, it is much less expensive than other capital strategies, such as public transit. Research on implementation costs has found a range of \$80-\$210 per ton of CO₂ emissions reduced compared to \$255 per ton to expand public transportation options and \$1,300 per ton to decrease transit fares (Cambridge Systematics 2011).

Caveats on research

The research cited in this section uses varying methodologies and scales of analysis. For example, *Moving Cooler* results are based on a national level analysis, reflecting average conditions nationwide. Interpreting GHG emissions reduction estimates and cost effectiveness requires caution; there are many complicating factors that create the context for the effectiveness of a given strategy (e.g. land use, density, etc.). The complexity of the interactions of land use, transportation and other factors make it very difficult to isolate the impact of any individual strategy.

Additionally, no studies have been conducted that provide evidence of the impact this strategy has on reducing GHG emissions *directly*. But, an increase in bicycling and walking trips (including those that lead to transit trips) can be translated into reductions of VMT which translates to reductions of GHG emissions.

Co-benefits and synergy with other strategies

Co-benefits

Beyond reducing GHG emissions, the active transportation and complete streets strategy has the potential to provide other important benefits to a community.

Public health benefits:

- Increased physical activity from walking and biking; reduced likelihood of obesity
- Reduced traffic injuries and fatalities
- Enhanced public safety
- Improved air quality; fewer air toxics emissions

Environmental benefits:

- Lower levels of pollution
- Less energy use

Economic benefits:

- Job opportunities
- Increased access to goods and services
- Increased property values and leverage private investments, increasing local tax revenues
- Consumer savings
- Municipal savings
- Improved energy security

- Increased cost effectiveness of transit investments

Other local, national and international studies have found that pedestrian and bicycle infrastructure projects provide:

- 11-14 jobs per \$1 million of spending in Baltimore, MD (Garrett-Peltier 2010)
- \$1.4 billion annually in nationwide economic activity in retail and tourism, on top of increased real estate values, time and health care cost savings (Gotschi 2009)
- \$81 million annually in averted healthcare costs due to physical activity opportunities provided by the Portland region's bicycle and pedestrian trails (Beil 2011)
- Adolescents who bike 3-4 days a week are 85 percent more likely to be normal-weight adults (Blumenthal)
- Greater health benefits than focusing GHG reduction efforts solely on lower-emission vehicles in London and Delhi (Woodcock, Edwards, et al. 2009)

Synergies with other strategies

Synergy exists when a combination of two or more strategies enhances the potential GHG emissions reduction from an individual strategy. Active transportation and complete streets is synergistic with several other strategies including:

- Mixed-use development in centers and transit corridors
- Public transit service
- Parking pricing
- Public education and marketing
- Individualized marketing
- Employer-based commuter programs

The *Moving Cooler* report analyzed various bundles of strategies including one that aimed to capture the synergies between land use, transit and alternative transportation modes. These strategies combine to reduce the number and length of trips taken by single occupancy vehicles. This bundle would yield a nine to 15 percent reduction in GHG emissions by 2050 (Cambridge Systematics 2009).

The Portland region has found synergy between the active transportation strategy and public education programs and employer outreach, like individualized marketing programs, Sunday Parkways (street closure events creating a temporary car-free route through a neighborhood), transportation management associations, biking and walking maps, etc. These programs make it easier to use walking and biking infrastructure improvements. They have not been evaluated

extensively for their impact on GHG emission reductions, but the few studies available suggest that they have an impact on increasing walking and biking (Handy, Tai, Boarnet 2010).

Public transportation complements walking and biking and is generally accepted as a synergistic GHG reduction strategy (Cambridge Systematics 2011). By effectively linking walking and biking with public transit, the reach of all three modes allows longer trips to be made without driving and reduces the need to provide park-and-ride lots at transit stations.

Considerations moving forward

- Creating a network of complete streets that provide perceptibly safe and comfortable trips have the biggest impact on reducing VMT for this overall strategy.
- A comprehensive strategy involving not only infrastructure, but programming, education and other policies will significantly increase bicycling and walking (Handy, et al. 2010).
- Land use strategies, such as locating high-use destinations and essential services within 20 minutes of biking or walking as well as increasing the number of people living and working in such an area will also impact the success of this strategy.
- As our communities become more diverse we need to ensure that active transportation investments are relevant to multiple demographics. Individualized marketing campaigns and public education and outreach can help ensure relevancy and sensitivity to diverse community perspectives.

The following key elements of complete streets provide potential ways to focus investments:

- Identify and close key gaps in multi-use paths and trails, bridge crossings, pedestrian crossings of busy roadways and gaps in bike lanes.
- Improve pedestrian and rider safety with crossing treatments such as signals, street and intersection treatments, and medians. Un-safe crossings have been identified as a major barrier to biking and walking (Willamette Pedestrian Coalition, 2010).
- Focus on the routes that connect to jobs, essential services, schools, and public transportation.
- Focus on routes that serve the most people and jobs (Cambridge Systematics 2011).
- Focus on providing facilities that create more attractive and perceptibly safe trips. A Portland State University bike study found trails to be the most attractive, then bike boulevards, then bike lanes.
- Focus on providing elements that support biking and walking.
- Utilize intelligent transportation systems solutions that can support and encourage active transportation with High-intensity Activated crossWalk (HAWK) signals and signal timing for bicycle trips.

- Ensure that all areas follow a policy that takes into account all users of streets and has the goal of completing the streets with adequate facilities for all users (Cambridge Systematics 2011).
- Create non-motorized zones in urban areas (Cambridge Systematics 2011).

Where to apply and scale of application

Connectivity of the network is the key to its success, so comprehensive application is necessary. However, certain areas can be targeted to maximize the most benefits as soon as possible. For example:

- Focus investments in the network in the Portland Central City, regional and town centers, corridors, main streets and station areas.
- Give priority to areas with higher levels of population, jobs and mixed-use development.
- Provide for longer distance non-motorized trips on active transportation corridors.
- Invest in denser areas to yield the greatest number of new users (Cambridge Systematics 2011).
- Focus on access to schools to impact behavior change in youth.
- Connect to high-use destinations to increase non-motorized trips.

Potential timing and phasing of implementation

The timing and phasing for implementation depends upon factors such as funding levels, topography, acquisition of right-of-way for off-street facilities, and political appetite to fund facilities such as buffered bike lanes. An increase of five percent in funding for bicycle and pedestrian facilities would mean that a regional system could be completed in 50 years instead of 150 years under business-as-usual funding.

Case Study: Amsterdam, Netherlands

The City of Amsterdam, Netherlands, provides an international example of a city that has achieved a bicycling mode split of over 37 percent. Like many cities after WWII, Amsterdam saw a dramatic decrease in the number of people bicycling as auto ownership grew and suburbanization increased. In 1955, 75 percent of the population traveled by bike, but by 1970 that number had dropped to 25 percent.

To counter the decline of bicycle use, the Amsterdam City Council increased funding for constructing facilities, especially separated bike paths, and changed policies to encourage more bicycling; the city has 249 miles of separated bike paths and lanes completed. By 2005, the number of cyclists had increased to 37 percent. Amsterdam's bicycling and pedestrian network is well connected to public transportation (Fietsberaad 2010).

Active transportation and complete streets solutions are relatively inexpensive to implement, but can require prioritization for completion. Despite this, bicycle and pedestrian facilities and rights-of-way should be required as part of development.

To speed implementation, pedestrian and cycling projects should be un-bundled from larger road projects that may not be realized for many years. The *Moving Cooler* Report identified a long term time frame: "investments in transportation options... are realized in the outer decades" (e.g. 2030 and beyond) (Cambridge Systematics 2009). This may be because transportation options were bundled with land use changes in that analysis.

Some case studies indicate that with policies dedicated specifically to completing active transportation systems and focused funding, cities can build the infrastructure necessary to see a dramatic shift in mode share in a relatively short period of time. For example, in roughly six years, Seville, Spain was able to implement a rapid build-out of bicycle infrastructure and increased its bicycle mode share from 0.2 to 6.6 percent (Cruz 2011).

Who implements

Local and state governments typically construct biking and walking facilities. Funding for implementation comes from a variety of sources and implementing agencies that must often piece together funding to complete one project. Regional agencies provide coordination and planning for routes that cross multiple jurisdictions. Advocacy groups for bicycling, walking, trail construction and access to transit play a role in determining which projects are built.

In some cases, private companies will build or sponsor routes. For example, London's cycle highways are sponsored by Barclay's Bank through an exclusive advertising contract that has provided millions of dollars to construct the 25-mile plus routes. The Indianapolis Cultural Trail, Philadelphia's Schuylkill River Trail, and the East Coast Greenway leveraged considerable support from private foundations to secure federal Transportation Investment Generating Economic Recovery (TIGER) grants.

This page was intentionally left blank.

A COMMUNITY DESIGN STRATEGY

A major component of a balanced, regional multi-modal transportation system is transit. Transit efficiently links other travel options in the region, including bicycling and walking. Additionally, park-and-ride lots offer drivers a transit connection and an alternative to driving alone to work or other destinations. TriMet bus and MAX light rail operations as well as other emerging transit service providers give individuals transportation options and will play an important role in shaping the future growth of the Portland metropolitan region in addressing climate change.



The effectiveness of transit service as a GHG reduction strategy is the focus of this section. High quality transit service is not just a single strategy to be considered in isolation, but rather should be viewed in conjunction with compact mixed-use development, higher residential and employment densities, a mix of land uses, regional growth management (e.g. urban growth boundary), and pedestrian and bicycle friendly design. Increasing the reliability, coverage and frequency of transit aims to reduce dependence on the private automobile by reducing vehicle trips, decreasing VMT, and thereby reducing related GHG emissions. This strategy will focus on transit performance and the effectiveness of transit service as a GHG reduction strategy.

Existing research findings

Four of the five P's of mixed-use development-- People, Places, Physical Form, and Pedestrian/Bicycle Connectivity--were related to the previous two strategies. Research for public transit service strategies focuses on the **Performance** component of the five P's.

The research centers on the effects of transit service on total ridership and per capita ridership rather than the effects on VMT. Few studies were

The Five P's of mixed-use development

As part of its strategic planning process, Metro's Transit Oriented Development Program explains the relationship of development patterns to travel behavior by analyzing the Five P's of transit oriented development.

People: Intensity of development and/or population in an area

Places: Mix of uses, especially neighborhood serving goods and services

Physical Form: The built environment as experienced and navigated by the pedestrian

Pedestrian/Bicycle Connectivity: Access to sidewalks and bikeways

Performance: High quality, frequent bus and rail service

Performance is addressed in this strategy section.

identified that directly test the effect of transit service strategies on VMT or GHG emissions reduction. Instead, there is a catalog of numerous transit related strategies that have been shown to increase transit ridership to varying degrees. Inferences can be made, then, about the effectiveness of transit service strategies on reducing VMT and GHG emissions.

Transit strategies generally fall into four categories: frequency, system expansion, fares and transit access improvements. An extensive list and summary of studies documenting the effects of transit service strategies on ridership is provided in Transportation Cooperative Research Program Report Number 95 (Evans 2004).

Frequency

Providing high quality, frequent transit service is one of the most effective ways to increase ridership. Upgrades such as more frequent off-peak service can attract more riders, including those who might have otherwise driven private automobiles. Frequency is especially important for attracting riders who take short, local trips, because the time spent waiting for transit to take a short trip is a proportionately larger component of the total travel time than for a longer trip. A ten-minute wait for a five-minute ride is less attractive than a ten-minute wait for a forty-minute ride.

The effectiveness of frequency improvements will vary widely depending on the type and location. Improvements in more dense urban areas with greater transit infrastructure may offer greater opportunities for GHG emissions than more suburban auto-oriented locations.

Frequency strategies include:

- Increases in frequency and number of scheduled vehicle trips
- Increases in service hours by adding and lengthening service days
- Express service routes
- Regular schedules with easy to remember departure times and improved coordination at transfers
- Service reliability changes through predictable arrival times

A Bus Rapid Transit system, where bus-only lanes allow for frequent, high capacity service, can reduce GHG emissions from 0.02 to 3 percent. Increasing the service frequency can result in a 0.02 to 2.5 percent emissions reduction (CAPCOA 2010).

System Expansion

Expansions in the transit system can help a region concentrate development and growth in centers and corridors. Extending the system both through HCT expansion and bus service expansion to new areas can increase the number of passengers that the transit system carries and potentially shift more riders from private automobile.

System expansion strategies include:

- New transit systems through implementing new bus or rail service that does not currently exist
- Comprehensive service expansion of existing system
- Restructuring service of existing system
- Changed urban and suburban coverage by extending, adding, or modifying transit service for new developments
- Routes connecting disadvantaged neighborhoods to job locations
- Expanding the transit network can reduce GHG emissions by 0.1 to 8.2 percent (CAPCOA 2010).

Fares

Cost of travel is one of the key factors in a traveler's decision-making process. Lowering transit service costs by reducing or modifying fares will increase transit ridership and potentially reduce VMT. However, the effectiveness depends on the design of the fare system and the cost.

Fare strategies include:

- Reduced general fares
- Changes in pricing relationships, e.g. discount for multiple-ride tickets
- Changes in fare categories by modifying fares for multiple-ride tickets, unlimited passes, school fares, or express bus fares
- Change basis on which fares are calculated, e.g. flat fare for entire system or distance-based fare
- Free fare

See the case study inset for information about fare reduction in California.

Transit access

All transit trips begin and end with different modes of access even if stations are mere steps from origins and destinations. Transit riders access transit via walking, bicycling, bus, rail, carpools and private automobiles.

At some point in their trip, all transit riders are pedestrians. The environment where people walk to and from transit facilities is a significant part of the overall transit experience. An

unattractive or unsafe walking environment discourages people from using transit, while a safer and more appealing pedestrian environment may increase ridership. Likewise, high quality local and regional bicycle infrastructure extends the reach of the transit system.

Transit access strategies include:

- Increase number of park-and-ride facilities
- Increase development near high frequency transit
- Increase pedestrian and bicycle access to transit

Case Study: BART Actions to Reduce Greenhouse Gas Emissions

Frequency

In January 2008, the Bay Area Rapid Transit District (BART) in San Francisco implemented headway improvements in the off-peak evenings and weekends, reducing wait times from 20 to 15 minutes. This increase was estimated to attract an additional 700 riders, decreasing VMT by 3.3 million per year, and eliminating 1,000 metric tons of CO₂ emission. The additional cost of operations is about \$2 million per year, costing \$2,000 per metric ton of CO₂ reduced (Nelson\Nygaard 2008).

System expansion

The BART commissioned a study to examine the planned extension of the heavy-rail transit A-line to Warm Springs. Analysis showed that the Warm Springs Extension would produce a 73 million miles reduction in annual VMT by 2025. This is a reduction of approximately 27,000 metric tons of annual GHG emissions. The estimated capital cost of the project is around \$750 million. The cost per ton eliminated was estimated to be around \$2,000 per ton of CO₂, not including the emissions from construction.

Fares

The 2008 BART report examined the cost effectiveness and GHG emissions of various transit service strategies. BART's most effective fare programs are those that focus on adding off-peak and reverse commute travel. This takes advantage of excess capacity, but retains higher fares for peak-hour commuters. One specific BART program targeted off-peak weekend family travel, allowing children accompanied by a paying adult to ride free on Saturdays during the summer. The ridership increases were used to calculate potential GHG emission reductions, resulting in approximately 1,500 metric tons CO₂ from 15,000 additional adult trips.

Transit access

The lack of a last mile connection to high capacity transit service is often a barrier. Often people cannot get from stations to employment or retail centers in a convenient and direct manner, opting to drive instead. The 2008 BART study looked at feeder service as a strategy for bridging this last mile gap. A BART operated shuttle service was estimated to eliminate eight million VMT and a reduction of 1,800 metric tons of CO₂ per year. However, the expense of the shuttle service operations varies greatly and makes it difficult to estimate the general cost-effectiveness.

As highlighted in the Mixed-Use Development section, 'Physical Form' and greater connectivity impact travel behavior and reduce VMT. While many of these studies do not necessarily control

for the overall street design, one study found that improved design of a given development ranges in effectiveness from 3.0 to 21.3 percent VMT reduction (CAPCOA 2010).

Caveats on research

Few of the research studies identified control for other factors that may also influence transit ridership, such as the other four P's of mixed-use development. Compact land-use development contributes strongly to reducing VMT by generating more walking and biking trips and shorter private automobile trips.

Increases in transit ridership have not been demonstrated to translate directly into reduced VMT and GHG emissions when considered independently of land use. Research suggests, however, that public transportation availability has a secondary effect on VMT, with a magnitude of 1.9 beyond the primary effect of reducing private vehicle trips with public transit trips. This significant secondary effect, generated through more efficient land use patterns, suggests that public transit is helping to bring about such land use patterns (ICF International 2008).

Additionally, there is significant variability in the estimated effects of various transit service strategies, depending on the characteristics of individual transit systems. As well, the length of time for the full effect of a strategy to be realized should also be taken into consideration. Finally, the research suggests that multiple transit service strategies have synergy, with a greater overall effect compared to the sum of individual strategies.

Co-benefits and synergy with other strategies

Co-benefits

Beyond reducing VMT and GHG emissions, transit service strategies have the potential to provide other important co-benefits to a community, including:

Public health benefits:

- Increased physical activity from biking and walking
- Reduced traffic injuries and fatalities
- Enhanced public safety
- Improved air quality; fewer air toxics emissions

Environmental benefits:

- Lower levels of pollution
- Less energy used

Economic benefits:

- Job opportunities with greater investment public transit
- Increased property values and leverage private investment, increasing local tax revenues
- Increased access to jobs, goods and services
- Reduced fuel consumption
- Consumer savings in transportation
- Increased cost effectiveness of transit through improved ridership

Synergies with other strategies

Synergy exists when a combination of two or more strategies enhances the potential GHG emissions reduction from an individual strategy. Public transit service is synergistic with several other strategies including:

- Mixed-use development in centers and transit corridors
- Active transportation and complete streets
- Parking pricing
- Tolls, fees, and insurance
- Employer-based commuter programs
- Traffic management
- Fleet mix and turnover

Considerations moving forward

In isolation, transit service strategies can be estimated to have varying, small impacts on VMT and GHG emissions. However, the research does suggest that the presence of transit may have a more important secondary effect when combined with other strategies. Compact mixed-use development strategies have been estimated to reduce GHG emissions by 25 to 36 percent when implemented in combination with other strategies aimed at increasing walking, biking and use of transit. In addition, parking management strategies have a strong relationship to shifting trips to transit. As the secondary effects of transit service strategies have been shown to have a multiplier effect when combined with other strategies, they should be considered in conjunction with other efforts.



Parking Pricing, Tolls, Fees and Insurance

Pricing strategies charge users directly for using transportation facilities. Research shows parking pricing, congestion pricing, cordon pricing, mileage-based fees, and pay-as-you-drive insurance can be used to reduce GHG emissions by facilitating or discouraging certain types of travel behavior to reduce the number of vehicle miles traveled. The research also suggests these strategies are more successful when implemented in combination with community design and management strategies.

PARKING PRICING

Parking fees: workplace parking fees, long-term or short-term fees and residential parking permits

Up to 20 percent

Commute trips reduced, depending on the daily rate charged for workplace parking

Limiting parking supply: establishing maximum parking requirements or creating a shared parking provision

5 to 12 percent

VMT reduction potential when limiting parking

TOLLS AND FEES

Cordon pricing: users are charged a toll to enter or travel within a congested area, such as a central city

20 percent

CO₂ reduction since cordon pricing was implemented in London

Congestion pricing: users are charged a toll that may vary depending on roadway congestion to help manage traffic flow

20 percent

GHG emissions reduction by 2050 if congestion pricing, alone, were implemented

Mileage fee: users pay a fee based on the number of miles a vehicle is driven on the road system

1 to 5 percent

GHG emissions reduction by 2050 if a mileage fee, alone, were implemented

INSURANCE

Pay-as-you-drive insurance (PAYD): an insurance premium based on annual miles driven per vehicle, and where the crash risk increases the more the vehicle is driven

1 to 3 percent

GHG emissions reduction by 2050 if pay-as-you-drive insurance, alone, were implemented

CO-BENEFITS

Public health benefits

- Increased physical activity from walking and biking
- Reduced number of uninsured motorists
- Improved public safety
- Improved air quality; fewer air toxics emissions

Environmental benefits

- Lower levels of pollution

Economic benefits

- More available land for development or preservation
- New revenues
- Reduced fuel consumption
- Consumer savings in transportation

SYNERGY WITH OTHER STRATEGIES

- Mixed-use development in centers and corridors
- Active transportation and complete streets
- Public transit service
- Public education and marketing
- Employer-based commuter programs
- Traffic management

IMPLEMENTATION

Pricing strategies have been shown to achieve substantial reductions in GHG emissions because they prompt reductions in the number of miles people drive and can spur improvements in fuel economy and the purchase of fuel-efficient vehicles—like hybrids, plug-in hybrids, and electric cars. Research shows the greatest potential for reducing GHG emissions exists in PAYD insurance, mileage fees and parking pricing. PAYD insurance and a mileage fee could be implemented at the state level. Potential strategies for implementation at the regional level are cordon pricing and a system of variable congestion pricing on freeways and major arterial roads. Parking management and parking pricing strategies are traditionally implemented at the community level in commercial districts, downtowns, and main streets.

Over the last decade, communities across the United States have become more aware of the impact of parking on congestion, mode share, air quality, compact development, and the pedestrian environment. Historically, the problem of parking has been viewed as an issue of too little supply, but recently, this view has shifted to recognizing the poor management of the existing parking supply. Poorly conceived parking policies are major barriers to creating vibrant, walkable downtowns and an effective and balanced multimodal transportation system that reduces traffic, and thus GHG emissions.



Parking is a crucial link between land use and transportation because parking facilities affect the design and form of commercial and residential development. Parking influences travel mode choices, directly affecting the form of urban infrastructure, as well as the amount of GHG emissions generated.

Parking pricing policies can influence GHG emissions by facilitating or discouraging certain types of travel during different times of the day. Pricing strategies can be grouped into three categories (California ARB 2010):

- Long-term or short-term parking fee differentials
- On-street fees and residential parking permits
- Workplace parking pricing (also see Employer-Based Commuter Programs section)

A literature review did not yield specific studies that directly quantified the impact of all three categories of pricing. Instead, a number of studies were found to examine the effects of parking pricing policies on parking demand. Parking pricing is usually included in a bundle of components of travel demand management tools. Studies that examined impacts on VMT mostly dealt with the impacts of eliminating a work place parking subsidy at specific sites.

Existing research findings

Some research found parking pricing can have significant transportation impacts. Even modest parking fees can affect vehicle travel behavior and vehicle emissions. The price elasticity of vehicle travel with respect to parking price ranges from -0.1 to -0.3 (a 10 percent increase in parking charges reduces vehicle trips by 1-3 percent), depending on demographic, geographic, travel choice and trip characteristics (Vaca and Kuzmyak, 2005). Pricing that applies to commuter parking tends to be particularly effective at reducing peak-period travel.

Frank, et al. (2011) used detailed data on various urban form factors to assess their impacts on vehicle travel and carbon emissions. Their analysis indicates that parking pricing can have significant impacts on vehicle travel and emissions. Increasing parking fees from approximately \$0.28 to \$1.19 per hour reduced VMT 11.5 percent and vehicle emissions 9.9 percent.

Shifting from free to cost-recovery parking (prices that reflect the full cost of providing parking facilities) typically reduces automobile commuting by 10-30 percent, particularly if implemented with improved transit and other complementary demand management strategies (Comsis Corp., 1993; Hess, 2001). However, pricing parking in just one area may simply shift vehicle trips to other locations with little reduction in overall vehicle travel (Hensher and King, 2001). About 35 percent of drive-alone commuters would likely switch modes in response to \$20 per month parking fees, even if offset by a worksite transportation voucher (Kuppam, Pendyala and Gollakoti, 1998).

A study by ICF (1997) indicates that a \$1.37 to \$2.73 increase in parking fees reduces auto commuting 12-39 percent, and if matched with transit and rideshare subsidies, reduces total auto trips by 19-31 percent. A survey of automobile commuters found that nearly 35 percent would consider shifting to another mode if they were required to pay for parking, with fees of \$1-3 per day in suburban locations and \$3-8 per day in urban locations (Kuppam, Pendyala and Gollakoti, 1998). Table 3 shows the typical reduction in automobile commute trips that can result from parking pricing for different types of land uses.

Table 3. Percent Vehicle Trips Reduced by Daily Parking Fees

Worksite Setting	\$1	\$2	\$3	\$4
Low density suburb	7%	15%	25%	36%
Activity center	12%	25%	37%	47%
Regional CBD/Corridor	18%	32%	43%	50%

From Comsis Corporation, 1993. Fees in 1993 U.S. dollars. Percentages have been rounded.

The *Moving Cooler* report found that charging \$100 to \$200 annually for residential area parking permits would yield a 0.09 to 0.36 percent reduction in VMT. Research on the modeling of on-street public parking pricing has yielded a 2.8 to 5.5 percent reduction in VMT. Limiting the parking supply, by establishing maximum parking requirements or creating a shared parking provision, is even more effective and can reduce VMT by 5 to 12.5 percent. More recent research has compared multiple parking pricing studies, including European cities, and found a median VMT reduction of two percent (Dueker et al. 1998).

Parking pricing accounted for a 0.8 to 1.8 percent reduction dependent on the level of deployment (Cambridge Systematics 2009).

Caveats on research

Specific evidence showing the direct impact of parking pricing on VMT and GHG emissions is limited and most evidence was obtained from studies almost fifteen years old. Additionally, parking pricing is often implemented and evaluated in conjunction with other travel demand management strategies. Special attention needs to be given to places where transit or bicycle and pedestrian infrastructure is lacking or where ample parking alternatives exist, which may lead to lower results than the research indicates. More current and tailored research (e.g., specific to communities in the Portland region) is needed to build understanding of and support for this strategy.

Co-benefits and synergy with other strategies

Co-benefits

Beyond reducing GHG emissions, the parking pricing strategy has the potential to provide other important benefits to a community.

Public health benefits:

- Increased physical activity from walking and biking
- Improved air quality; fewer air toxics emissions

Environmental benefits:

- Lower levels of pollution

Economic benefits

- More available land for development or protection
- New revenues
- Reduced fuel consumption
- Increased cost effectiveness of transit through improved ridership

Synergies with other strategies

Synergy exists when a combination of two or more strategies enhances the potential GHG emissions reduction from an individual strategy. Parking pricing is synergistic with several other strategies including:

- Mixed-use development in centers and corridors
- Active transportation and complete streets
- Public transit service
- Employer-based commuter programs
- Traffic management

Considerations moving forward

More research is needed to substantiate a direct link between parking pricing strategies and GHG emissions reductions to build understanding of and support for this strategy. In isolation, parking pricing can be estimated to have varying impacts on VMT and GHG emissions, and research suggests that the presence of multiple pricing strategies can have a larger reduction impact. The *Moving Cooler* report shows the GHG emission reductions of various strategies. In the report, parking pricing is bundled with other pricing strategies including cordon pricing, congestion pricing, mileage fees, and pay-as-you-drive insurance. This set of strategies is intended to charge users directly for using the transportation system and is described in more detail in the next section.


The *Moving Cooler* report used pricing of street parking phased in over time combined with costs for required residential parking permits.

A parking pricing strategy is an important contributing element in shifting trips to transit and supporting compact mixed-use development and urban form. Parking pricing should be used in a complementary fashion with other strategies because of its potential to further reduce GHG emissions.

Who implements

Parking pricing is usually implemented by local governments or developers and businesses that own and manage parking facilities. Implementation may require support and coordination of local governments, business associations, individual businesses, neighborhood associations and individual residents.

Charging drivers based on the amount, location, and/or timing of automobile travel is a pricing strategy. By charging drivers a price that is closer to the marginal cost of driving, changes in travel behavior that can reduce GHG emissions can be induced. The intent of pricing is to provide a financial incentive for drivers to reduce drive-alone trips, reduce their total number of trips, or travel during less congested times of day. Research has documented GHG emissions reductions from these types of strategies.



Cordon Pricing

Cordon pricing requires users to pay a toll to enter or drive within a congested area such as a central city or other major activity center during times of heavy traffic. This pricing strategy is best suited for heavily congested urban centers with a limited number of access points.

Congestion Pricing

Congestion pricing is an overarching term used to describe measures that reduce congestion by charging drivers tolls that vary by time of day or the amount of traffic on a roadway. This can be accomplished either through an independent electronic system using roadside readers, as a rate adjustment to an electronically-collected mileage fee, or a combination of the two, for time-of-day travel in specific geographic areas where congestion prevails. Tolling congested facilities with fees that are adjusted dynamically based on prevailing traffic conditions can help achieve a desired level of service. This strategy is best suited for implementation on regional transportation systems.

Mileage Fee

The mileage fee, also known as a VMT fee or per-mile charge, is collected according to the number of miles a vehicle is driven on the road system. A mileage fee requires a periodic odometer reading either manually or electronically. Realistic possibilities for electronic collection are limited to centralized collection and fuel pump collection. Centralized collection involves transferring data to a center that sends periodic billings to the motorist. Fuel pump collection involves transferring data while at the gas pump and payment as part of the fuel purchase.

A mileage fee has the potential to be a significant source of revenue; however the rate structure could be limited by political considerations. Additional benefits to the region or state are cost distribution equity among users and use of proven technology. A mileage fee has the greatest impact when implemented on large scales, in particular at the state level.

Pay-as-you-drive insurance (PAYD)

This pricing strategy involves charging insurance premiums based on the total amount of miles driven per vehicle on an annual basis. If a vehicle is driven more, the crash risk consequently increases. PAYD insurance bills policyholders according to their crash risk. On average PAYD insurance does not change the amount that households pay for insurance. However, since the cost of PAYD to the motorist varies with the number of miles driven, there is an incentive to drive less to save money. It has been estimated that a PAYD insurance rate of four to 6 cents per mile could reduce the VMT from light vehicles by 3.8 percent.

PAYD insurance premiums benefit everyone involved: the insurance company through improved accuracy and reduced claims costs, the driver through a controllable variable rate, and the environment by reducing VMT (Hagerbaumer 2011). Under PAYD insurance, the expected reduction in claims for crashes is 1.34 times the reduction in mileage because of fewer multicar collisions (Cambridge Systematics 2009a). PAYD insurance is best implemented by private companies with encouragement from the state, and with the possibility of assistance from the federal government.

Existing Research Findings

All of the pricing strategies noted above have been shown to reduce vehicle trips and/or VMT, both of which are directly linked to reduced GHG emissions from light vehicles. The extent to which GHG emissions are reduced depends in large part on the extent to which each individual strategy is deployed.

Cordon Pricing

Research studies have shown that, depending on the level of deployment, cordon pricing, on its own, can potentially achieve GHG reductions of approximately 0.1 percent by 2050 (Cambridge Systematics 2009b). Pilot projects in Stockholm and London have experienced significantly greater greenhouse gas emissions reductions – up to 20 percent.

Case Study: Cordon Pricing Pilots in Stockholm and London

The city of Stockholm, Sweden implemented a pilot cordon pricing program in January of 2006 and within six months exhaust emissions dropped by 14 percent and vehicle trips decreased by 22 percent.

Cordon pricing in central London (implemented in 2003) has reduced congestion levels by 30 percent and the amount of traffic entering the priced zone by 18 percent. The decreases in congestion equate to an estimated 20 percent reduction in CO₂ emissions from road traffic in central London.

Congestion Pricing

Research on congestion pricing yields mixed results:

- The *Moving Cooler* study estimated that congestion pricing could achieve GHG reductions of 0.8 to 1.8 percent by 2050, depending on the scale of deployment (Cambridge Systematics 2009b).
- Two ODOT studies indicate the need for further research. In the Portland region a study looked at variable tolls on Cornelius Pass Road and results showed an expected increase in VMT and emissions due to out of direction travel caused by diversion to other routes to avoid the toll (ODOT 2010).
- The Road User Fee Task Force, commissioned by Oregon Governor Kitzhaber, found that congestion pricing could be supported by a mileage fee as well as collection of local revenues and other “zone-oriented” features. The combination pricing strategy tested in the pilot program resulted in a 22 percent reduction in driving during peak periods (ODOT 2007).

Mileage fee

Recent studies have estimated that a mileage fee could achieve GHG reductions of 0.4 to five percent by 2050 (Cambridge Systematics 2009b). Another report estimated that a five-cent per mile fee could reduce transportation-related GHG emissions by three percent or more within five to ten years (U.S. DOT 2010). The Road User Fee Task Force, commissioned by Governor Kitzhaber, considers the mileage fee to be the principal general revenue source for a new system to ultimately replace the gas tax for road funding. Of the 299 motorists participating in the ODOT mileage fee study, 91 percent said they would agree to continue paying the fee in lieu of the gas tax if the law were statewide (ODOT 2007).

Case Study: Oregon Mileage Fee Concept

Oregon’s version of a per-mile charge—the Oregon Mileage Fee Concept—was the basis for a recently completed pilot program. A 2007 ODOT pilot study equipped 285 volunteer vehicles with on-board devices to test a potential VMT tax and peak period pricing system in Oregon. Program participants were found to reduce their total VMT by 12 percent under a VMT fee (ODOT, 2007). When a charge of ten cents per mile was implemented in a congestion zone, participants reduced their total VMT by 22 percent (Cambridge Systematics 2009a).

Pay-as-you-drive insurance

The *Moving Cooler* study estimated that PAYD insurance could achieve GHG reductions of 1.2 to 3.3 percent by 2050 (Cambridge Systematics 2009b). A study in Massachusetts found that switching all Massachusetts drivers to PAYD could reduce fuel consumption by 12.5 percent and VMT by three to 14 percent (Ferreira & Minikel 2010). Another study found that if all fixed costs of car insurance were converted to PAYD insurance, the result would be an estimated eight percent reduction in annual VMT (Cambridge Systematics 2009a).

Case Study: Insurance in King County, Washington

King County, Washington engaged insurance companies and has launched a pilot PAYD insurance partnership with Unigard Insurance, with support from the Federal Value Pricing Pilot Program. The Mileage Based Auto Insurance Project is engaging 5,000 participants from across the state over the course of five years, until the pilot ends in 2012. This project may prove to be a useful example of a metropolitan-scale public-private PAYD insurance partnership.

Caveats on research

Mileage fee

At this time, it is unclear which institutional framework (national, multi-state, state, or regional) is appropriate for implementing a mileage fee. Different agencies and institutions may need to provide oversight depending on the shape the system takes. In addition, privacy advocates are concerned about the onboard monitors required to implement the strategy. Alternatively, other advocacy groups may be concerned that replacing the gas tax would eliminate the incentive to purchase more fuel-efficient vehicles (Council of State Governments 2010).

Pay-as-you-drive insurance

As PAYD insurance becomes available to more households, the potential savings may afford some households to increase their ownership of vehicles, especially if the annual VMT per car is low. This could potentially add additional vehicle traffic and offset the expected GHG emissions reduction (Litman 2011a).

Co-benefits and synergy with other strategies

Co-benefits

Beyond reducing GHG emissions, the tolls, fees and PAYD insurance have the potential to provide other important benefits to a community:

Public health benefits:

- Enhanced public safety
- Increased physical activity from walking and biking
- Improved air quality; fewer air toxics emissions

Environmental benefits:

- Lower levels of pollution

Economic benefits:

- New revenues
- Increased cost effectiveness of transit investments through improved ridership

Synergies with other strategies

Synergy exists when a combination of two or more strategies enhances the potential GHG emissions reduction from an individual strategy. Tolls, fees and PAYD insurance are synergistic with several other strategies including:

- Public transit service
- Public education and marketing
- Employer-based commuter programs
- Traffic management

Considerations moving forward

In 2003, Oregon passed House Bill 2043, which offers a tax credit to insurers who offer PAYD insurance. The tax credit was extended in 2009 under HB 2001. The legislation provides a tax credit of \$100 per eligible vehicle under a policy that is at least 70 percent mile- or time-based.⁴ Although no insurance company to date has qualified for the tax credit, it may be beneficial in attracting discounted insurance rates for less driving (Hagerbaumer 2011).

The variety of pricing strategies available has been shown to achieve substantial reductions in GHG emissions while also providing congestion relief and other benefits. Research shows the greatest potential for reducing GHG emissions exists in a mileage fee and PAYD insurance. However, since implementation of these strategies is not necessarily well suited for the regional level, a mileage fee could be deployed at the state level, and PAYD insurance should be deployed by the private sector with public partnership. Potential strategies for implementation at a regional level are cordon pricing and a system of variable congestion pricing on freeways and major arterials, although public acceptance of these strategies is limited.

More research on pricing strategies is needed to better understand their effect on other parts of the region's transportation system and equity to ensure any unintended consequences are identified and addressed. Road pricing has often raised equity concerns. The fairness of a given type of pricing mechanism depends on how it is structured, what transportation choices are provided to users and which aspects of equity are most relevant and important to consider. It will be important to more fully understand the potential issues, impacts and tradeoffs between benefits and costs of different pricing strategies.

⁴ See details of the tax credit under the Oregon Revised Statutes 317.22: <http://www.leg.state.or.us/ors/317.html>

For the King County, Washington case study, see the FHWA project website for posted results, expected sometime in 2012: http://ops.fhwa.dot.gov/tolling_pricing/value_pricing/projects/not_involving_tolls/autousecostsvariable/wa_payd_seattle.htm

This page was intentionally left blank.

Education, Marketing, and Commuter Programs



Education and marketing programs are an effective strategy to reduce GHG emissions; they are less costly to implement than building new infrastructure, and are widely supported by the public. These strategies include teaching the public to drive and maintain vehicles to operate more efficiently and building awareness of travel choices; they can be tailored to a diverse range of perspectives and needs.

PUBLIC EDUCATION

Eco-driving: a combination of driving behaviors and techniques that result in more efficient vehicle operation, reduced fuel consumption, and reduced emissions

Travel options education: public programs that raise awareness of smart trip choices including carpooling, vanpooling, ridesharing, telecommuting, biking, walking and riding transit

33 percent

Fuel economy improvement when using gentle acceleration and braking while driving

INDIVIDUALIZED MARKETING

Individualized marketing: an outreach method where individuals interested in making changes to their travel behavior participate in a program that is tailored to their specific needs

4 to 19 percent

GHG emissions reduction from trip-related emissions in a range of individualized marketing programs

EMPLOYER-BASED COMMUTER PROGRAMS

Financial incentives: transit pass programs, parking cash-outs (offering cash instead of parking), parking pricing, and tax incentives (both business and individual)

Facilities and services: include ride-matching and carpooling programs, end-of-trip facilities (i.e. showers, bike parking), guaranteed ride home, and events and competitions

Flexible scheduling: telecommuting and compressed or flexible workweeks

Up to 20 percent

Commuter trips reduced, depending on the daily rate charged for workplace parking

Up to 13 percent

Commuter trips reduced when employers provide vanpools or shuttles to transit stations or commercial centers

Up to 6 percent

Commuter trips reduced when flexible scheduling is encouraged

CO-BENEFITS

Public health benefits

- Improved public safety
- Increased physical activity from walking and biking
- Improved air quality; fewer air toxics emissions

Environmental benefits

- Lower levels of pollution
- Less energy use

Economic benefits

- Job opportunities
- Increased access to jobs, goods and services
- Consumer savings
- Reduced fuel consumption
- Increased cost effectiveness of transit investments through improved ridership

SYNERGY WITH OTHER STRATEGIES

- Mixed-use development in centers and corridors
- Active transportation and complete streets
- Public transit service
- Tolls, fees and insurance
- Individualized marketing
- Traffic management
- Vehicle technology and fuels

IMPLEMENTATION

Education and marketing programs are effectively implemented at local, regional and state levels by a variety of public, private and non-profit partners. Employer-based commuter programs like the Employee Commute Options (ECO) Program or *Drive Less Save More* campaign are regulated by state or local governments and are implemented and supported by businesses.

Education and marketing programs are often successful when targeting neighborhoods with existing access to transportation options or planned transportation improvements.

Public education and marketing is an effective strategy in reducing GHG emissions. Moreover, it is less costly than building new infrastructure, and is widely supported by the public. This strategy provides the necessary platform from which to encourage eco-driving among the general public as well as through other programs such as the *Drive Less Save More* campaign, which is implemented by state, regional and local public and private partners.



Eco-driving involves educating motorists on how to drive in order to reduce fuel consumption and emissions. This combination of behaviors and techniques results in more efficient vehicle operation, reduced fuel consumption, and reduced emissions:

- Driving at lower speeds
- Changing gears properly
- Avoiding rapid acceleration and braking
- Planning trips in advance
- Maintaining proper vehicle tire pressure
- Removing unnecessary weight from the vehicle

The actions under the eco-driving moniker have broad potential to reach the nation's entire fleet of 240 million passenger vehicles. This strategy offers easily implemented ways to save money and reduce the region's GHG emissions. In addition to encouraging eco-driving, public education and marketing can raise public awareness about the benefits of driving less and riding transit, carpooling, ridesharing, telecommuting, biking, and walking.

Public education and marketing campaigns to encourage eco-driving and other smart transportation techniques are based on successful marketing methods including community based social marketing (McKenzie-Mohr 2011) and individualized marketing.

Existing research findings

- In general, at speeds from 35 to 45 miles per hour (mph), if a vehicle reduces its speed by five mph, its fuel economy can increase by about five to ten percent; air resistance, or drag, increases exponentially as a vehicle goes faster (GAO). A few seconds of high-powered driving can use as much gas as driving for several minutes at more measured speeds (EcoDrivingUSA.org).
- Rapid starts and stops, often called "jack rabbit" starts and stops, wastes fuel. Gentle acceleration and braking can improve fuel economy by up to 33 percent (EcoDrivingUSA.org).

- Navigation systems featuring eco-routing have been shown to improve fuel economy up to 15 percent (US DOT).
- Maintaining factory-specified tire pressure can improve gas mileage by 3 percent. Under-inflated tires can lower gas mileage by 0.3 percent for every 1.0 psi drop in pressure of all four tires (EPA).
- A study in Southern California found that a combination of eco-driving training and on-board monitoring devices resulted in an average 6 percent increase in fuel economy for city driving and one percent increase in highway driving (Kanok, et al. 2010).
- The *Moving Cooler* study estimated a 19 percent increase in fuel economy if eco-driving practices are used.

Case Study: *Drive Less Save More* Campaign

The Metro Regional Travel Options (RTO) program applies a collaborative marketing strategy to accomplish public education and marketing across the region as part of the Metro 2008-2013 RTO Strategic Plan. The RTO program coordinates marketing activities with regional partners and supports implementation of the *Drive Less Save More* campaign. Launched in February 2006, the campaign involves outreach at community events to engage the public in the campaign and to provide localized travel options information.

The goal is to raise public awareness about the benefits of driving less through trip chaining and other smart driving alternatives, such as riding transit, carpooling, vanpooling, ridesharing, telecommuting, biking and/or walking. Now in its fifth year, *Drive Less Save More* is becoming more effective. Research conducted in 2009 revealed:

- Though collaborative marketing requires staff time, it is cost-effective because regional partner efforts are coordinated across the region.
- Over the past several years, *Drive Less Save More* cost approximately \$1 million per year, primarily for advertising, but was matched with another \$1 million per year from news stories about the campaign, donated advertising and sponsor contributions.
- Nearly 19 percent of the region's population - more than 222,000 individuals - have reduced car trips as a result of the campaign, resulting in a reduction of an estimated 21.8 million vehicle road miles and about 10,700 tons of CO₂.

Co-benefits and synergy with other strategies

Co-benefits

Beyond reducing GHG emissions, the education, marketing and commuter programs strategy has the potential to provide other important benefits to a community including:

Public health benefits:

- Improved public safety
- Improved air quality; fewer air toxics emissions

Environmental benefits:

- Lower levels of pollution
- Less energy use

Economic benefits:

- Job opportunities
- Reduced fuel consumption
- Consumer savings
- Increased cost effectiveness of transit investment through improved ridership

Synergies with other strategies

Synergy exists when a combination of two or more strategies enhances the potential GHG emissions reduction from an individual strategy. Education, marketing and commuter programs are synergistic with several other strategies including:

- Mixed-use development in centers and corridors
- Active transportation and complete streets
- Public transit service
- Tolls, fees, and insurance
- Individualized marketing
- Employer-based commute programs
- Traffic management
- Fleet mix and turnover
- Vehicle technology and fuels

Considerations moving forward

These strategies are relatively easy and inexpensive to implement, making them ideal near-term options for GHG reduction strategies. Eco-driving has been shown to yield measurable reductions in fuel consumption by maximizing vehicle operations. The research suggests that training motorists to use more efficient driving behaviors has a big effect on fuel usage and emissions. Education can take on a variety of forms with different levels of scale and effort. Public education campaigns, such as *Drive Less Save More* can be effective at broadcasting information at the local, regional and state levels; in fact, they've proven effective when operated by a variety of partners. Private businesses with fleets can realize an economic benefit by training their staff to use eco-driving behaviors and strategies.

This page was intentionally left blank.

A MARKETING AND INCENTIVES STRATEGY

Individualized Marketing (IM) is an outreach method where individuals or families interested in making changes in their travel behavior are identified to participate in a program. A combination of information and incentives is tailored to their specific travel needs to support behavioral changes. Before and after surveys are conducted to measure travel behavior changes resulting from marketing efforts.



- IM is an effective soft-policy approach that maximizes the use of existing transportation infrastructure such as bike lanes, sidewalks and transit systems.
- Reductions in car-driver trips from IM programs range between four and 19 percent; VMT decreases as a consequence.
- Travel behavior changes associated with IM programs are sustained for at least two-years and potentially longer.

The success of IM programs across Western Australia spurred the government to embark on a new IM methodology called LivingSmart. The LivingSmart projects provide interested households with information on a variety of sustainability topics such as energy conservation, recycling, water conservation and transportation options. LivingSmart projects show positive results in behavior change and associated GHG reductions.

Existing research findings

IM projects decrease GHG emissions by reducing the number of automobile trips undertaken by households. Trip-related reductions in GHG from IM projects range between four and 19 percent (Fuji and Taniguchi 2006; Sloman et al. 2010; WinSmart 2009). Results from the City of Portland's SmartTrips IM projects show an average 10 percent reduction in car-driver trips, which equates to an annual savings of approximately 19 million lbs. of CO₂ (City of Portland 2009). This is equivalent to the CO₂ emission from 1,690 cars or from electricity used by 1,075 homes.

Compared to investments in transportation infrastructure, IM programs are cost-effective because they maximize the use of the existing transportation system. Conservative calculations made for Perth, Australia IM projects show return on investment at a 30:1 ratio (Brög and John 2001).

Co-benefits and synergy with other strategies

Co-benefits

Beyond reducing VMT and GHG emissions, IM strategies have the potential to provide other important co-benefits to a community. Co-benefits include:

Public health benefits:

- Increased physical activity from walking and biking
- Improved air quality; fewer air toxics emissions

Environmental benefits:

- Lower levels of pollution
- Less energy use

Economic benefits:

- Increased access to jobs, goods and services
- Reduced fuel consumption
- Consumer savings
- Increased cost effectiveness of transit investments through improved ridership

Synergies with other strategies

Synergy exists when a combination of two or more strategies enhances the potential GHG emissions reduction from an individual strategy. IM strategies are synergistic with several other strategies including:

- Mixed-use development in centers and transit corridors
- Active transportation and complete streets
- Public transit service
- Public education and marketing
- Vehicle technology and fuels

Case Studies – International examples

- After an IM project in Cambridge, Australia, the Public Transit Authority showed a net 25 percent increase in bus boardings over a 28-month period (John and Rampellini, 2004).
- A LivingSmart project targeting 10,000 households can abate approximately 12,000 metric tons of CO₂ each year. Costs associated with LivingSmart projects are a little less than \$200 US dollars per household (Peart and MacDonald, 2008)

Case Studies – Portland region examples

- An IM project improved transit ridership on a new light rail line along the Interstate corridor in Portland, Oregon. Transit trips increased at nearly double the rate among households compared to a control group. (Social data America, 2005).
- A SmartTrips project in Milwaukie, Oregon greatly increased awareness of the Springwater Corridor Trail. In the pre-survey only 11 percent had used the trail and over 54 percent couldn't answer because they were unaware that the trail existed. This is a key concept of the SmartTrips approach: residents will not take advantage of walking and bicycling amenities if they do not know they exist. With the intense outreach and education that occurred over one summer, use of the Springwater Corridor Trail increased significantly. Post-survey results show that 44 percent of respondents had used the trail within the year (a 300 percent increase) and only one of 260 respondents couldn't answer the question compared to 54 percent before the survey.

Considerations moving forward

Where to apply and scale of application

IM projects have the highest potential for success when targeted to neighborhoods with good access to transportation options and amenities. However, successful IM projects have also been implemented in suburban environments. Many transportation agencies have adopted IM programs because they are cost-effective, versatile and can be adapted to meet environmental and infrastructure challenges.

Potential timing and phasing of implementation

IM projects are highly effective when coupled with transportation system improvements and, therefore, this method is recommended when marketing new transportation projects to the public. IM projects should be implemented during the warmer months and the 'before' and 'after' travel surveys should be conducted during similar seasons, as weather can affect mode choice. A typical IM project would launch the 'before' survey in the spring, the marketing component in the summer/fall and the 'after' survey during the following spring. Research also recommends designating a control group within the household sample to ensure that travel behavior changes are the result of the IM program alone and not because of weather, system improvements, or outside marketing influences.

Who implements

IM programs are fairly easy to execute and numerous transportation agencies have adopted their own versions to meet local conditions and budget constraints. Originally developed by Social Data, more consulting firms now support IM projects.

This page was intentionally left blank.

Employer-Based Commuter Programs are work-based travel demand management programs; they can help reduce single occupancy vehicle trips by providing employees with incentives, information, and additional transportation options. Commuter travel is largely responsible for peak period congestion twice a day during weekdays. Shifting the mode of travel and time of travel for these trips has the potential to reduce VMT and carbon emissions, alleviate congestion during peak periods, and improve air quality. Examples of employer-based commuter programs are listed below.



Financial incentives:

- Transit pass programs
- Cash and merchandise
- Tax incentives (both business and individual)
- Parking pricing/cash-out, which allows employees to opt out of having a subsidized parking space and instead receive compensation

Facilities and services:

- Transportation coordinators
- Ride-matching and carpooling programs
- End-of-trip facilities (bike parking, showers, lockers, etc.)
- Guaranteed ride home (set amount of free taxi rides or car-share trips in the event of an emergency)
- Events and competitions

Flexible scheduling:

- Telecommuting
- Compressed or flexible work weeks

Methods of program delivery include:

- an employer-supported program, where the employer plays a direct role in funding or sponsoring strategies; or,

- an individualized marketing approach, where an outside party is granted permission to contact employees directly and provide information and incentives to reduce their auto trips (see previous section on Individualized Marketing).

This strategy section focuses primarily on employer-supported programs, such as the Employee Commute Options (ECO) program. Employers in the Portland metropolitan region with more than 100 employees at a given worksite must show a good faith effort towards reducing drive-alone commute trips by 10 percent from an established baseline. Businesses affected by Employee Commute Options must survey their employees every two years to measure progress towards the goal, and create a plan that delineates the steps they will take in pursuit of the 10 percent reduction.

According to the most recent Metro Regional Travel Options (RTO) Program Evaluation, there are more than 1,100 worksites in the Portland region with employer transportation programs. The most comprehensive data comes from commute surveys of employees at worksites that participate in outreach programs offered by TriMet. All of the RTO evaluations have used these data as a benchmark for measuring program efficiency, dating back to 1996. The overall trend shows that multiple-driver trips are increasing at companies participating in these programs.

Existing research findings

Employer-based strategies were found to reduce employee trips as follows:

- 20 to 30 percent by charging for parking,
- 1.4 percent by providing information only,
- 8.5 percent by providing services like carpooling only,
- Eight to 18 percent by providing financial incentives only,
- 24.5 percent by providing both services and financial incentives, and
- 17 percent by providing a cash-out program (Seattle DOT).

Other research has documented reductions in VMT and GHG emissions reductions:

- 12 percent VMT reduction for individuals participating in parking cash-out programs in California (Shoup 1997)
- Two to 3 percent reduction in VMT when charging \$3 per day for workplace parking (Deakin et al. 1996)
- 0.1 to 19.7 percent commute trip VMT reduction, depending on the rate charged per day for workplace parking (CAPCOA 2010)
- 0.7 to 5.5 percent commute trip reduction when telecommuting and alternative work schedules are encouraged, depending on the level of participation (Cambridge Systematics 2009)

- 0.3 to 13.3 percent commute trip reduction when employers provided vanpools or shuttles to transit stations or commercial centers (Evans, J.E., et al. 2005).

Overall, unbundling parking costs from property costs is an effective strategy and removes the burden from those who do not need a parking space. When parking is priced separately and instead borne by the user it results in a 2.6 to 13 percent GHG emissions reduction (CAPCOA 2010).

Since commute trip reduction programs bundle strategies, a greater reduction of VMT and GHG emissions can be realized. Similar to Oregon's ECO program, employers in the state of Washington that have 100 or more full-time employees are required to implement a Commute Trip Reduction (CTR) program. Research conducted using the Washington State CTR database provides detailed information on commuter strategies implemented by the employer, worksite characteristics and employees' travel behavior, and their job related characteristics. The CTR database tracked more than 1,000 worksites and about 300,000 individual employees from 1993 to 2005.

The data indicates that, for the employees affected by the program between 1993 and 2005, the participation rates of compressed work weeks increased steadily from 14.5 percent in 1993 to 20 percent in 2005 (Zhou 2011). The drive alone rate among targeted employers was reduced from 81.8 percent in 1993 to 72.5 percent in 2011. Additionally, carpooling has seen the largest increase in use compared to other travel options with a mode share increase from 10.5 percent in 1993 to 14.4 percent in 2011. The Washington State CTR Program removes 20,700 vehicles from the road on a daily basis. This results in a reduction of nearly 3,700 tons of GHG emissions each year (Pierce County 2010). This evaluation focused on one employee-based strategy and may underestimate the participation rate when taking into account the range of employer-based programs available at an individual worksite—parking cash out, telecommuting, transit passes, etc.

Related research on commute trip reduction programs has found that voluntary programs can result in a 1 to 6 percent reduction in commute trip VMT, but that a required and monitored program can result in a 4.2 to 21 percent reduction (CAPCOA 2010).

Case Study: Commute Trip Reduction in King County, Washington

In King County, Washington, an Employer Transportation Representative assists Commute Trip Reduction-affected companies in the region with programming, goal setting, and mode split measurement. Surveys have found that companies affected by Commute Trip Reduction made 14,200 fewer vehicle trips each day in 2005 compared to 1993, which equates to an estimated 11.6 percent in reduced peak travel delay (Seattle DOT).

Co-benefits and synergy with other strategies

Co-benefits

Beyond reducing VMT and GHG emissions, employer-cased commuter program strategies have the potential to provide other important co-benefits to a community. Co-benefits include:

Public health benefits:

- Increased physical activity from walking and biking
- Improved air quality; fewer air toxics emissions

Environmental benefits:

- Lower levels of pollution
- Less energy used

Economic benefits:

- Increased access to jobs, goods and services
- Reduced fuel consumption
- Consumer savings
- Increased cost effectiveness of transit investment through improved ridership

Synergies with other strategies

Synergy exists when a combination of two or more strategies enhances the potential GHG emissions reduction from an individual strategy. Employer-based commuter program strategies are synergistic with several other strategies including:

- Mixed-use development in centers and corridors
- Active transportation and complete streets
- Public transit service
- Parking pricing
- Tolls, fees and insurance
- Public education and marketing

Considerations moving forward

While transit continues to account for the majority of drive alone commute trips among businesses participating in these programs, its share has been in a slight decline since 2006. This can be attributed in part to economic factors, like fewer jobs and declining revenue to track these programs.

Ridesharing is still widely used, representing 8.5 percent of commute trips in the 2008 evaluation, but has been steadily declining in popularity since 1996. Additionally, it is unclear how many carpools are actually comprised of two or more co-workers, and reducing auto trips. National studies show that 75 to 80 percent of so-called “carpools” are actually “fampools”,

involving transporting children or adults living in the same home traveling together (McGuckin and Srinivasan).

This same time period, however, saw growth in the use of a compressed work week and telecommuting, as well as in cycling and walking. While transit will continue to be the main alternative mode for longer commute trips (more than five miles), cycling and walking offer much promise for growth as the trend of people living closer to their worksite continues.

Active transportation and public transit service outreach efforts, in this case through employer-based commuter programs, must be relevant to a range of communities and income levels. Campaigns must ensure relevancy to a diverse range of community perspectives. One example is Metro's RTO program which provides programs for Spanish-speaking populations.

Where to apply and scale of application

Two primary factors should be evaluated when considering this strategy: The relative availability of transit and active transportation infrastructure; and the presence of local partners (such as Transportation Management Associations or business associations) to help implement and promote programs. Without these factors, employers are much less likely to implement meaningful trip-reduction measures.

Potential timing and phasing of implementation

It should be noted that there is likely a leveraging factor associated with initiating these programs in conjunction with the opening of new infrastructure, such as new transit service or bike and pedestrian facilities.

Who implements

Programs should be coordinated at a regional and state level, but implemented at the local level. Programs led by cities or Transportation Management Associations have traditionally generated the best results.

The Metro RTO program, for example, works with employers to develop and implement relevant strategies to reduce drive-alone commute trips. In addition to working with the employer, Metro involves external partners, such as Transportation Management Associations, TriMet, and the City of Portland.

This page was intentionally left blank.



Traffic and Incident Management

Management strategies use intelligent transportation systems to help traffic flow move efficiently and smoothly. These tools increase vehicle throughput by reducing the acceleration, deceleration and idling associated with congestion. They also improve safety. The individual management strategies (ramp metering, active traffic management, traffic signal coordination and traveler information) complement each other because the information available to drivers influences route choice and the timing of trips. When implemented together, they have a greater potential for reducing GHG emissions.

TRAFFIC MANAGEMENT

Ramp metering: using traffic signals at freeway on-ramps to regulate the rate of vehicles entering the freeway

Active traffic management: using signs to share variable speed limits and real-time traffic information to maximize the efficiency of a specific roadway

Traffic signal coordination: timing traffic signals to improve vehicle speeds and throughput and to reduce delay at intersections

Traveler information: using signs, the internet, or phone services to update drivers with real-time traffic information

1 to 2 percent

GHG reduction if national speed limits were reduced to 55 mph

169,000 tons

Annual CO₂ reduction after Portland retimed 150 signalized intersections—like taking 30,000 cars off the road

TRAFFIC INCIDENT MANAGEMENT

Traffic incident management: a coordinated process to detect, respond to, and remove traffic incidents from the roadway as safely and quickly as possible, reducing non-recurring roadway congestion

CO-BENEFITS

Public health benefits

- Improved air quality; fewer air toxics emissions
- Enhanced public safety
- Reduced traffic injuries and fatalities

Environmental benefits

- Lower levels of pollution
- Less energy use

Economic benefits

- Consumer savings
- Increased access to jobs, goods and services
- Reduced fuel consumption
- Business savings

SYNERGY WITH OTHER STRATEGIES

- Tolls, fees and insurance
- Public education and marketing

IMPLEMENTATION

This set of management strategies can be implemented by local, regional or state agencies. However, in order for these strategies to have the desired effects of improving traffic flow, reducing emissions, and improving safety, it is important for investments and systems to be coordinated throughout the region.

Traffic Management A MANAGEMENT STRATEGY

Traffic management uses intelligent transportation systems (ITS) to help traffic flow move efficiently and smoothly. These tools serve to increase vehicle throughput by reducing acceleration, deceleration and idling associated with congestion; and improve safety. There are numerous management strategies that have been deployed across the U.S., including:

Ramp Metering

The use of traffic signals at on-ramps to regulate the rate of vehicles entering the freeway.

Active Traffic Management

Managing traffic in response to prevailing traffic conditions in order to maximize the efficiency of a specific roadway. Active Traffic Management (ATM) uses variable messages to display variable speed limits, queue warnings, and lane control on overhead signs.

Electronic message boards are installed on two interstates and one highway in Washington that display variable speed limits, lane status and real-time traffic information. Benefits include improved safety through the reduction of collisions and increased roadway capacity through reduced congestion (Washington DOT 2009).

Traffic Signal Coordination

Communication between traffic signals on the timing of red and green lights to even out vehicle speeds, improve vehicle throughput and reduce delay at intersections.

Traveler Information

By using variable message signs, the internet, or 511 phone services, up-to-date information can be provided to travelers regarding traffic conditions, incidents, delays, travel times, alternate routes, weather conditions, construction, or special events.



Existing Research Findings

Ramp Metering

Studies have shown that regulating the flow of vehicles entering a freeway can yield GHG reductions of 0.04 to 0.12 percent by 2050 (Cambridge Systematics 2009). In 2001, Minneapolis, Minnesota shut down ramp meters on freeways for a six-week evaluation period. The results of the evaluation indicated that without ramp metering there would be an increase in vehicle emissions of 1,160 tons, which is equivalent to adding 206 cars to the road.

Active Traffic Management

There is a limited amount of research on ATM as it relates to GHG emissions. The research that is available indicates that ATM can yield GHG reductions of up to 0.12 percent by 2050 (Cambridge Systematics 2009). Studies have also shown that reducing national speed limits to 55 miles per hour could yield GHG reductions of 1.2 to two percent (U.S. DOT 2010). Deploying variable speed limits with proper enforcement could work to achieve a similar outcome.

Signal Coordination

Reducing delay associated with stop and go traffic through signal timing has been shown to decrease fuel consumption and GHG emissions. The adaptive signal system in the city of Gresham is estimated to save 75,000 gallons of fuel per year (DKS Associates 2008). The City of Portland retimed 150 signalized intersections in 2005, estimating an annual reduction in CO₂ emissions of 169,000 tons (Metro, Traffic Signal Coordination).

Traveler Information

Research has calculated the impacts of providing traveler information. One potential effect is that it can help reduce emissions by improving traffic flow and reducing congestion. However, improving traffic flow can also encourage more driving through greater (induced) travel demand, thereby negating any reduction in emissions. When not taking induced

Operations Management for Delivery Vehicles

Operations of light delivery trucks (less than 10,000 pounds) should be considered in GHG emissions reduction strategies. Trucks on delivery routes can add congestion and additional VMT to the road if they are:

- 1) Not packed to an optimum load
- 2) Out on deliveries even when the recipient isn't at work or home
- 3) Not following an optimized route
- 4) Operating during peak congestion periods

During the 2008 holiday season, UPS hired eight employees to delivery 25-50 packages per day by bike in the Portland metro area (a truck delivers 150 packages per day). For every three bikes, UPS saved 17 gallons of fuel per day, which equates to \$50 in savings (Maus 2008).

From the local or regional level, elected officials can work with the business community to maximize efficiency in deliveries, whether providing consistent signage, maps, or changing routes.

Adopting operations management practices that allow vehicles to operate on more optimized routes, during off-peak hours, or by bicycle offers several co-benefits to the community: increased physical activity from walking and biking, lower levels of pollution, improved air quality as a result of reduced traffic congestion, reduced fuel consumption, and business savings in transportation.

demand into account, providing travel information can reduce GHG emissions by less than one percent (Cambridge Systematics 2009).

Case Studies: Portland

The Portland region has successfully employed a variety of traffic management strategies. Gresham's adaptive signal control system has been a successful model for reducing travel times as well as annual fuel consumption. Ramp meters on regional freeways help improve traffic flows. Active traffic management has not been fully implemented in the Portland region, though the recent deployment on I-5 in Seattle may prove a successful model pending more conclusive documented impacts.

Co-benefits and synergy with other strategies

Co-benefits

Beyond reducing VMT and GHG emissions, traffic management strategies have the potential to provide other important co-benefits to a community. Co-benefits include:

Public health benefits:

- Reduced traffic injuries and fatalities
- Enhanced public safety
- Improved air quality; fewer air toxics emissions

Economic benefits:

- Consumer savings
- Reduced fuel consumption

Environmental benefits:

- Lower levels of pollution
- Less energy used

Synergies with other strategies

Synergy exists when a combination of two or more strategies enhances the potential GHG emissions reduction from an individual strategy. Traffic management strategies are synergistic with several other strategies including:

- Mixed-use development in centers and corridors
- Public transit service
- Parking pricing
- Tolls, fees, and insurance
- Public education and marketing
- Traffic incident management

Considerations moving forward

While individual traffic management strategies do not have a substantial impact on GHG emissions reductions, when implemented in combination with one another they have greater potential for such reductions. Traffic management strategies are well suited for implementation by local, regional, or state agencies. However, in order for these strategies to have the desired effect of improving traffic flow, reducing emissions, and improving safety, it is beneficial for investments to be coordinated throughout the region.

Traffic Incident Management (TIM) is a planned and coordinated process by multiple public agencies and private sector partners to detect, respond to, and remove traffic incidents and restore traffic operations as safely and quickly as possible. The primary goals of TIM programs are to reduce non-recurring roadway congestion and secondary incidents. Traditionally, emissions reduction has been seen as a secondary benefit.



Nationally, traffic incidents account for 40 to 50 percent of all non-recurring congestion on roads. Lane-blocking incidents affect traffic flow far out of proportion to the number of lanes blocked. An incident blocking one lane out of three on a freeway reduces the capacity of that facility by approximately 50 percent. Blocking two lanes of three reduces capacity by nearly 80 percent. It is estimated that every one minute of traffic incident duration adds four minutes of traffic delay, meaning that congestion continues long after an incident is cleared. The link between traffic incident management programs and reduced vehicle emissions is travel delay reduction.

Existing research findings

A 2011 literature review of incident management programs completed for the California Air Resources Board found five studies dating back to 1995 on the effects of TIM programs on vehicle criteria pollutants emissions. While the studies did not look at CO₂ emissions specifically, GHG reduction can be inferred from findings that levels of hydrocarbons (HC), carbon monoxide (CO) and nitrogen oxide (NO_x) declined as traffic delay was reduced.

Table 4 highlights selected studies that examined incident response programs in urban areas during congested time periods. The researchers surmised that urban areas, particularly central locations lacking breakdown lanes, would have the greatest benefit from TIM programs. Types of studies include: Freeway Service Program (FSP), the NaviGator regional system study, and a highway segments study. The study years range from 1993 to 2005 (Boarnet, et al.).

Table 4. Comparison of incident response program studies

Study type and location	Incident Delay Reduction	HC reduction per incident (kg)	CO reduction per incident (kg)	NOx reduction per incident (kg)
FSP- Alameda County, CA	Response time for FSP-assisted breakdowns reduced delay by 12.6 minutes (57%)	3.51	35.84	8.85
FSP- LA County, CA	Incidents without FSP-assistance lasted 7-20 minutes longer (35%)	1.46	11.51	2.97
NaviGator- Atlanta, GA	N/A	5.775	75.58	8.059
C.H.A.R.T.- DC and Baltimore	C.H.A.R.T. reduced average incident induced travel delay by 21.9 minutes (43%)	24	269.75	11.48
Highway segments- Bay Area, CA	N/A	N/A	1219	260.79

Co-benefits and synergy with other strategies

Co-benefits

Beyond reducing VMT and GHG emissions, traffic incident management strategies have the potential to provide other important co-benefits to a community. Co-benefits include:

Public health benefits:

- Reduced traffic injuries and fatalities
- Improved air quality; fewer air toxics emissions
- Enhanced public safety

Environmental benefits:

- Lower levels of pollution
- Less energy used

Economic benefits:

- Increased access to jobs, goods and services
- Consumer savings in transportation
- Reduced fuel consumption
- Business savings from reduced travel delay

Synergies with other strategies

Synergy exists when a combination of two or more strategies enhances the potential GHG emissions reduction from an individual strategy. Traffic incident management strategies are synergistic with traffic management strategies.

Pre-trip and in-route traveler information naturally complement TIM by disseminating information about travel conditions to influence route choice and the timing of trips. Intelligent Transportation System (ITS) devices also support TIM. For example, when a breakdown causes traffic to slow down, the traffic sensors in the pavement detect the change and alert an operations dispatch center. An operator can then use a CCTV camera to verify that an incident has occurred and determine the appropriate response. Information about the incident can be posted on roadside signs to alert other drivers.

Considerations moving forward

TIM programs are primarily initiated in response to congestion and safety concerns. More evaluation needs to be done on its benefits for GHG reduction before a definitive link can be made. However, there is evidence of positive effects on traffic delay due to reduction in incident duration, which can indirectly be tied to GHG emissions reductions.

With regard to this strategy, the Portland region has had a robust TIM program in place since 1997. The intent of this strategy is to continue improving incident detection, response time, and clearance time through added staff and vehicles, Intelligent Transportation Systems equipment coverage, and Transportation Management Operations Center upgrades.

This page was intentionally left blank.

Fleet Mix, Turnover, Technology, and Fuels

The proportion of cars on the road with improved fuel technology is a major determinant of GHG emissions per mile of travel. Fleet and technology strategies are an important consideration because, although we must reduce vehicle miles traveled, most households will still choose to drive.



FLEET MIX AND TURNOVER

Fleet mix: the percentage of vehicles classified as automobiles compared to the percentage classified as light trucks (weighing less than 10,000 lbs.)

Fleet turnover: the rate of vehicle replacement or the turnover of older vehicles to newer vehicles; the current turnover rate in Oregon is ten years

58 percent

Average national fuel economy improvement of vehicles sold under the C.A.R.S. rebate program; the majority of trade-ins were light-duty trucks

0.6 to 1.4 million tons

CO₂ reduction projected annually if 60,000 trucks were replaced with hybrid trucks; equal to taking 249,000 cars off the road nationally

VEHICLE TECHNOLOGY AND FUELS

Fuel economy: fuel economy standards are expected to strengthen at both the federal and state levels in the future; the standards culminate in a fleet-wide average of 35.5 mpg by 2016, with a proposed standard of 54.5 mpg by 2025

Carbon intensity of fuels: this strategy is usually regulated through low carbon fuel standards, which encourage higher adoption rates of alternative fuel vehicles and more production of lower carbon fuels

Electric vehicles and plug-in hybrids: electric vehicles are battery powered only; plug-in hybrids are conventional hybrids with batteries that can be charged at an electrical outlet

19 percent

GHG emissions reduction from light duty vehicles by 2030 under the 35.5 mpg standard beginning in 2016

25 percent

CO₂ reduction per mile from a plug-in hybrid powered by an old coal plant versus a conventional gasoline vehicle

CO-BENEFITS

Public health benefits

- Improved air quality; fewer air toxics emissions

Environmental benefits

- Lower levels of pollution
- Less energy use

Economic benefits

- Job opportunities
- Leverage private investments
- Reduced fuel consumption
- Consumer savings
- Increased energy security


SYNERGY WITH OTHER STRATEGIES

- Mixed-use development in centers and corridors
- Public transit service
- Public education and marketing
- Individualized marketing

IMPLEMENTATION

While much work is being done at the state and federal levels to expand the number of vehicles with improved fuel efficiency and decreased emissions, work can be done at the local and regional levels to support these efforts. Policies include instituting fuel standards, providing tax exemption to businesses that are expanding alternative fuels and vehicles, encouraging the purchase of vehicles through incentives, and supporting charging stations and infrastructure. The general public has questions about what it means to own an alternative fuel vehicle, and local and regional governments can support public education and marketing to provide the necessary information.

Fleet mix refers to the percentage of vehicles classified as automobiles compared to light trucks, which includes delivery vehicles (weighing less than 10,000 lbs.), sport utility vehicles and pick-up trucks. This distinction is important given significant differences in auto and light truck fuel economy. This is particularly relevant in Oregon given the relatively high percentage of vehicles classified as light trucks. Light truck vehicle proportions, compared to auto proportions, increased from 30 to 43 percent from 1990 to 2005. In order to meet GHG reduction goals, the proposed state target rate for light trucks (expressed as a percentage of overall fleet mix) is 29 percent by 2035.



Fleet turnover refers to the rate of vehicle replacement or the turnover of older vehicles to newer vehicles. The current fleet turnover rate is ten years, with a proposed target rate of eight years by 2035. Newer vehicles are typically more fuel efficient than older vehicles, and thus newer fleets are assumed to yield greater GHG emissions reductions.

Technical data for GHG reductions regarding fleet mix and turnover was published in the *Agencies' Technical Report*, which was completed in March 2011 by ODOT, the Oregon Department of Environmental Quality, and the Oregon Department of Energy. The region's GHG reduction target was based on this report and was adopted by LCDC in May 2011. The state assumptions for fleet mix and turnover are highlighted in Table 5.

Table 5. Baseline Assumptions for Vehicle Fleet in Scenarios Planning

Characteristic	1990	2005	2035
Light trucks as a percentage of overall fleet mix	30%	43%	29%
Average vehicle replacement rate	10 years	10 years	8 years

Existing research findings

A report by the Electric Power Research Institute and the Natural Resources Defense Council found that if 60 percent of light duty vehicles were powered by our current electric grid instead of gasoline, GHG emissions from this sector would be reduced by one-third. Another report projected that putting 60,000 hybrid trucks on the road would reduce CO₂ emissions between 0.6 and 1.4 million tons per year (EDTA 2011).

Caveats on research

Although a faster turnover rate of eight years for overall fleet may yield greater fuel efficiency and savings for consumers, this assumption does not include the consideration of GHG emissions related to the production of new vehicles, which is an external cost not accounted for in the state GHG reduction targets.

Co-benefits and synergy with other strategies

Co-benefits

Beyond reducing VMT and GHG emissions, changes to fleet mix and vehicle turnover strategies have the potential to provide other important co-benefits to a community. Co-benefits include:

Public health benefits:

- Improved air quality; fewer air toxics emissions

Environmental benefits:

- Lower levels of pollution
- Less energy use

Economic benefits:

- Job opportunities
- Leverage private investments
- Reduced fuel consumption
- Consumer savings
- Increased energy security

Synergies with other strategies

Synergy exists when a combination of two or more strategies enhances the potential GHG emissions reduction from an individual strategy. Changes to fleet mix and vehicle turnover strategies are synergistic with several other strategies including:

- Mixed-use development in centers and corridors
- Public transit service
- Public education and marketing
- Vehicle fuels and technology

Fleet mix and turnover is synergistic with mixed-use development because of the potential to serve the needs of lower-income households. Since people with low incomes are less likely to have a car and more likely to own older cars when they do (Murakami 1997), programs that get

people into more fuel efficient cars or utilizing other modes of transportation will help get older, inefficient vehicles off the road. Furthermore, integrating affordable housing choices with mixed-use development will ensure that lower-income households can be less reliant on personal vehicles and have access to transit, biking, and walking to meet their daily needs.

Considerations moving forward

Fleet strategies are best implemented at the state and federal levels because of the large scale and scope required for such policies. There are, however, policies that can be implemented at local and regional scales that complement state efforts in order to yield a higher rate of fleet turnover. One approach is for local governments to turn their own vehicle fleets over; localities can kick start the trend and also act as an example for businesses and individuals.

Case Study: Car Allowance Rebate System

During late 2009, the federal government offered the Car Allowance Rebate System (C.A.R.S.) to stimulate the economy while encouraging fleet turnover to safer and more fuel-efficient vehicles. The program was a success with respect to fuel economy. Under C.A.R.S., 85 percent of the trade-ins were light-duty trucks, and 59 percent of the new vehicle purchases were cars. The cars purchased under the program had a higher average fuel economy compared to other cars on the market at the time.

Additionally, the average fuel economy of new vehicles over trade-in vehicles resulted in a 9.2 mpg increase, or a 58 percent improvement (C.A.R.S. 2009). Another study found that during the C.A.R.S. program period, the fuel economy of all cars sold in the U.S. improved by 0.6 percent over the expected trajectory (Sivak and Schoettle 2009).

This page was intentionally left blank.

Vehicle Technology and Fuels A FLEET AND TECHNOLOGY STRATEGY

There are a variety of vehicle technologies and fuels available to reduce GHG emissions including development of new fuel economy standards, lowering the carbon content of fuels and deployment of electric vehicles and plug-in hybrids. The GHG emissions reduction potential of this strategy is directly related to the pace at which these strategies are implemented over time, and the types, convenience and affordability of vehicle technologies and supporting infrastructure made available to consumers.



Technical data for GHG reductions from vehicle technology and fuels were published in the *Agencies' Technical Report*. The region's GHG reduction target was based on this report and was adopted by LCDC in May 2011. The state assumptions for vehicle technology and fuels and are highlighted in Table 6.

Table 6. Baseline Assumptions for Vehicle Technology and Fuels in the Scenarios Project

Characteristic	1990	2005	2035
FUEL ECONOMY			
Autos with internal combustion engine	28 mpg	28 mpg	68 mpg
Light trucks with internal combustion engine	20 mpg	20 mpg	48 mpg
Auto plug-in hybrids in charge sustaining mode	--	--	81 mpg
Light truck plug-in hybrids in charge sustaining mode	--	--	56 mpg
MARKET SHARE OF PLUG-IN HYBRIDS* OR ELECTRIC VEHICLES**			
Autos	--	--	8%
Light trucks	--	--	2%
CARBON IN FUELS			
Reduction in fuel carbon intensity from current levels	--	--	20%

*Assumed battery range of 35 miles for plug-in hybrids

**Assumed battery range of 175 miles for electric vehicles

Fuel economy

The fuel economy standards are expected to continue to be strengthened through the year 2035 at both the federal and state levels. At the federal level, the Corporate Average Fuel Economy (CAFE) will culminate in a fleet-wide average of 35.5 mpg by 2016, with a proposed standard of 54.5 mpg by 2025. Although an official number for long-term fuel standards isn't expected until September 2011, it is reasonable to assume that federal and Oregon state ambitions will be closely aligned. The proposed 2035 fuel economy target rates for the Portland metropolitan region are highlighted in Table 6. The rates are 68 mpg for autos with internal combustion engines and 81 mpg for plug-in hybrid autos in charge sustaining mode.

Carbon intensity of fuels

There are three types of Low Carbon Fuel Standards that are suggested as policy recommendations: an energy-based standard, a fuel economy standard, and a historical baseline standard. An energy-based standard limits carbon emission per unit of energy, while a fuel economy standard is somewhat analogous to the Café standard, and a historical baseline standard regulates carbon emissions relative to historic energy production. Each approach is able to accomplish a different set of goals as summarized in Table 7. The table also provides insight into which carbon policies might be complementary, like an energy-based standard combined with a fuel tax (Holland, et al. 2009).

Under the Low Carbon Fuel Standard adopted by the Oregon Legislature in 2010, transportation fuel providers are required to reduce the GHG emissions per gallon of fuel by ten percent by 2022. The intent is to provide incentives that encourage higher adoption rates of alternative fuel vehicles, more production of lower carbon fuels, and installation of more electric vehicle charging and alternative fuel dispensing equipment. Though the bill does not mandate the use of any specific fuel or combination of fuels, a mix of diesel, biodiesel, gasoline, ethanol, natural gas, and electricity is anticipated (Oregon DEQ 2011). Oregon could also join other West Coast states to create a low-carbon fuels corridor, as California has adopted a Low Carbon Fuel Standard and Washington is considering similar legislation (Oregon Environmental Council).

Research has cited the political appeal of low carbon fuel standards. First, the standard does not fall under the category of taxes or cap-and-trade policies, which have typically been difficult to implement. Second, federal resistance to the regulation of GHG emissions has limited states' options, but a carbon intensity standard might avoid these restrictions. Finally, low carbon fuels have the potential to reduce emissions without increasing gasoline prices.

The Renewable Portfolio Standard, adopted by the Oregon Legislature in 2007, would complement the Low Carbon Fuel Standard. Under the renewable standard, Oregon utilities are required to meet a percentage of their retail electricity demand with renewable energy; Oregon's three largest utilities must provide at least 25 percent renewable energy by 2025, while small utilities are held to a standard of either five or ten percent. Resources that qualify as being

renewable include hydropower, wind, solar, wave, geothermal, and biomass, among others (Drumheller 2007). The projected renewable energy compliance from two of the largest utilities alone (PGE and PacifiCorp) in 2025 is enough to serve over one million residential customers, which is equivalent to 1,230 wind turbines and \$8.1 million in wind turbine investments (ODOE: Renewable Energy 2010).

Table 7. Comparison of various carbon policies

Can the policy...	correct the relative prices of high and low carbon fuels?	correct the price of driving?	provide an incentive to reduce carbon emissions rates?	provide an incentive to improve fuel efficiency?
Research and development support for reducing carbon emissions			●	
CAFE standard				●
Energy-based LCFS	●		●	
Fuel economy LCFS	●		●	●
Historical baseline LCFS	●	●	●	●
Fuel tax		●		●
Carbon tax	●	●	●	●

Table adapted from Holland, et al. 2009

Electric vehicles and plug-in hybrids

A hybrid electric vehicle uses both an electric motor and an internal combustion engine or microturbine to propel the vehicle. The battery in a hybrid is designed to capture energy that is normally lost through breaking and coasting and in turn powers the electric motor. In 2010, hybrids represented nine of the ten most fuel efficient vehicles available in the US.

A plug-in electric vehicle is propelled by a battery that is charged at an electrical outlet. Three vehicle types make up this category:

- Plug-in hybrid vehicles are similar to conventional hybrids but their batteries can be charged. The range of travel in a plug-in hybrid varies depending on the battery size.
- Extended-range electric vehicles are propelled by electricity, with an internal combustion engine or other energy source that acts as a backup generator after the battery has discharged in order to extend the driving range of the vehicle.

- All-battery electric vehicles are propelled by electricity only (EDTA 2011).

Although hybrid electric vehicles consisted of just 3 percent of total vehicle sales in the US in 2008 (Electrification Coalition 2009), they are more popular in the Portland metropolitan area per household than any other city. In 2008, 11.1 new hybrids were sold per 1,000 households, with a US metro area average of 1.8. In 2009, that number of new hybrids sold in Portland dropped to 8.8, but Portland still maintained its position at the top of the chart (HybridCARS). This illustrates that the market in Portland is ripe for the deployment of plug-in hybrids, and that related local and state incentives have great potential for reducing CO₂ emissions.

The market for electric vehicles in Portland is also likely to grow with help from federal initiatives like “One Million Electric Vehicles by 2015”. Under the plan, and in addition to increases in fuel economy standards, the federal government is working to increase electric vehicle sales to 1.7 percent of the total. Through the Recovery Act, investments have already been made to advance lithium-ion battery technology, support electric vehicle demonstration and deployment efforts, and incentivize the purchase of electric vehicles as well as conversion kits for conventional vehicles.

Another vehicle that is also growing in popularity is the Neighborhood Electric Vehicle (NEV). Resembling golf carts in size and speed, these smaller vehicles are seen as an alternative to taking neighborhood trips in less efficient traditional vehicles. The adoption of NEV’s, also called microtransit, can be encouraged with the implementation of charging and parking infrastructure, creating connections between destinations and public transit, and funding for NEV start-up companies (Nisenson 2011).

Existing research findings

Fuel economy

The US Department of Energy estimates that a car averaging 15 mpg emits 12.2 tons of CO₂ annually (based on 15,000 annual miles); a car averaging 45 mpg emits 4.1 tons of CO₂ annually. Under the CAFE standard of fleet-wide average of 35.5 mpg by 2016, analyses project a GHG emissions reduction of 19 percent from light duty vehicles by 2030. Over the life of the program, the standards could reduce GHG emissions nationwide by approximately 900 million metric tons (US EPA 2009).

Case Study: Proposed Fuel Standards in California

In order for California to meet its 80 percent GHG emissions reduction goal by 2050, and to address environmental problems, the California Air Resources Board is proposing the adoption of the Advanced Clean Vehicles Program. The standards include reducing pollutants and greenhouse gases as well as working to increase the market share of Zero Emissions Vehicles (ultra-low carbon emissions and fuels) and clean fuels outlets and charging stations. This program would be instituted by amending California’s Low-Emission Vehicle regulations alongside a push for adoption as a nationwide program (Cackette 2010). Development of informal regulatory documents will occur throughout summer of 2011.

Carbon intensity of fuels

There is very little research on the GHG reduction potential of policies like low carbon fuels standards and only one study that analyzed the economics of such standards. A study published in the *American Economic Journal* in 2009 found that while a low carbon fuel standard can decrease high carbon fuel production, it could lead to an increase in low carbon fuel production which translates into an increase in net carbon emissions. Additionally, even though an energy-based standard that reduces carbon intensity by ten percent can reduce emissions by up to 45 percent, the cost for achieving this reduction is high.

Despite the political appeal for a Low Carbon Fuel Standard, this study found that, on its own, the best standard from an efficiency and effectiveness perspective, may be a nonbinding standard or no standard at all (Holland, et al. 2009).

Electric vehicles and plug-in hybrids

Generally, utilizing electric or hybrid vehicles results in a GHG emissions reduction range of 0.4 to 20.3 percent (CAPCOA 2010). Vehicle miles fueled by electricity emit less CO₂ than vehicles fueled by gasoline, and when charged overnight using off-peak renewable resources, emissions are further reduced. As the share of renewable resources increases, the emissions profile of the power sector will continue to improve to further reduce the CO₂ emissions.

One study found that even if plug-in hybrids are powered by our current grid, and even if all the energy came from an old coal power plant, carbon emissions are reduced compared to a petroleum-fueled vehicle. A conventional gasoline vehicle produces 450 grams of CO₂ per mile, while a plug-in hybrid charged with power from an old coal plant would be responsible for 325 grams of CO₂ per mile, which equates to a reduction of 25 percent. This scenario still leaves room for further CO₂ reduction if the vehicle is powered by more renewable resources (EPRI and NRDC 2007).

All in all, cumulative nationwide GHG savings from 2010 to 2050 can range from 3.4 to 10.3 billion metric tons of CO₂-equivalent depending on the penetration level of plug-in hybrid vehicles and amount of energy emissions. Under a “best case” scenario with a high percentage (85 percent) of plug-in hybrids and low CO₂ from the electric sector, annual GHG savings amounted to 612 million metric tons annually. Even under a scenario with a medium percentage (41 percent) of plug-in hybrids, fuel savings equated to 2 million barrels daily in 2030 and 3.7 million barrels daily by 2050 (EPRI and NRDC 2007).

When considering the Neighborhood Electric Vehicle alone, the mode shift from traditional vehicles to microtransit results in a 0.5 to 12.7 percent VMT reduction (CAPCOA 2010).

Case Study: Electric Vehicle and Charging Infrastructure Test Markets

Overnight charging at home will decrease some of the need for public charging, but accessible public facilities are important in increasing consumer confidence (Electrification Coalition 2009). The US Department of Energy distributed federal stimulus funds to ECOTality to test the deployment of electric vehicles and charging infrastructure in Oregon and six other test markets. A partnership with Nissan will deploy approximately 1,000 Nissan electric cars in Oregon and install approximately 2,500 charging stations at homes and businesses. The EV project will collect vehicle and charge information in return for providing household or public charging stations (ODOT: OIPP).

Nationwide, the ECOTality program is projected to result in the reduction of CO₂-equivalent emissions by 2.3 billion pounds in five years and 27.1 billion pounds in ten years (ECOTality).

Caveats on research

Vehicle technology and fuel strategies have been shown to be beneficial when paired with one set of strategies, but unfavorable when paired with others. For example, although fuel economy improvements reduce GHG emissions per VMT, higher fuel economy can raise vehicle prices, which could reduce fleet turnover and potentially cause less fuel-efficient vehicles to remain on the road longer. Another consideration is the rebound effect, whereby improved fuel economy could encourage additional VMT. It is important to consider which of the various strategies outlined in the Toolbox will be most effective at reducing GHG emissions.

Co-benefits and synergy with other strategies

Co-benefits

Beyond reducing VMT and GHG emissions, changes to vehicle technology and fuels have the potential to provide other important co-benefits to a community. Co-benefits include:

Public health benefits:

- Improved air quality; fewer air toxics emissions

Environmental benefits:

- Lower levels of pollution
- Less energy use

Economic benefits:

- Job opportunities
- Leverage private investments
- Consumer savings
- Reduced fuel consumption
- Increased energy security

Synergies with other strategies

Synergy exists when a combination of two or more strategies enhances the potential GHG emissions reduction from an individual strategy. Changes to vehicle technology and fuels are synergistic with several other strategies including:

- Mixed-use development in centers and corridors
- Public education and marketing
- Individualized marketing
- Fleet mix and turnover

Considerations moving forward

Research and development is vital to improving fuel and advancing vehicle technology. A combination of vehicle technology and fuels strategies should be considered, as opposed to one strategy alone, in order to be effective at reducing GHG emissions.

Carbon intensity of fuels

A report by the Oregon Business Association and Oregon Environmental Council in 2005 recommended state-level policies and strategies in order to establish a new energy infrastructure.

Recommendations for stimulating the demand and production of biofuels include:

- Instituting a Renewable Fuels Standard (which has been accomplished)
- Providing a biofuels market analysis
- Banning the use of Methyl tert-butyl ether (MTBE)
- Providing property tax exemption to biodiesel facilities
- Instituting tax credits or other incentives to encourage oilseed crushing facilities and to enable growers to extract added value from feedstock crops for biofuels plants
- Connecting state biofuels initiatives with private industry to create networks
- Directing the Oregon Department of Agriculture to report on actions that could accelerate in-state feedstock cultivation to fulfill biodiesel demand

Plug-in hybrids and electric vehicles

Recommendations for supporting electric vehicles are highlighted in the *Transportation and Land Use Roadmap to 2020* report to the Oregon Global Warming Commission (OGWC). The primary recommendation is to deploy an Oregon Electric Vehicle Strategy to double the projected 2020 national level (about five percent of total fleet) of light duty vehicles registered

as electric or plug-in hybrid. Additional recommendations are derived from the *Electrification Roadmap* report by the Electrification Coalition.

Recommendations for batteries and vehicles (OGWC):

- Encourage electric vehicle purchases through incentives such as tax credits and other incentives
- Offer incentives for electric vehicle fleet purchases and setting purchase standards for government fleets
- Redesign urban streets to accommodate two- and three-wheeled, low-speed vehicles

Recommendations for charging infrastructure (Electrification Coalition):

- Encourage charging stations and infrastructure through tax credits and other incentives
- Deploy smart grid technology for charging stations to reduce the need for utility infrastructure upgrades
- Modify building codes to allow for charging stations in homes

Case Study: I-5 West Coast Green Highway

The West Coast Green Highway initiative is promoted by Washington, Oregon, California, and the province of British Columbia to advance the use of electric vehicles along Interstate 5. The initiative is currently supporting several projects, two of which include:

- The Alternative Fuels Corridor pilot project, which is still in concept phase, would provide evenly-space alternative fueling stations throughout the I-5 corridor. In Washington State, municipalities along I-5 with populations greater than 20,000 were required to provide electric vehicle infrastructure by 2010, and all other municipalities were required to allow electric vehicle infrastructure by 2011.
- New Mobility Hubs, which offer traffic information, rideshare matching, electric vehicle charging stations, bicycle storage, information for cyclists and transit riders, and tolling and transit card purchase kiosks. Washington DOT has plans to locate the first hub along State Route 520.

At the state level, new projects and existing projects should be supported with the necessary research and development funding. Since the biggest limitation for drivers considering the purchase of an electric vehicle is the absence of a reliable network of charging facilities, a careful approach should be considered as this infrastructure is built (ODOT: OIPP). Utilities should be granted assurance that their investment in charging infrastructure will be supported, and that utilities will be allowed to change their rate structure to accommodate electric vehicles and plug-in hybrids into their utility load curves (Electrification Coalition 2009). Existing electric vehicle -

related projects (also see case study insets) in Oregon include the EV Project by ECOTality, the West Coast Green Highway initiative, the Oregon EV roadmap, and the Tiger II Grant for EV infrastructure (ODOT: OIPP).

At the federal level, regulations should be standardized for electric vehicles and the related infrastructure. Policies should promote the harmonization of technical standards, environmental valuation, and safety requirements. Efforts can also be coordinated with the private sector to develop and demonstrate electric vehicle technologies. Additionally, consumer education and formal training for future engineers is necessary in order to encourage the deployment of electric vehicle technologies (EDTA 2011). National projects include Charge Point America, the National Plug-In Vehicle Initiative, Plug In America, and Project Get Ready.

Who implements

Technology and fuel strategies, like fleet mix and turnover strategies, are best implemented at the state and federal levels because of the unknowns of potential types of vehicle technologies, how quickly such changes occur over time, and the type and timing of policies and laws adopted at the federal and state levels. Since technology improvements require funding for research, partnerships with businesses and educational institutions with related interests can provide an important platform from which to move forward.

In addition, vehicle purchases provide an important opportunity for governments and private sector companies to adopt a leadership role in the deployment of alternative fuel vehicles. The selection of right-sized vehicles when replacing fleet vehicles can reduce vehicle and fuel costs for the fleet. State fleets can help emergent technologies to receive greater exposure to consumers, and ultimately facilitate the transition towards lower emission levels of the transportation sector.

At the local level, policy changes can be made to encourage acceptance of low-carbon fuels and electric vehicle and plug-in hybrid technology. Policy changes that can be considered at the local level include: implementation of a low carbon fuel mandate (FHWA); the installation of a streamlined permitting process for electric vehicle charging stations in homes and publicly, commitment to electric vehicle turnover for local fleets; and offering registration fees or sales taxes or free parking for electric vehicles or plug-in hybrids (Electrification Coalition 2009).⁵

⁵ The Puget Sound Regional Council has produced a model guidance document for local governments working to meet Washington's new electric vehicle infrastructure law, which may serve as a resource in the coming phases. See: <http://psrc.org/transportation/ev/model-guidance>

IV. CONCLUSION

The region has choices about how to respond to the climate challenge. Through the Scenarios Project, the region will build on a long tradition of innovation, excellence in planning, and conservation and stewardship of our natural environment. The bold decisions made decades ago have given us a head start over other places across the country. It is in this context that we will look at bold actions needed to tackle the climate challenge and show that solutions are at hand that will turn this challenge into opportunities to enhance our region's resilience, prosperity and quality of life, now and for generations to come.

Phase 1 Scenario development, evaluation and tools

Based on the literature review in the previous chapter, as well as input from regional decision-makers, Metro will work with a technical work group to design and test various sets of strategies for their effectiveness in reducing GHG emissions from light duty vehicles – as required by House Bill 2001. The scenarios will build on lessons learned from ODOT's Statewide Strategy scenario planning and this Toolbox. They will be based on different combinations of strategies and levels of implementation to explore a range of possible futures.

Metro will use a regionally tailored version of ODOT's Greenhouse gas State Transportation Emissions Planning (GreenSTEP) model to conduct this scenarios analysis. Using GreenSTEP—the model used to set the Metro region's GHG emissions reduction target—ensures compatibility with the state's Statewide Transportation Strategy efforts and provides a common GHG emissions reporting tool.

To guide the development of the scenarios, Metro in conjunction with standing policy and technical advisory committees, agreed to the following set of principles:

- Focus on outcomes and co-benefits
- Build on existing efforts and aspirations
- Show cause and effect
- Be bold, yet plausible and well-grounded
- Be fact-based, relevant, understandable and tangible
- Meet state climate goals

The first phase is not about 'picking a winner' from the set of scenarios evaluated, but exploring a range of possible futures and then discuss and agree on the associated opportunities, challenges and implications for the region and state.

Measuring the costs, benefits and impacts to frame a regional dialogue

Tables 8 -10 summarize the co-benefits of the strategies described in this toolbox and synergistic relationships between strategies. Further evaluation is necessary regarding costs, benefits and impacts across environmental, economic, and equity goals. This will clearly illustrate the policy choices and tradeoffs as well as the political, community, social equity, and economic implications of different strategies. The first phase will pose the consequences (intended and unintended) of different choices, including the status quo.

A draft set of indicators will be used to measure the outcomes from the regional GreenSTEP model. The indicators for Phase 1 are as follows:

Indicators for Business:

- Delay by vehicle type (light vehicle, bus, freight truck)
- Freight truck travel costs
- Freight truck travel time
- Private costs

Indicators for the Region:

- Carbon emissions
- Air quality emissions
- Transportation and building energy consumption
- Community investment revenues generated
- Public infrastructure costs (capital and operations)
- Land consumption

Indicators for Individuals and Families:

- Amount of daily driving (VMT) and travel time per capita for all income groups
- Housing and transportation cost per household by income group
- People living in areas with a range of affordable housing choices and access to jobs and services by income group
- Physical activity: walking, biking and transit per capita
- Fuel consumption per capita and by income group
- Water consumption by income group
- Transit service levels by income group

This information will be used to communicate which combination of strategies (e.g., scenarios) will achieve the state GHG targets and how different approaches could affect the cost of moving freight, air quality, household expenditures, public health, infrastructure costs, travel behavior and other outcomes.

The evaluation process may reveal that not all of the indicators are relevant, or it may reveal additional indicators that are better for measuring how well the scenarios support the achievement of the state climate goals and the region's desired outcomes. As a result, the indicators will continue to be refined during 2012 in Phase 2 as the evaluation effort transitions to using the Envision Tomorrow tool in combination with the metropolitan GreenSTEP model.

These tools will expand the region's spatial analysis capabilities allowing for a more robust analysis of economic development, public/private costs, accessibility, public health and environmental justice indicators.

Next steps

This document will help serve as important background information for the Scenarios Project, and be used in conjunction with scenarios analysis to inform development of findings and recommendations for discussion by the region's decision-makers. The results of the Phase 1 analysis will be summarized and brought forward for discussion by the region's decision-makers and community and business leaders in fall 2011. The regional policy discussion will shape the findings and recommendations forwarded to the next phase of the process and the State of Oregon 2012 Legislature.

While reducing GHG emissions is important to the health of the region and the planet, it is the intent of the Scenarios Project to also demonstrate that the region can progress toward the reduction goals set by the state within the context of achieving outcomes of equal importance to residents: a healthy economy; clean air and water; and access to good jobs, affordable housing, transportation options, nature, trails and recreation. For now, this effort will focus on mitigation of GHG emissions from cars, small trucks and sport utility vehicles; preparation for and adaptation to a changing climate will be addressed through other efforts already underway in the region and state.

Selecting strategies for implementation in Phase 3 will involve policy decisions that could have political, economic, equity, community, and lifestyle implications. By identifying the policy choices and tradeoffs that decision-makers will need to consider throughout the process, this research can serve as a basis for continuing a regional policy dialogue on how to confront the threat of global climate change through state, regional and local actions while advancing the region's efforts to build livable, prosperous and equitable communities.

Table 8. Preliminary ECONOMIC CO-BENEFITS COMPARISON

This table will be refined to distinguish between primary and secondary benefits.

		COMMUNITY DESIGN			PRICING		MARKETING AND INCENTIVES			MANAGEMENT		TECHNOLOGY AND FUELS	
		Mixed-Use Development in Centers and Corridors	Active Transportation and Complete Streets	Public Transit Service	Parking Pricing	Tolls, Fees and Insurance	Public Education and Marketing	Individualized Marketing	Employer-Based Commuter Programs	Traffic Management	Traffic Incident Management	Fleet Mix and Turnover	Vehicle Technology and Fuels
Economic Benefits	Job opportunities	●	●	●			●	●	●			●	●
	Increased access to jobs, goods and services	●	●	●		●	●	●	●	●	●		
	Leverage private investments; increased local tax revenues	●	●	●									●
	New revenues	●			●	●							
	Reduced fuel consumption			●	●		●	●	●	●	●	●	●
	Consumer savings	●	●	●			●	●		●	●	●	●
	Municipal savings	●	●										
	Increased energy security	●											●
	Increased cost effectiveness of transit investments	●	●	●	●		●	●	●				

Table 9. Preliminary PUBLIC HEALTH AND ENVIRONMENTAL CO-BENEFITS COMPARISON

This table will be refined to distinguish between primary and secondary benefits.

		COMMUNITY DESIGN			PRICING		MARKETING AND INCENTIVES			MANAGEMENT		TECHNOLOGY AND FUELS	
		Mixed-Use Development in Centers and Corridors	Active Transportation and Complete Streets	Public Transit Service	Parking Pricing	Tolls, Fees and Insurance	Public Education and Marketing	Individualized Marketing	Employer-Based Commuter Programs	Traffic Management	Traffic Incident Management	Fleet Mix and Turnover	Vehicle Technology and Fuels
Public Health Benefits	Increased physical activity from walking and biking	●	●	●	●	●	●	●	●				
	Reduced traffic injuries and fatalities	●	●	●						●	●		
	Enhanced public safety	●	●	●		●	●	●		●	●		
	Improved air quality; fewer air toxics emissions	●	●	●	●	●	●	●	●	●	●	●	●
Environmental Benefits	Lower levels of pollution	●	●	●	●	●	●	●	●	●	●	●	●
	Less energy use	●	●	●		●	●	●	●	●	●	●	●
	Natural areas, farm and forest protection	●											

Table 10. SYNERGY WITH OTHER STRATEGIES

	COMMUNITY DESIGN			PRICING		MARKETING AND INCENTIVES			MANAGEMENT		TECHNOLOGY AND FUELS	
	Mixed-Use Development in Centers and Corridors	Active Transportation and Complete Streets	Public Transit Service	Parking Pricing	Tolls, Fees and Insurance	Public Education and Marketing	Individualized Marketing	Employer-Based Commuter Programs	Traffic Management	Traffic Incident Management	Fleet Mix and Turnover	Vehicle Technology and Fuels
Mixed-Use Development in Centers and Corridors		●	●	●		●	●	●	●		●	
Active Transportation and Complete Streets	●		●	●		●	●	●				
Public Transit Service	●	●		●	●	●	●	●	●		●	
Parking Pricing	●	●	●					●	●			
Tolls, Fees and Insurance			●			●		●	●			
Public Education and Marketing	●	●	●		●		●	●	●		●	●
Individualized Marketing	●	●	●			●						●
Employer-Based Commuter Programs	●	●	●	●	●	●						
Traffic Management	●		●	●	●	●				●		
Traffic Incident Management									●			
Fleet Mix and Turnover	●		●			●						●
Vehicle Technology and Fuels	●					●	●				●	

This page was intentionally left blank.

V. BIBLIOGRAPHY

- American Journal of Health Promotion. "The Relationship Between Urban Sprawl and Physical Activity, Obesity, and Morbidity."
- Beil, Kurt. (2001). *Physical Activity and the Intertwine: A Public Health Method of Reducing Obesity and Healthcare Costs - A Report to the Intertwine Alliance Partners*. Retrieved from <http://bikeportland.org/wp-content/uploads/2011/02/IntertwinePAObesityAssessment.pdf>
- Bento, Antonio M., Maureen L. Cropper, Ahmed, Mushfiq Mobarak, and Katja Vinha. (2005). *The Effects of Urban Spatial Structure on Travel Demand in the United States*. *The Review of Economics and Statistics* 87,3: 466-478.
- Bertini, Robert L., Michael W Rose, Ahmed M El-Geneidy. (2004). *Using Archived Data to Measure Operational Benefits of ITS Investments: Region 1 Incident Response Program*. June 2004.
- Blumenthal, Tim. (2010). "Oregon Bike Summit June 4, 2010." Bikes Belong Coalition. Retrieved from <http://www.oregonbikesummit.com/documents/Oregon2010.ppt>
- Boarnet, Marlon G. and David Weinreich, University of California Irvine, Susan Handy, University of California, Davis. (2011). *DRAFT Policy Brief on the Impacts of Traffic Incident Clearance Programs (Freeway Service Patrols) Based on a Review of the Empirical Literature*; January 2011
- Brög, W and John, Gary. (2001). *Individualised Marketing: The Perth Success Story*. Presented by Werner Brög and Gary John at the conference on Marketing Public Transport – challenges, opportunities, and success stories, Aotea Centre, Auckland, NZ. August 3, 2001.
- Brög, Werner. (2008). Presentation to Whatcom City Council. March 18, 2008.
- Burchell, R. and Mukherji, S. (2003). *Conventional Development versus Managed Growth: The Costs of Sprawl*.
- Cackette, Tom. (2010). *Advanced Clean Vehicles Program. Setting the Course for Cleaner Vehicles: 2014-2050*. California Air Resources Board presentation at a Public Workshop on May 18, 2010. Retrieved from http://www.arb.ca.gov/msprog/levprog/leviii/meetings/051810/advanced_clean_cars.pdf
- California Air Resources Board and the University of California at Irvine and Davis. (2010). *Policy Brief on the Impacts of Transit Service Strategies Based on a Review of Empirical Research*.
- California Air Resources Board and the University of California at Irvine and Davis. (2010). *Senate Bill 375 - Research on Impacts of Transportation and Land Use-Related Policies*.
- California Air Resources Board and the University of California at Irvine and Davis. (2010). *Policy Brief on the Impacts of Parking Pricing Based on a Review of Empirical Research*.
- Calthorpe Associates (2010). Vision California, "Statewide Scenarios Report." Retrieved from <http://www.visioncalifornia.org/Vision%20California%20-%20Charting%20Our%20Future%20-%20Report.pdf>
- Cambridge Systematics. (2001). Twin Cities Ramp Meter Evaluation. Retrieved from http://ntl.bts.gov/lib/jpodocs/repts_te/13425.pdf
- Cambridge Systematics. (2011). Technical memo 2 Characteristics of Actions & Programs (to ODOT 3/1/11)

- http://www.deq.state.or.us/aq/toxics/docs/pats/6_14_11onroadGas.pdf
- Cambridge Systematics. (2009). *Moving Cooler: An Analysis of Transportation Strategies for Reducing Greenhouse Gas Emissions*, Urban Land Institute, Washington, D.C.
- Cambridge Systematics. (2009a). Assessment of Congestion Pricing and HB 2001. Retrieved from <http://www.oregon.gov/ODOT/TD/TP/docs/LRPU/twp1.pdf?ga=t>
- Cambridge Systematics. (2009b). *Moving Cooler: An Analysis of Transportation Strategies for Reducing Greenhouse Gas Emissions*. Washington, DC: Urban Land Institute, 2009.
- CAPCOA - California Air Pollution Control Officers Association. (2010). "Quantifying Greenhouse Gas Mitigation Measures: A Resource for Local Government to Assess Emission Reductions from Greenhouse Gas Mitigation Measures." Retrieved from <http://www.capcoa.org/wp-content/uploads/2010/11/CAPCOA-Quantification-Report-9-14-Final.pdf>
- Car Allowance Rebate System (C.A.R.S.). (2009). "C.A.R.S. Program Statistics." Retrieved from <http://www.cars.gov/files/reports/summary-statistics.pdf>
- Center for Clean Air Policy. (2009). *Cost-Effective GHG Reductions through Smart Growth and Improved Transportation Choices*. Retrieved from http://www.ccap.org/docs/resources/677/CCAP%20Smart%20Growth%20-%20per%20ton%20CO2%20_June%202009_%20FINAL.pdf
- Center for Clean Air Policy. (2005 and 2006). *CCAP Transportation Emissions Guidebook, Part One: Land Use, Transit, and Travel Demand Management and Part Two: Vehicle Technology and Fuels*.
- Center for Neighborhood Technology. (2010). *Transit-Oriented Development and the Potential for VMT-related Greenhouse Gas Growth Reduction*.
- Cervero, R. (2003). *The Built Environment and Travel: Evidence from the United States*.
- Cervero, Robert and Carolyn Radisch. (1995). *Travel Choices in Pedestrian versus Automobile Oriented Neighborhoods*. University of California Transportation Center.
- City of Portland Office of Transportation. (2009). North-Northwest Project Final Report. Retrieved from <http://www.portlandonline.com/transportation/index.cfm?c=48730&>
- Community Development Coalition. (2010). "CDC Recommendations for Improving Health through Transportation Policy." Retrieved from <http://www.cdc.gov/transportation/docs/FINAL%20CDC%20Transportation%20Recommendations-4-28-2010.pdf>
- Cosis Corporation (1993). *Implementing Effective Travel Demand Management Measures: Inventory of Measures and Synthesis of Experience*. USDOT and Institute of Transportation Engineers. Retrieved from <http://ntl.bts.gov/DOCS/273.html>.
- Condon, Patrick M., Duncan Cavens, and Nicole Miller. (2009). *Urban Planning Tools for Climate Change Mitigation*.
- Cortright, Joe. "How Walkability Raises Home Values in US Cities." *CEO's for Cities*. Retrieved from <http://atfiles.org/files/pdf/WalkiingEconCEOsforCities.pdf>

- Council of State Governments. (2010). *Vehicle Miles Traveled Fees*. Trends in America Report. March 2010. Retrieved from http://www.csg.org/policy/documents/TIA_VMTcharges.pdf
- Cruz, Michel. (2011). *The Circle of Life. Cycling Mobility*. Verlag Moderne Industrie.
- Deakin, E., Harvey, G., Pozdena, R., and Yarema, G. (1996). *Transportation Pricing Strategies for California: An Assessment of Congestion, Emissions, Energy and Equity Impacts*. Final Report Prepared for California Air Resources Board, Sacramento, CA.
- Dill and Brown (2008). *2008 RTO Program Evaluation*. Retrieved from http://library.oregonmetro.gov/files//2007-08_rto_final_evaluation_july_1_2010.pdf
- Dill, Jennifer and Gliebe, John. (2008). *Understanding and Measuring Bicycling Behavior: a Focus on Travel Time and Route Choice*. Oregon Transportation Research and Education Consortium.
- DKS Associates. (2008). Gresham Experience Operating an Adaptive Signal Control System. Retrieved from http://www.oregon.gov/ODOT/TD/TP_RES/docs/2008NWTC/2008_presentations/3A_1_peters.pdf?ga=t
- Drumheller, Bill. (2007). "Summary of Oregon's Renewable Portfolio Standard." Retrieved from http://www.oregon.gov/PUC/Oregon_RPS_Summary_Oct2007.pdf
- Dueker, K. J., Strathman, J. G., and Bianco, M. J. (1998). "Strategies to Attract Auto Users to Public Transportation." TCRP Report 40, Transportation Research Board, Washington, DC.
- ECOtality. "EV Market Snapshot." The EV Project. Retrieved from <http://www.oregon.gov/ODOT/HWY/OIPP/docs/EVMarketSnapshot.pdf>
- Electric Drive Transportation Association. (2011). "Driving Forward: An Action Plan for the Electric Drive Era."
- Electric Power Research Institute and Natural Resources Defense Council. (2007). *Environmental Assessment of Plug-In Hybrid Electric Vehicles: Volume 1, National Greenhouse Gas Emissions*.
- Electrification Coalition. (2009). *Electrification Roadmap: Revolutionizing Transportation and Achieving Energy Security*. Retrieved from: http://www.electrificationcoalition.org/sites/default/files/SAF_1213_EC-Roadmap_v12_Online.pdf
- Evans, J.E. et al. Transit Cooperative Research Program (2005). *Traveler Response to Transportation System Changes*: TCRP Report 95.
- Ewing, Reid et al. (2007). *Growing Cooler: The Evidence on Urban Development and Climate Change*.
- Ewing and Cervero. (2010). "Travel and the Built Environment: A Meta-Analysis." *Journal of the American Planning Association*, Vol. 76, No. 3, Summer, pp. 265-294
- Federal Highway Administration. *Transportation and Global Climate Change: A Review and Analysis of the Literature*. "Section 5: Strategies to Reduce Greenhouse Gas Emissions from Transportation Sources." http://www.fhwa.dot.gov/environment/glob_c5.pdf
- Federal Highway Administration. (2006). *Congestion Pricing: A Primer*. Retrieved from <http://ops.fhwa.dot.gov/publications/congestionpricing/congestionpricing.pdf>

- Federal Transit Administration. (2010). *Public Transportation's Role in Responding to Climate Change*.
- Ferreira, J. & Minikel, E. (2010). Pay-As-You-Drive Auto Insurance in Massachusetts. Retrieved from http://mit.edu/jf/www/payd/PAYD_CLF_Study_Nov2010.pdf
- Fietsberaad, Publication No. 7a. (2010). *The bicycle capitals of the world: Amsterdam and Copenhagen* (2010). Retrieved from www.fietsberaad.org
- Ford Motor Company. Retrieved from DrivingSkillsforLife.com
- Frank, Lawrence D. et al. (2011). *An Assessment of Urban Form and Pedestrian and Transit Improvements as an Integrated GHG Reduction Strategy*, Washington State Department of Transportation. Retrieved at www.wsdot.wa.gov/research/reports/fullreports/765.1.pdf.
- Frank, Lawrence; Sallis, James; Saelens, Brian; Bachman, William and Washbrook, Kevin. (2005). *LUTAQA: A Study of Land Use, Transportation, Air quality and Public Health in King County, WA*.
- Frank, L.D., and Pivo, G. (1994). *Relationships between Land Use and Travel Behavior in the Puget Sound Region*.
- Fujii, Satoshi and Ayako Taniguchi. (2006). Determinants of the effectiveness of travel feedback programs—a review of communicative mobility management measures for changing travel behaviour in Japan. *Transport Policy* 13, no. 5: 339 - 348.
- Garrett-Peltier. (2010). *Estimating the Employment Impacts of Pedestrian, Bicycle, and road infrastructure*.
- Gotschi, Thomas. (2011). Cost and Benefits of Bicycling Infrastructure in Portland, Oregon. *Journal of Physical Activity and Health* 8: S49-S58.
- Gotschi, Thomas. (2009). "Cost effectiveness of Non-motorized Transportation Investments as a Greenhouse Gas Reduction Strategy," *Rails-to-Trails Conservancy*.
- Georgia Tech and the Georgia Department of Transportation. (2007). *New Data for a New Era: A Summary of SMARTAQ Findings: Linking Land Use, Transportation, Air Quality, and Health in the Atlanta Region*.
- Hagerbaumer, Chris. (2011). E-mail correspondence from chrish@oeconline.org to melissa.keywood@oregonmetro.gov on July 1, 2011.
- Handy, Susan. Tai, Gil and Boarnet, Marlon. (2010). "Draft Policy Brief on the Impacts of Bicycling Strategies Based on a Review of the Empirical Literature. Retrieved from <http://arb.ca.gov/cc/sb375/policies/policies.htm>
- Hensher, D. A., and King, J. (2001). "Parking Demand and Responsiveness to Supply, Pricing and Location in the Sydney Central Business District." *Transportation Research Part A* 35.
- Hess, Daniel B. (2001). "Effects of Free Parking on Commuter Mode Choice: Evidence from Travel Diary Data," *Transportation Research Record: Journal of the Transportation Research Board* No. 1753.
- Holtzclaw, John. (1994). *Using Residential Patterns and Transit to Decrease Auto Dependence and Costs*: Natural Resources Defense Council.
- HybridCARS. (2008). "December 2008 Dashboard: The Key is Production Numbers." Retrieved from

- <http://www.hybridcars.com/hybrid-sales-dashboard/december-2008-dashboard-focus-production-numbers-25416.html#metro-intensity>
- HybridCARS. (2009). "December 2009 Dashboard: Year-end Tally." Retrieved from <http://www.hybridcars.com/hybrid-sales-dashboard/december-2009-dashboard.html>
- ICF International. (1997). *Guidance on the Use of Market Mechanisms to Reduce Transportation Emissions*, USEPA. Retrieved from <http://www.epa.gov/otaq/market/pricing.pdf>.
- ICF International for the American Public Transportation Association. (2008). *The Broader Connection between Public Transportation, Energy Conservation and Greenhouse Gas Reduction*.
- Influence of Density, Diversity, and Design on Proportion of Commutes by Transit for Bay Area Station Area residents*. (2000).
- John, Gary and Rampellini, Peter. (2004). Travel Demand Management Scheme in Perth. A public Transport Perspective. 4th UITP International Bus Conference, Brisbane, 25-28 October 2004. Retrieved from http://www.transport.wa.gov.au/ts_UITP.pdf
- Jonathan Rose Companies. (2011). Location Efficiency and Housing Type—Boiling it Down to BTUs.
- Kanok Boriboonsomsin, Alexander Vu, and Matthew Barth. (2010). *Eco-Driving: Pilot Evaluation of Driving Behavior Changes among U.S. Drivers*; University of California Transportation Center UCTC-FR-2010-20, August 2010.
- Kelly, J. Andrew, and J. Peter Clinch. (2009). Temporal variance of revealed preference on street parking price elasticity. *Transport Policy* 16, no. 4 (8): 193-199.
- Khattak, A, and D Rodriguez. (2005). Travel behavior in neo-traditional neighborhood developments: A case study in USA. *Transportation Research Part A: Policy and Practice* 39, no. 6 (7): 481-500. doi:10.1016/j.tra.2005.02.009.
- Krizek, K., Handy, S. and Forsyth, A. (2009). Explaining Changes in Walking and Bicycling Behavior: Challenges for Transportation Research. *Environment and Planning B* 36: 725-740.
- Kulash, D. (1974). Parking Taxes as Roadway Prices: A Case Study of the San Francisco Experience. The Urban Institute, Paper 1212-9, Washington, DC.
- Kulash, Walter, Joe Anglin, and David Marks. (1990). Traditional Neighborhood Development: Will the Traffic Work? *Development* 21:4-21.
- Kuppam, Arun R. and Ram M. Pendyala, and Mohan A. V. Gollakoti. (1998). "Stated Response Analysis of the Effectiveness of Parking Pricing Strategies for Transportation Control," *Transportation Research Record* 1649.
- Lautso, K., K. Spiekermann, M. Wegener, I. Sheppard, P. Steadman, A. Marino, R. Domingo, S. Gayda. (2004). *PROPOLIS: Planning and Research of Policies for Land Use and Transport for Increasing Urban Sustainability: Final Report*, European Commission,
- Litman, Todd. (2011). *Energy Conservation and Emission Reduction Strategies*. Victoria Transportation Policy Institute. Retrieved from <http://www.vtpi.org/tm/tm59.htm>

- Litman, Todd. (2011a). *Pay-As-You-Drive Vehicle Insurance in British Columbia*. Pacific Institute for Climate Solutions.
- Marsden, G. (2006). Energy, Environment, and Sustainable Development Thematic Programme. The evidence base for parking policies-a review. *Transport Policy*. 13,447-457.
- Maus, Jonathan. (2008). *UPS gears up for holidays with bike delivery*. Bike Portland. November 14, 2008. Retrieved from <http://bikeportland.org/2008/11/14/ups-gears-up-for-holidays-with-bike-delivery-10582>
- Metro. (2008). *2008-2013 Strategic Plan, Regional Travel Options*. Retrieved from http://library.oregonmetro.gov/files/rto_strategicplan_6-10-08.pdf
- Metro. Traffic Signal Coordination. Retrieved from http://library.oregonmetro.gov/files/its_signals.pdf
- McKenzie-Mohr, D. (2011). *Fostering Sustainable Behavior: Community-Based Social Marketing*. Third Edition. Gabriola Island, BC: New Society Publishers.
- McGuckin and Srinivsan, *The Journey-to-Work in the Context of Daily Travel*. Retrieved from http://ctpp.transportation.org/Future/resource_papers/Journey-to-Work.pdf
- Moore Information, Inc. (2009). Drive less. Save More. In the Portland Metro Area (results of telephone survey with a sample size of 404 individuals in Clackamas, Multnomah and Washington counties).
- Murakami and Yong. (1997). Daily Travel by Persons with Low Income. Paper for NPTS Symposium in Bethesda, Maryland.
- National Association of Home Builders. (2010). *Research on Factors Relating to Density and Climate Change*.
- National Research Council, Committee on Relationships Among Development Patterns, Vehicle Miles Traveled, and Energy Consumption. (2009). *Driving and the Built Environment: The Effects of Compact Development on Motorized Travel, Energy Use, and CO2 Emissions*. Washington, D.C.: National Academies Press.
- Nelson\Nygaard Consulting Associates. (1995). *Land use and transit demand: The transit orientation index*.
- Nelson\Nygaard for The San Francisco Bay Area Rapid Transit District. (2008). "BART Actions to Reduce Greenhouse Gas Emissions: A Cost-Effective Analysis."
- Neudorff, L. (2010). "Moving Cooler – An Operations and ITS Perspective."
- Nisenon, Lisa. (2011). "A Little More Complete - Making Way for Neighborhood Electric Vehicles." Planetizen. Retrieved from <http://www.planetizen.com/node/50575>
- Oregon Business Association and Oregon Environmental Council. (2005). "Renewable Energy: An Oregon Economic Opportunity." Executive Summary of the Report to the Oregon Economic and Community Development Department. Retrieved from <http://www.oeonline.org/our-work/economy/biofuelspdfs/renewable-opportunity-summar>
- Oregon Department of Energy: Renewable Energy. (2010). *Summary of Oregon's RPS*. Retrieved from http://www.oregon.gov/ENERGY/RENEW/RPS_Summary.shtml

- Oregon Department of Environmental Quality. (2011). *Oregon's Proposed Low Carbon Fuel Standards*. Retrieved from <http://www.deq.state.or.us/eq/factsheets/11aq005lcs.pdf>
- Oregon Department of Environmental Quality. (2010). *A life cycle approach to prioritizing methods of preventing waste from the residential construction sector in the State of Oregon, Phase 2 Report, Version 1.4*.
- Oregon Department of Transportation: Oregon Innovative Partnerships Program. "Electric Vehicle Projects in Oregon." Retrieved from http://www.oregon.gov/ODOT/HWY/OIPP/inn_ev-charging.shtml
- Oregon Department of Transportation. (2007). *Oregon's Mileage Fee and Road User Fee Pilot Program Final Report*. Retrieved from http://www.oregon.gov/ODOT/HWY/RUFPP/docs/RUFPP_finalreport.pdf
- Oregon Department of Transportation. (2010). *Congestion Pricing Pilot Program Report*. Retrieved from http://www.oregon.gov/ODOT/HWY/REGION1/congestionpricing/113010_CongestionPricing.pdf
- Oregon Environmental Council. "Low-Carbon Fuels." Retrieved from: <http://www.oeconline.org/our-work/economy/low-carbon-fuels>
- Oregon Global Warming Commission. *Transportation and Land Use Road Map to 2020*. Report from the Transportation and Land Use Technical Committee of the Oregon Global Warming Commission.
- OurAmazingPlanet. "Sprawling Cities Getting Hotter Faster." *Live Science*. Retrieved from <http://www.livescience.com/environment/sprawling-cities-getting-hotter-faster-than-compact-cities-100626.html>
- Peart and MacDonald. (2008). *LivingSmart, from behavior change to climate change*. PowerPoint presentation from September 29, 2008. Government of Western Australia. Retrieved from <http://tcp-events.co.uk/wsmc/downloads/breakouts/Monday/1610/Travel/J%20Peart.pdf>
- Pierce County. (2010). *Commute Trip Reduction program in Pierce County Washington*. Retrieved from <http://www.co.pierce.wa.us/pc/abtus/ourorg/pwu/tpp/ctr/ctr.htm>
- Pollack, Ethan. "The Jobs Impact of Transportation Reauthorization." *Economic Policy Institute*. Retrieved from http://epi.3cdn.net/d56aed630c831344ac_num6bn5gs.pdf
- Portland Bureau of Transportation. (2010). *Portland bicycle counts 2010*.
- Pucher, J., Dill, J. and Handy, S. (2010). Infrastructure, programs, and policies to increase bicycling: An international review. *Preventive Medicine* 50: 106–125
- Pucher, J., Buehler, R. (2011). Analysis of Bicycling Trends and Policies in Large North American Cities: Lessons for New York. *Region 2, University Transportation Research Center*.
- Puget Sound Regional Council. (2008). *Traffic Choices Study*. Retrieved from <http://psrc.org/assets/37/summaryreport.pdf>
- Reconnecting America. (2009). *Street Smart: Streetcars and Cities in the 21st Century*.

- Rodier, Caroline. (2009). "A Review of the International Modeling Literature: Transit, Land Use, and Auto Pricing Strategies to Reduce Vehicle Miles Traveled and Greenhouse Gas Emissions." Institute of Transportation Studies, University of California, Davis. Research Report UCD-ITS-RR_08-34
- Seattle Department of Transportation. (2008). *Urban Mobility Plan - Briefing, Ch. 7: Best Practices in Transportation Demand Management*. Retrieved from <http://www.seattle.gov/transportation/briefingbook.htm>
- Shoup, Donald (2005). *The High Cost of Free Parking*. APA Planners Press, Chicago.
- Shoup, Donald. (1997). "Evaluating the Effects of Cashing Out Employer-Paid Parking: Eight Case Studies." *Transport Policy* vol. 4. no. 4. pp. 201-216.
- Shoup, Donald. (1994). *Cashing Out Employer-Paid Parking: An Opportunity to Reduce Minimum Parking Requirements*. University of California Transportation Center Working Paper, Berkeley, CA
- Sivak, M. and Schoettle, B. (2009). *The Effect of the "Cash for Clunkers" Program on the Overall Fuel Economy of Purchased New Vehicles*. University of Michigan (UMTRI-2009-34). Retrieved from <http://deepblue.lib.umich.edu/bitstream/2027.42/64025/1/102323.pdf>
- Sloman, L., S. Cairns, C. Newson, J. Anable, A. Pridmore, and P. Goodwin. (2010). *The Effects of Smarter Choice Programmes in the Sustainable Travel Towns: Summary Report*, Report to the Department for Transport, London, February.
- Smart Growth America. "Americans Want Smarter Growth, Here's How We Get There." Retrieved from <http://www.smartgrowthamerica.org/SGBOOK.pdf>
- Washington State Department of Transportation. (2009). "Smarter Highways." Retrieved from <http://www.wsdot.wa.gov/smarterhighways/>
- Socialdata America. (2005). *City of Portland Interstate Area TravelSmart Campaign Final Report Summary*. Retrieved from <http://www.portlandonline.com/transportation/index.cfm?a=142341&c=39300>
- Rails to Trails Conservancy. (2007). *The Short Trip with Big Impacts: Walking, Biking and Climate Change*. Retrieved from www.railstotrails.org/resources/documents/whatwedo/TrailLink%2007%20Program_Climate.pdf
- Rails to Trails Conservancy. (2008). *Active Transportation for America: A Case for Increased Federal Investment in Bicycling and Walking*, www.railstotrails.org/atfa
- Reducing Global Warming and Air Pollution: The Role of Green Development in California*. (2008). Lawrence Frank and Company.
- Reid Ewing, et al. (2007). *Growing Cooler: The Evidence on Urban Development and Climate Change*.
- Transit Cooperative Research Program. (2000). *Report 74: Costs of Sprawl*. National Academy Press, Washington, DC. Retrieved from http://onlinepubs.trb.org/onlinepubs/tcrp/tcrp_rpt_74-a.pdf
- Transportation Research Board. (2010). *Current Practices in Greenhouse Gas Emissions Savings from Transit*. Synthesis 84. June 2010

- TRB Special Report 290: *Potential Impacts of Climate Change on U.S. Transportation*. (2008). Transportation Research Board and National Research Council. Washington, DC, USA: Transportation Research Board, March 2008.
- Urban Land Institute. (2005). "Higher Density Development: Myth and Fact." Retrieved from http://www.uli.org/sitecore/content/ULI2Home/ResearchAndPublications/Reports/Affordable%20Housing/HigherDensity_MythFact.ashx
- Upstream Public Health, Oregon Health Science University and Human Impact Partners. (2009). *Health Impact Assessment on Policies Reducing Vehicle Miles Traveled in Oregon Metropolitan Areas*.
- U.S. Department of Energy. (2011). *Fueleconomy.gov*. Retrieved from <http://fueleconomy.gov/feg/climate.shtml>
- U.S. Department of Energy. (2011). *One Million Electric Vehicles by 2015: February 2011 Status Report*. Retrieved from http://www.energy.gov/news/documents/1_Million_Electric_Vehicle_Report_Final.pdf
- U.S. Department of Transportation. (2010). *Transportation's Role in Reducing U.S. Greenhouse Gas Emissions*. Retrieved from http://ntl.bts.gov/lib/32000/32700/32779/DOT_Climate_Change_Report_-_April_2010_-_Volume_1_and_2.pdf
- U.S. Energy Information Administration. *State Energy Data System*. Retrieved from http://www.eia.doe.gov/states/hf.jsp?incfile=sep_sum/plain_html/rank_pr_mg.html
- U.S. Environmental Protection Agency. (2009). "Regulatory Announcement: EPA Will Propose Historic Greenhouse Gas Emissions Standards for Light duty Vehicles." May 2009. Retrieved from <http://www.epa.gov/oms/climate/regulations/420f09028.pdf>
- U.S. Environmental Protection Agency; www.fueleconomy.gov
- Vaca, E., Kuzmyak, J.R. (2005). *Parking Prices and Fees: Traveler Response to Transportation System Changes*. Transportation Research Board, Washington, DC. Retrieved at www.trb.org/publications/tcrp/tcrp_rpt_95c13.pdf.
- Vandekoy, Zach. (2011). Retrieved from http://www.peopleforbikes.org/blog/entry/sevilles_lesson_to_world_how_to_become_bike_friendly/
- West Coast Green Highway. (2010). Retrieved from <http://westcoastgreenhighway.com/projects.htm>
- WinSmart Community-Based Marketing Travel Project Final Report. (2009). Retrieved from <http://www.urbantrans.com/WinSmartReport/WinSmartReport.pdf>
- Woodcock J, Edwards P, Tonne C, et al. (2009). Public health benefits of strategies to reduce greenhouse-gas emissions: urban land transport. *Lancet*. Retrieved from [http://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(09\)61714-1/abstract](http://www.thelancet.com/journals/lancet/article/PIIS0140-6736(09)61714-1/abstract)
- Zhou, Liren, University of South Florida. (2011). *Modeling the impacts of an employer based travel demand management program on commute travel behavior*. Thesis and Dissertations, Paper 581. University of South Florida, June, 2011, p. 46.

Acknowledgements

This document will be regarded as a resource throughout the Climate Smart Communities Scenarios process to evaluate potential strategies to reduce our GHG emissions.

Special thanks to the following staff from the planning and communications teams who contributed to the content and production of this report.

Robin McArthur, director

John Williams, deputy director

Tom Kloster, regional transportation planning manager

Kim Ellis, principal transportation planner, project manager

Janna Allgood, climate project specialist

Miranda Bateschell, associate regional planner

Elizabeth Goetzinger, production coordinator

Derek Hofbauer, GIS technician

Mike Hoglund, director research center

Daniel Kaempff, senior transportation planner

Nuin-Tara Key, associate regional planner

Melissa Keyword, planning projects intern

Lake McTighe, active transportation project manager

John Mermin, associate transportation planner

Joshua Naramore, associate transportation planner

Tim O'Brien, principal regional planner

Deena Platman, principal transportation planner

Ted Reid, associate regional planner

Dylan Rivera, senior public affairs specialist

Patty Unfred, communications manager

Ray Valone, principal regional planner

Marlon Warren, associate visual communication designer

Caleb Winter, associate transportation planner



Date: August 25, 2011
To: JPACT
From: Andy Cotugno, Senior Policy Advisor
Subject: Tiger 3 Applications

On August 11, the newly formed JPACT Finance Subcommittee met to begin developing recommendations on transportation financing in the face of a significantly changing federal funding situation. In particular, the approach that the region has used to develop a consensus on priorities for federal earmarking by our delegation needs to shift to developing a consensus on priorities for competitive discretionary grants. A significant discretionary grant opportunity that is pending is for the third round of TIGER funding (Transportation Investments Generating Economic Recovery) with pre-applications due October 3 and full applications due October 31.

The JPACT Finance Subcommittee directed staff to work with TPAC to develop an approach for objectively rating the candidate applications to ensure the region is being the most competitive in a very competitive nationwide process. An important element of being competitive is to be very clear to USDOT that the region is supportive of the limited number of projects that score well under the published criteria.

Based upon this evaluation, JPACT would consider at their October 13 meeting which application(s) merit endorsement. In order to provide JPACT with a thorough and objective evaluation, jurisdictions that want consideration of an endorsement letter need to provide the following information to Metro by September 30:

1. Project description including scope and cost (including a description of the level of detail that the cost estimate is based upon).
2. Project finance plan including the level of commitment to each element of the finance plan with priority to projects that are highly leveraged with other sources and TIGER is the final funding commitment to finalize the plan.
3. A description of the project readiness to proceed to construction as soon after the grant award. Specific actions that demonstrate quick readiness should be included such as clearance of environmental permitting, ownership of right-of-way or written support from property owners from which right-of-way will be acquired and sufficient demonstration of engineering feasibility that the schedule is feasible.
4. Information that demonstrates the project rates highly on as many of the TIGER primary rating criteria as possible:
 - a. Contribute to a state of good repair of the jurisdictions infrastructure as supported by an asset management plan.
 - b. Contribute to the economic competitiveness of the US through:
 - i. Increasing economic efficiency and reliability;

- ii. Improved economic competitiveness of specific locations or disadvantaged populations;
 - iii. A net gain in economic benefit not a transfer from another location (within or outside the region).
 - c. Foster livable communities through:
 - i. Support of the HUD/EPA/DOT Livability Principles;*
 - ii. Provide more transportation choices;
 - iii. Provide benefits beyond transportation.
 - d. Benefit the environment by:
 - i. Demonstrating reduction of energy and greenhouse gases;
 - ii. Demonstrating the avoidance of adverse environmental impact;
 - iii. Include features that provide environmental enhancement.
 - e. Improve safety by reducing the number, rate and consequence of crashes, injuries and fatalities to drivers and non-drivers.
5. Information that demonstrates an increase economic activity and jobs through:
 - a. Demonstration of a Benefit/Cost calculation greater than 1.0;
 - b. Demonstration of short-term job creation of direct, indirect and induced jobs from construction (this can use the USDOT rule-of-thumb of \$92,000 of construction expenditure net of right-of-way and engineering per job year).
6. Information that demonstrates the project meets the TIGER secondary rating criteria, including:
 - a. Use of innovative strategies to deliver the project;
 - b. Demonstration of strong partnerships especially that integrate transportation with other public service efforts.

Issues for JPACT consideration:

- Are there additional criteria beyond the federal criteria to reflect regional policies?
- Are there particular measurement methods suggested (the TIGER criteria emphasize a very rigorous method of quantitative measure)?
- Should there be a special committee created (perhaps from TPAC Citizen members) to assist in the rating and interpret which projects rate best?
- For future grant opportunities should there be an early screening step to identify competitive project opportunities?

Next Steps:

- Review by JPACT Finance Subcommittee and JPACT
- Jurisdictions submit projects
- Metro staff evaluates
- JPACT reviews and considers endorsement at October meeting

* HUD/DOT/EPA Livability Principles:

1. Provide More Transportation Choices
2. Support Existing Communities
3. Promote Equitable, Affordable Housing
4. Coordinate Policies and Leverage Investment
5. Enhance Economic Competitiveness
6. Value Communities and Neighborhoods

DRAFT

U.S. Transportation Secretary Ray LaHood Announces \$19.4 Million in Grants for Oregon Highway Projects



U.S. Department of Transportation
Office of Public Affairs
Washington, D.C.
www.dot.gov/affairs/briefing.htm

News

FHWA 37-11
Wednesday, August 17, 2011
Contact: Nancy Singer
Tel: 202-366-0660

U.S. Transportation Secretary Ray LaHood Announces \$19.4 Million in Grants for Oregon Highway Projects

Funds will help create jobs by expanding highway and bridge improvements throughout the state

WASHINGTON - U.S. Transportation Secretary Ray LaHood today announced more than \$19.4 million in grants for Oregon to fund an array of highway-related efforts, including advancing the I-5 Columbia River Crossing project and making upgrades on the I-5/Kuebler Boulevard interchange in Marion County.

"Transportation investments like these will create jobs and improve the quality of life for Oregon residents as well as strengthen the state's economy," said Secretary LaHood. "The demand from the states for these funds shows just how critical the need is for infrastructure investment."

The Federal Highway Administration (FHWA) invited states to apply in June for federal funding from 14 grant programs. Requests poured in from every state, Puerto Rico and Washington, D.C. - more than 1,800 applications, totaling nearly \$13 billion, which is more than 30 times the funds available.

"At a time when states are facing serious budgetary constraints, these grants will help fill a critical need," said Federal Highway Administrator Victor Mendez. "Investments like these are immediate and long-lasting and will help create jobs."

Congress created the discretionary grant programs to give FHWA the latitude to support projects that maintain the nation's roads and bridges, improve roadway safety and make communities more livable. In previous years, Congress designated some of this grant money for specific projects and FHWA awarded the remainder through a competitive process. Because the FY11

budget passed by Congress last April directed that all such funds be discretionary, FHWA awarded these funds through a competitive process.

Oregon received funding for the following projects:

PROJECT	AWARD
Improving southbound ramp to I-5 Kuebler Interchange in Marion County	\$3,625,000
Developing I-5 Columbia River Crossing project	\$3,000,000
Constructing a 1.6-mile, 12-foot-wide, multiuse, ADA-accessible trail through the Historic Columbia River Highway State Trail to improve access for bicycles and pedestrians	\$2,109,000
Constructing multi-use path to connect the Lava Lands Visitors' Center, located at the Newberry National Volcanic Monument, to Sunriver	\$1,877,000
Constructing Westport Ferry Landing in Clatsop County	\$1,830,000
Improving access on US 20/Cascade Avenue by upgrading pavement and reconstructing sidewalks	\$1,660,606
Constructing Welcome Station at Cascade Lakes National Scenic Byway	\$1,039,040
Making safety improvements to US 26 Mill Creek Jefferson County Line	\$923,000
Replacing the roof and making other improvements to the Rochester Covered Bridge	\$845,985
Constructing Division Street Corridor "Complete Street" multiuse paths and sidewalks	\$832,640
Repairing roof and surface of the Larwood Covered Bridge as well as installing a vandalism protection system	\$708,428
Constructing a trail and installing signs on Pacific Coast Scenic Byway	\$412,930
Replacing damaged sections of the Belknap Covered Bridge	\$390,230
Replacing the roof and siding of the Grave Creek Covered Bridge	\$92,545
Developing rest area plans and installing signs along Historic Columbia River Highway	\$72,000
Repairing the roof and siding of the Pass Creek Covered Bridge	\$62,922
TOTAL	\$19,481,326

BROOKINGS

FRIDAY AUGUST 06, 2011

U.S.

WORLD

ECONOMY

Programs

[Home](#) [About Us](#) [Experts](#)

[Economic Studies](#)

[Foreign Policy](#)

[Global Economy and Development](#)

[Governance Studies](#)

[Metropolitan Policy Program](#)

[Centers](#)

[Research Projects](#)

[Experts](#)

[Events](#)

[Brookings Institution Press](#)

[Executive Education](#)

[About Brookings](#)

[NEWSLETTERS](#)

[MULTIMEDIA](#)

[PODCASTS](#)

[RSS](#)

[BLOG](#)

[FACEBOOK](#)


[TWITTER](#)

[MOBILE](#)

TEXT SIZE

a | a | a

[WELCOME](#) | [REGISTER](#) | [LOG IN](#)

 [Save this Project](#)

KEYWORD SEARCH

[Advanced Search](#) | [Tips](#)

My Portfolio

Save your settings:

[Create a Brookings Account](#)

If you already have an account, please login

My Topics [Edit](#)

No Saved Topics

My Programs [Edit](#)

No Saved Programs

My Experts [Edit](#)

No Saved Experts

Saved Content [Edit](#)

No Saved Pages

My New Content

View suggested content based on items you have saved to your Portfolio.

[Log in or register now](#)

Top Topics

[Greece](#)

[Jobs and the Economy](#)

[Federal Budget and National Debt](#)

[India](#)

[U.S. Economy](#)

[View All Topics »](#)


Related Initiatives

[ECONOMIC STUDIES](#)

[METROPOLITAN POLICY PROGRAM](#)

[GOVERNANCE STUDIES](#)

[View All Initiatives »](#)

 [METRO Update](#)

From NEI to MEI: About the Metropolitan Export Initiative

To foster U.S. economic growth and competitiveness, President Obama established a National Export Initiative (NEI) to help achieve the administration's 2010 goal of doubling U.S. exports in five years. Yet, the majority of U.S. firms have not positioned themselves to leverage new opportunities in the global market, nor have most of the nation's state and metro areas adequately emphasized exports as a top economic development opportunity or priority.

In response, the Brookings Institution Metropolitan Policy Program has developed the Metropolitan Export Initiative (MEI), a ground-up collaborative effort to help regional civic, business, and political leaders create and implement customized Metropolitan Export Plans. These plans would integrate market intelligence, export-related services, and policy reforms to help regions better connect their firms to global customers, thereby helping metro areas fulfill the nation's export ambitions. Ideally, these export plans would also be elements of broader regional economic strategies. To supplement the MEPs, Brookings is conducting national research on export-related trends and performance, the role of foreign direct investment, and other key federal and state policies.

In 2011, Brookings is partnering with four metro areas (Los Angeles, Minneapolis Saint Paul, Portland (OR) and Syracuse) in their development of an Export Plan. Future partnerships are anticipated.

Related research on U.S. exporting trends includes:

[Export Nation: How U.S. Metros Lead National Export Growth and Boost Competitiveness »](#)

[Boosting Exports, Delivering Jobs and Economic Growth »](#)

[Metropolitan profiles highlighting export intensity »](#)