

Analytical Results for Sediment Quality Parameters

North Slough, Bybee Lake, Smith Lake (1993-2002)

Notes

Sort Order: Parameter / Sampling Station / Sample Date

All stations sampled annually since 1993, with the exception of mid-North Slough, which was added in 1996

Smith Lake not sampled in 2001 due to lack of standing water

Sample method is surface grab from biologically-active layer

Analytical limit is method-reporting limit

Parameter	Station	Date	Result	Anal. Limit
1,1,1-trichloroethane	Bybee L.	6/28/1994	< Limit	0.002
1,1,2,2-tetrachloroethane	Bybee L.	6/28/1994	< Limit	0.002
1,1,2-trichloroethane	Bybee L.	6/28/1994	< Limit	0.002
1,1-dichloroethane	Bybee L.	6/28/1994	< Limit	0.002
1,1-dichloroethene	Bybee L.	6/28/1994	< Limit	0.002
1,2,4-Trichlorobenzene-SVOC	Bybee L.	6/28/1994	< Limit	0.019
1,2-Dichlorobenzene-SVOC	Bybee L.	6/28/1994	< Limit	0.019
1,2-dichloroethane	Bybee L.	6/28/1994	< Limit	0.002
1,2-dichloropropane	Bybee L.	6/28/1994	< Limit	0.002
1,3-Dichlorobenzene-SVOC	Bybee L.	6/28/1994	< Limit	0.019
1,4-Dichlorobenzene-SVOC	Bybee L.	6/28/1994	< Limit	0.019
2,2'-oxybis(1-chloropropane)	Bybee L.	6/28/1994	< Limit	0.019
2,4,5-T	Bybee L.	8/8/1995	< Limit	0.16
2,4,5-T	Bybee L.	5/28/1997	< Limit	0.016
2,4,5-T	Bybee L.	6/15/1998	< Limit	0.02
2,4,5-T	Bybee L.	6/15/1999	< Limit	0.133
2,4,5-T	Bybee L.	6/20/2000	< Limit	0.119
2,4,5-T	Bybee L.	6/21/2001	< Limit	0.138
2,4,5-T	Bybee L.	6/11/2002	< Limit	0.12
2,4,5-TP (Silvex)	Bybee L.	8/8/1995	< Limit	0.16
2,4,5-TP (Silvex)	Bybee L.	5/28/1997	< Limit	0.016
2,4,5-TP (Silvex)	Bybee L.	6/15/1998	< Limit	0.02
2,4,5-TP (Silvex)	Bybee L.	6/15/1999	< Limit	0.133
2,4,5-TP (Silvex)	Bybee L.	6/20/2000	< Limit	0.119
2,4,5-TP (Silvex)	Bybee L.	6/21/2001	< Limit	0.138
2,4,5-TP (Silvex)	Bybee L.	6/11/2002	< Limit	0.12
2,4,5-trichlorophenol	Bybee L.	6/28/1994	< Limit	0.096
2,4,6-trichlorophenol	Bybee L.	6/28/1994	< Limit	0.096
2,4-D	Bybee L.	8/8/1995	< Limit	0.16
2,4-D	Bybee L.	9/5/1996	< Limit	0.018
2,4-D	Bybee L.	5/28/1997	< Limit	0.016
2,4-D	Bybee L.	6/15/1998	< Limit	0.005
2,4-D	Bybee L.	6/15/1999	< Limit	0.106
2,4-D	Bybee L.	6/20/2000	< Limit	0.0956
2,4-D	Bybee L.	6/21/2001	< Limit	0.138
2,4-D	Bybee L.	6/11/2002	< Limit	0.12
2,4-DB	Bybee L.	8/8/1995	< Limit	0.16
2,4-DB	Bybee L.	5/28/1997	< Limit	0.016
2,4-DB	Bybee L.	6/15/1998	< Limit	0.02
2,4-DB	Bybee L.	6/15/1999	< Limit	0.053
2,4-DB	Bybee L.	6/20/2000	< Limit	0.0478
2,4-DB	Bybee L.	6/21/2001	< Limit	0.138
2,4-DB	Bybee L.	6/11/2002	< Limit	0.12
2,4-dichlorophenol	Bybee L.	6/28/1994	< Limit	0.058
2,4-dimethylphenol	Bybee L.	6/28/1994	< Limit	0.039
2,4-dinitrophenol	Bybee L.	6/28/1994	< Limit	0.19
2,4-dinitrotoluene	Bybee L.	6/28/1994	< Limit	0.096
2,6-dinitrotoluene	Bybee L.	6/28/1994	< Limit	0.096
2-butanone (MEK)	Bybee L.	6/28/1994	< Limit	0.0098
2-chloroethylvinyl ether	Bybee L.	6/28/1994	< Limit	0.0098
2-chloronaphthalene	Bybee L.	6/28/1994	< Limit	0.019
2-chlorophenol	Bybee L.	6/28/1994	< Limit	0.019
2-hexanone	Bybee L.	6/28/1994	< Limit	0.0098
2-methylnaphthalene	Bybee L.	6/28/1994	< Limit	0.019
2-methylnaphthalene	Bybee L.	5/28/1997	< Limit	0.046
2-methylphenol	Bybee L.	6/28/1994	< Limit	0.019
2-nitroaniline	Bybee L.	6/28/1994	< Limit	0.096
2-nitrophenol	Bybee L.	6/28/1994	< Limit	0.096
3,3-dichlorobenzidine	Bybee L.	6/28/1994	< Limit	0.096
3-nitroaniline	Bybee L.	6/28/1994	< Limit	0.096
4,4'-DDD	Bybee L.	6/11/2002	< Limit	0.0152
4,4'-DDE	Bybee L.	6/11/2002	< Limit	0.0152
4,4'-DDT	Bybee L.	6/11/2002	< Limit	0.0152
4,6-dinitro-2-methylphenol	Bybee L.	6/28/1994	< Limit	0.19
4-bromophenyl-phenylether	Bybee L.	6/28/1994	< Limit	0.019
4-chloro-3-methylphenol	Bybee L.	6/28/1994	< Limit	0.039
4-chloroaniline	Bybee L.	6/28/1994	< Limit	0.058
4-chlorophenyl-phenylether	Bybee L.	6/28/1994	< Limit	0.019
4-methyl-2-pentanone (MIBK)	Bybee L.	6/28/1994	< Limit	0.0098
4-methylphenol	Bybee L.	6/28/1994	< Limit	0.019

Parameter	Station	Date	Result	Anal. Limit
4-nitroaniline	Bybee L.	6/28/1994	< Limit	0.096
4-nitrophenol	Bybee L.	6/28/1994	< Limit	0.096
Acenaphthene	Bybee L.	6/28/1994	< Limit	0.019
Acenaphthene	Bybee L.	5/28/1997	< Limit	0.046
Acenaphthene	Bybee L.	6/15/1998	< Limit	0.0067
Acenaphthene	Bybee L.	6/15/1999	< Limit	0.191
Acenaphthene	Bybee L.	6/20/2000	< Limit	0.0668
Acenaphthene	Bybee L.	6/21/2001	< Limit	0.0741
Acenaphthene	Bybee L.	6/11/2002	< Limit	0.0305
Acenaphthene/Fluorene	Bybee L.	8/8/1995	< Limit	1.2
Acenaphthylene	Bybee L.	6/28/1994	< Limit	0.019
Acenaphthylene	Bybee L.	8/8/1995	< Limit	0.83
Acenaphthylene	Bybee L.	5/28/1997	< Limit	0.046
Acenaphthylene	Bybee L.	6/15/1998	< Limit	0.0067
Acenaphthylene	Bybee L.	6/15/1999	< Limit	0.191
Acenaphthylene	Bybee L.	6/20/2000	< Limit	0.0668
Acenaphthylene	Bybee L.	6/21/2001	< Limit	0.0741
Acenaphthylene	Bybee L.	6/11/2002	< Limit	0.0305
Acetone	Bybee L.	6/28/1994	< Limit	0.0098
Acid volatile sulfides	Bybee L.	6/28/1994	< Limit	2.5
Acid volatile sulfides	Bybee L.	8/8/1995	67	5
Acid volatile sulfides	Bybee L.	9/5/1996	26	5
Acid volatile sulfides	Bybee L.	5/28/1997	< Limit	17
Acrolein	Bybee L.	6/28/1994	< Limit	0.0098
Acrylonitrile	Bybee L.	6/28/1994	< Limit	0.0098
Aldrin	Bybee L.	6/28/1994	< Limit	0.00018
Aldrin	Bybee L.	8/8/1995	< Limit	0.016
Aldrin	Bybee L.	9/5/1996	< Limit	0.0052
Aldrin	Bybee L.	5/28/1997	< Limit	0.0014
Aldrin	Bybee L.	6/15/1998	< Limit	0.0015
Aldrin	Bybee L.	6/15/1999	< Limit	0.0383
Aldrin	Bybee L.	6/20/2000	< Limit	0.0334
Aldrin	Bybee L.	6/21/2001	< Limit	0.0926
Aldrin	Bybee L.	6/11/2002	< Limit	0.0152
Alpha-chlordane	Bybee L.	6/28/1994	< Limit	0.000077
Alpha-chlordane	Bybee L.	6/15/1998	< Limit	0.0015
Alpha-chlordane	Bybee L.	6/15/1999	< Limit	0.0383
Alpha-chlordane	Bybee L.	6/20/2000	< Limit	0.0334
Alpha-chlordane	Bybee L.	6/11/2002	< Limit	0.0152
Anthracene	Bybee L.	6/28/1994	< Limit	0.019
Anthracene	Bybee L.	8/8/1995	< Limit	0.055
Anthracene	Bybee L.	5/28/1997	< Limit	0.046
Anthracene	Bybee L.	6/15/1998	< Limit	0.0067
Anthracene	Bybee L.	6/15/1999	< Limit	0.191
Anthracene	Bybee L.	6/20/2000	< Limit	0.0668
Anthracene	Bybee L.	6/21/2001	< Limit	0.0741
Anthracene	Bybee L.	6/11/2002	< Limit	0.0305
Antimony	Bybee L.	6/28/1994	0.2	-8
Antimony	Bybee L.	6/15/1998	< Limit	0.5
Antimony	Bybee L.	6/15/1998	< Limit	0.25
Antimony	Bybee L.	6/15/1999	< Limit	1.43
Antimony	Bybee L.	6/15/1999	< Limit	0.786
Antimony	Bybee L.	6/20/2000	< Limit	1.25
Antimony	Bybee L.	6/20/2000	< Limit	0.59
Antimony	Bybee L.	6/21/2001	< Limit	3.46
Antimony	Bybee L.	6/11/2002	< Limit	0.773
Antimony	Bybee L.	6/11/2002	< Limit	0.666
Arsenic	Bybee L.	6/28/1994	8	-8
Arsenic	Bybee L.	8/8/1995	6.5	0.23
Arsenic	Bybee L.	9/5/1996	4.9	0.22
Arsenic	Bybee L.	5/28/1997	6.4	0.28
Arsenic	Bybee L.	6/15/1998	6.12	0.5
Arsenic	Bybee L.	6/15/1999	5.29	1.43
Arsenic	Bybee L.	6/20/2000	7.98	1.25
Arsenic	Bybee L.	6/21/2001	9.78	1.38
Arsenic	Bybee L.	6/11/2002	6.25	0.773
Barium	Bybee L.	6/15/1998	178	0.5
Barium	Bybee L.	6/15/1999	161	2.86
Barium	Bybee L.	6/20/2000	191	2.49
Barium	Bybee L.	6/21/2001	234	2.77

n/a

Results below
PEL & ERM

Eco - FW -
TEL = 5.9
Soil - mammals
DEQ = 8

Eco - n/a
Ros. - OK

Parameter	Station	Date	Result	Anal. Limit
Barium	Bybee L.	6/11/2002	208	0.773
Benzene	Bybee L.	6/28/1994	< Limit	0.002
Benzidine	Bybee L.	6/28/1994	< Limit	0.19
Benzo(a)anthracene	Bybee L.	6/28/1994	0.046	-8
Benzo(a)anthracene	Bybee L.	8/8/1995	< Limit	0.055
Benzo(a)anthracene	Bybee L.	5/28/1997	< Limit	0.046
Benzo(a)anthracene	Bybee L.	6/15/1998	0.0505	0.0067
Benzo(a)anthracene	Bybee L.	6/15/1999	< Limit	0.191
Benzo(a)anthracene	Bybee L.	6/20/2000	0.0835	0.0668
Benzo(a)anthracene	Bybee L.	6/21/2001	< Limit	0.0741
Benzo(a)anthracene	Bybee L.	6/11/2002	0.0459	0.0305
Benzo(a)pyrene	Bybee L.	6/28/1994	0.06	-8
Benzo(a)pyrene	Bybee L.	8/8/1995	< Limit	0.029
Benzo(a)pyrene	Bybee L.	5/28/1997	0.047	0.046
Benzo(a)pyrene	Bybee L.	6/15/1998	0.0714	0.0067
Benzo(a)pyrene	Bybee L.	6/15/1999	< Limit	0.191
Benzo(a)pyrene	Bybee L.	6/20/2000	0.127	0.0668
Benzo(a)pyrene	Bybee L.	6/21/2001	0.118	0.0741
Benzo(a)pyrene	Bybee L.	6/11/2002	0.0755	0.0305
Benzo(b)fluoranthene	Bybee L.	6/28/1994	0.056	-8
Benzo(b)fluoranthene	Bybee L.	8/8/1995	< Limit	0.055
Benzo(b)fluoranthene	Bybee L.	5/28/1997	< Limit	0.046
Benzo(b)fluoranthene	Bybee L.	6/15/1998	0.0605	0.0067
Benzo(b)fluoranthene	Bybee L.	6/15/1999	< Limit	0.191
Benzo(b)fluoranthene	Bybee L.	6/20/2000	0.11	0.0668
Benzo(b)fluoranthene	Bybee L.	6/21/2001	0.112	0.0741
Benzo(b)fluoranthene	Bybee L.	6/11/2002	0.0696	0.0305
Benzo(g,h,i)perylene	Bybee L.	6/28/1994	0.035	-8
Benzo(g,h,i)perylene	Bybee L.	8/8/1995	< Limit	0.055
Benzo(g,h,i)perylene	Bybee L.	5/28/1997	< Limit	0.092
Benzo(g,h,i)perylene	Bybee L.	6/15/1998	0.0685	0.0067
Benzo(g,h,i)perylene	Bybee L.	6/15/1999	< Limit	0.191
Benzo(g,h,i)perylene	Bybee L.	6/20/2000	0.132	0.0668
Benzo(g,h,i)perylene	Bybee L.	6/21/2001	0.0892	0.0741
Benzo(g,h,i)perylene	Bybee L.	6/11/2002	0.0958	0.0305
Benzo(k)fluoranthene	Bybee L.	6/28/1994	0.058	-8
Benzo(k)fluoranthene	Bybee L.	8/8/1995	< Limit	0.029
Benzo(k)fluoranthene	Bybee L.	5/28/1997	< Limit	0.046
Benzo(k)fluoranthene	Bybee L.	6/15/1998	0.0414	0.0067
Benzo(k)fluoranthene	Bybee L.	6/15/1999	< Limit	0.191
Benzo(k)fluoranthene	Bybee L.	6/20/2000	0.0828	0.0668
Benzo(k)fluoranthene	Bybee L.	6/21/2001	0.14	0.0741
Benzo(k)fluoranthene	Bybee L.	6/11/2002	0.0528	0.0305
Benzoic acid	Bybee L.	6/28/1994	< Limit	0.19
Benzyl alcohol	Bybee L.	6/28/1994	< Limit	0.096
Beryllium	Bybee L.	6/28/1994	0.6	-8
Beryllium	Bybee L.	6/15/1998	< Limit	0.5
Beryllium	Bybee L.	6/15/1999	< Limit	1.43
Beryllium	Bybee L.	6/20/2000	< Limit	1.25
Beryllium	Bybee L.	6/21/2001	< Limit	1.38
Beryllium	Bybee L.	6/11/2002	0.819	0.773
BHC-alpha	Bybee L.	6/28/1994	< Limit	0.000077
BHC-alpha	Bybee L.	8/8/1995	< Limit	0.016
BHC-alpha	Bybee L.	9/5/1996	< Limit	0.0052
BHC-alpha	Bybee L.	5/28/1997	< Limit	0.0014
BHC-alpha	Bybee L.	6/15/1998	< Limit	0.0015
BHC-alpha	Bybee L.	6/15/1999	< Limit	0.0383
BHC-alpha	Bybee L.	6/20/2000	< Limit	0.0334
BHC-alpha	Bybee L.	6/21/2001	< Limit	0.0926
BHC-alpha	Bybee L.	6/11/2002	< Limit	0.0152
BHC-beta	Bybee L.	6/28/1994	< Limit	0.000077
BHC-beta	Bybee L.	8/8/1995	< Limit	0.025
BHC-beta	Bybee L.	9/5/1996	< Limit	0.0078
BHC-beta	Bybee L.	5/28/1997	< Limit	0.0021
BHC-beta	Bybee L.	6/15/1998	< Limit	0.0015
BHC-beta	Bybee L.	6/15/1999	< Limit	0.0383
BHC-beta	Bybee L.	6/20/2000	< Limit	0.0334
BHC-beta	Bybee L.	6/21/2001	< Limit	0.0926
BHC-beta	Bybee L.	6/11/2002	< Limit	0.0152
BHC-delta	Bybee L.	6/28/1994	< Limit	0.00032

Eco - FW - TEL = 31.7

Parameter	Station	Date	Result	Anal. Limit
BHC-delta	Bybee L.	8/8/1995	< Limit	0.029
BHC-delta	Bybee L.	9/5/1996	< Limit	0.0091
BHC-delta	Bybee L.	5/28/1997	< Limit	0.0024
BHC-delta	Bybee L.	6/15/1998	< Limit	0.0015
BHC-delta	Bybee L.	6/15/1999	< Limit	0.0383
BHC-delta	Bybee L.	6/20/2000	< Limit	0.0334
BHC-delta	Bybee L.	6/21/2001	< Limit	0.0926
BHC-delta	Bybee L.	6/11/2002	< Limit	0.0152
BHC-gamma (Lindane)	Bybee L.	6/28/1994	< Limit	0.000077
BHC-gamma (Lindane)	Bybee L.	8/8/1995	< Limit	0.016
BHC-gamma (Lindane)	Bybee L.	9/5/1996	< Limit	0.0052
BHC-gamma (Lindane)	Bybee L.	5/28/1997	< Limit	0.0014
BHC-gamma (Lindane)	Bybee L.	6/15/1998	< Limit	0.0015
BHC-gamma (Lindane)	Bybee L.	6/15/1999	< Limit	0.0383
BHC-gamma (Lindane)	Bybee L.	6/20/2000	< Limit	0.0334
BHC-gamma (Lindane)	Bybee L.	6/21/2001	< Limit	0.0926
BHC-gamma (Lindane)	Bybee L.	6/11/2002	< Limit	0.0152
bis-(2-chloroethoxy)methane	Bybee L.	6/28/1994	< Limit	0.019
bis-(2-chloroethyl)ether	Bybee L.	6/28/1994	< Limit	0.019
bis-(2-ethylhexyl)phthalate	Bybee L.	6/28/1994	0.027	-8
Bromodichloromethane	Bybee L.	6/28/1994	< Limit	0.002
Bromoform	Bybee L.	6/28/1994	< Limit	0.002
Bromomethane	Bybee L.	6/28/1994	< Limit	0.0039
Butylbenzylphthalate	Bybee L.	6/28/1994	< Limit	0.019
Cadmium	Bybee L.	6/28/1994	1.8	-8
Cadmium	Bybee L.	8/8/1995	1.49	0.45
Cadmium	Bybee L.	9/5/1996	1.83	0.43
Cadmium	Bybee L.	6/15/1998	2.04	0.5
Cadmium	Bybee L.	6/15/1999	< Limit	1.43
Cadmium	Bybee L.	6/20/2000	< Limit	1.25
Cadmium	Bybee L.	6/21/2001	1.57	1.38
Cadmium	Bybee L.	6/11/2002	0.966	0.773
Carbazole	Bybee L.	6/28/1994	< Limit	0.019
Carbon disulfide	Bybee L.	6/28/1994	< Limit	0.002
Carbon tetrachloride	Bybee L.	6/28/1994	< Limit	0.002
Chlordane	Bybee L.	8/8/1995	< Limit	0.27
Chlordane	Bybee L.	9/5/1996	< Limit	0.086
Chlordane	Bybee L.	5/28/1997	< Limit	0.023
Chlorobenzene	Bybee L.	6/28/1994	< Limit	0.002
Chloroethane	Bybee L.	6/28/1994	< Limit	0.0039
Chloroform	Bybee L.	6/28/1994	< Limit	0.002
Chloromethane	Bybee L.	6/28/1994	< Limit	0.0039
Chromium	Bybee L.	6/28/1994	31	-8
Chromium	Bybee L.	8/8/1995	32.4	1.35
Chromium	Bybee L.	9/5/1996	29.4	1.3
Chromium	Bybee L.	5/28/1997	29	1.7
Chromium	Bybee L.	6/15/1998	33.7	0.5
Chromium	Bybee L.	6/15/1999	27.7	1.43
Chromium	Bybee L.	6/20/2000	36.2	1.25
Chromium	Bybee L.	6/21/2001	41.5	1.38
Chromium	Bybee L.	6/11/2002	37.5	0.773
Chromium - SEM	Bybee L.	6/15/1998	5.39	0.25
Chromium - SEM	Bybee L.	6/15/1999	8.16	0.786
Chromium - SEM	Bybee L.	6/20/2000	10.7	0.59
Chromium - SEM	Bybee L.	6/21/2001	21.7	11.6
Chromium - SEM	Bybee L.	6/11/2002	12	0.666
Chrysene	Bybee L.	6/28/1994	0.053	-8
Chrysene	Bybee L.	8/8/1995	< Limit	0.083
Chrysene	Bybee L.	5/28/1997	< Limit	0.046
Chrysene	Bybee L.	6/15/1998	0.0748	0.0067
Chrysene	Bybee L.	6/15/1999	< Limit	0.191
Chrysene	Bybee L.	6/20/2000	0.0944	0.0668
Chrysene	Bybee L.	6/21/2001	0.0966	0.0741
Chrysene	Bybee L.	6/11/2002	0.0607	0.0305
ciBybee L.,2,-dichloroethene	Bybee L.	6/28/1994	< Limit	0.002
ciBybee L.,3-dichloropropene	Bybee L.	6/28/1994	< Limit	0.002
Cobalt	Bybee L.	6/15/1998	15.2	1.25
Cobalt	Bybee L.	6/15/1999	11.9	2.86
Cobalt	Bybee L.	6/20/2000	15.7	2.49
Cobalt	Bybee L.	6/21/2001	19.2	2.77

Parameter	Station	Date	Result	Anal. Limit
Cobalt	Bybee L.	6/11/2002	15.7	0.773
Cobalt - SEM	Bybee L.	6/15/1998	4.96	0.25
Cobalt - SEM	Bybee L.	6/15/1999	7.71	0.786
Cobalt - SEM	Bybee L.	6/20/2000	7	0.59
Cobalt - SEM	Bybee L.	6/21/2001	< Limit	11.6
Cobalt - SEM	Bybee L.	6/11/2002	8.98	0.666
Copper	Bybee L.	6/28/1994	35	-8
Copper	Bybee L.	8/8/1995	40.5	0.45
Copper	Bybee L.	9/5/1996	39.7	0.43
Copper	Bybee L.	5/28/1997	36	0.55
Copper	Bybee L.	6/15/1998	39.9	1
Copper	Bybee L.	6/15/1999	37.7	2.86
Copper	Bybee L.	6/20/2000	47.2	2.49
Copper	Bybee L.	6/21/2001	61.1	2.77
Copper	Bybee L.	6/11/2002	47.2	3.09
Cyanide (total)	Bybee L.	6/28/1994	0.26	-8
Dalapon	Bybee L.	8/8/1995	< Limit	0.79
Dalapon	Bybee L.	5/28/1997	< Limit	0.078
Dalapon	Bybee L.	6/15/1998	< Limit	0.005
Dalapon	Bybee L.	6/15/1999	< Limit	0.133
Dalapon	Bybee L.	6/20/2000	< Limit	0.119
Dalapon	Bybee L.	6/21/2001	< Limit	0.277
Dalapon	Bybee L.	6/11/2002	< Limit	0.24
Dibenzo(a,h)anthracene	Bybee L.	6/28/1994	< Limit	0.019
Dibenzo(a,h)anthracene	Bybee L.	8/8/1995	< Limit	0.029
Dibenzo(a,h)anthracene	Bybee L.	5/28/1997	< Limit	0.092
Dibenzo(a,h)anthracene	Bybee L.	6/15/1998	0.013	0.0067
Dibenzo(a,h)anthracene	Bybee L.	6/15/1999	< Limit	0.191
Dibenzo(a,h)anthracene	Bybee L.	6/20/2000	< Limit	0.0668
Dibenzo(a,h)anthracene	Bybee L.	6/21/2001	< Limit	0.0741
Dibenzo(a,h)anthracene	Bybee L.	6/11/2002	< Limit	0.0305
Dibenzofuran	Bybee L.	6/28/1994	< Limit	0.019
Dibromochloromethane	Bybee L.	6/28/1994	< Limit	0.002
Dicamba	Bybee L.	8/8/1995	< Limit	0.16
Dicamba	Bybee L.	5/28/1997	< Limit	0.016
Dicamba	Bybee L.	6/15/1998	< Limit	0.005
Dicamba	Bybee L.	6/15/1999	< Limit	0.053
Dicamba	Bybee L.	6/20/2000	< Limit	0.0478
Dicamba	Bybee L.	6/21/2001	< Limit	0.138
Dicamba	Bybee L.	6/11/2002	< Limit	0.12
Dichloropropane	Bybee L.	8/8/1995	< Limit	0.16
Dichloropropane	Bybee L.	5/28/1997	< Limit	0.016
Dichloropropane	Bybee L.	6/15/1998	< Limit	0.015
Dichloropropane	Bybee L.	6/15/1999	< Limit	0.0265
Dichloropropane	Bybee L.	6/20/2000	< Limit	0.0239
Dichloropropane	Bybee L.	6/21/2001	< Limit	0.138
Dichloropropane	Bybee L.	6/11/2002	< Limit	0.12
Dieldrin	Bybee L.	6/28/1994	< Limit	0.00015
Dieldrin	Bybee L.	8/8/1995	< Limit	0.025
Dieldrin	Bybee L.	9/5/1996	< Limit	0.0078
Dieldrin	Bybee L.	5/28/1997	< Limit	0.0021
Dieldrin	Bybee L.	6/15/1998	< Limit	0.0015
Dieldrin	Bybee L.	6/15/1999	< Limit	0.0383
Dieldrin	Bybee L.	6/20/2000	< Limit	0.0334
Dieldrin	Bybee L.	6/21/2001	< Limit	0.0926
Dieldrin	Bybee L.	6/11/2002	< Limit	0.0152
Diethylphthalate	Bybee L.	6/28/1994	< Limit	0.019
Dimethylphthalate	Bybee L.	6/28/1994	< Limit	0.019
Di-n-butylphthalate	Bybee L.	6/28/1994	< Limit	0.019
Di-n-octyl phthalate	Bybee L.	6/28/1994	< Limit	0.019
Dinoseb	Bybee L.	8/8/1995	< Limit	0.16
Dinoseb	Bybee L.	5/28/1997	< Limit	0.016
Dinoseb	Bybee L.	6/15/1998	< Limit	0.01
Dinoseb	Bybee L.	6/15/1999	< Limit	0.0265
Dinoseb	Bybee L.	6/20/2000	< Limit	0.0239
Dinoseb	Bybee L.	6/21/2001	< Limit	0.138
Dinoseb	Bybee L.	6/11/2002	< Limit	0.12
Endosulfan I	Bybee L.	6/28/1994	< Limit	0.000077
Endosulfan I	Bybee L.	8/8/1995	< Limit	0.025
Endosulfan I	Bybee L.	9/5/1996	< Limit	0.0078

Parameter	Station	Date	Result	Anal. Limit
Endosulfan I	Bybee L.	5/28/1997	< Limit	0.0021
Endosulfan I	Bybee L.	6/15/1998	< Limit	0.0015
Endosulfan I	Bybee L.	6/15/1999	< Limit	0.0383
Endosulfan I	Bybee L.	6/20/2000	< Limit	0.0334
Endosulfan I	Bybee L.	6/21/2001	< Limit	0.0926
Endosulfan I	Bybee L.	6/11/2002	< Limit	0.0152
Endosulfan II	Bybee L.	6/28/1994	< Limit	0.00019
Endosulfan II	Bybee L.	8/8/1995	< Limit	0.016
Endosulfan II	Bybee L.	9/5/1996	< Limit	0.0052
Endosulfan II	Bybee L.	5/28/1997	< Limit	0.0014
Endosulfan II	Bybee L.	6/15/1998	< Limit	0.0015
Endosulfan II	Bybee L.	6/15/1999	< Limit	0.0383
Endosulfan II	Bybee L.	6/20/2000	< Limit	0.0334
Endosulfan II	Bybee L.	6/21/2001	< Limit	0.0926
Endosulfan II	Bybee L.	6/11/2002	< Limit	0.0152
Endosulfan sulfate	Bybee L.	6/28/1994	< Limit	0.00015
Endosulfan sulfate	Bybee L.	8/8/1995	< Limit	0.045
Endosulfan sulfate	Bybee L.	9/5/1996	< Limit	0.014
Endosulfan sulfate	Bybee L.	5/28/1997	< Limit	0.0038
Endosulfan sulfate	Bybee L.	6/15/1998	< Limit	0.0015
Endosulfan sulfate	Bybee L.	6/15/1999	< Limit	0.0383
Endosulfan sulfate	Bybee L.	6/20/2000	< Limit	0.0334
Endosulfan sulfate	Bybee L.	6/21/2001	< Limit	0.0926
Endosulfan sulfate	Bybee L.	6/11/2002	< Limit	0.0152
Endrin	Bybee L.	6/28/1994	< Limit	0.00015
Endrin	Bybee L.	8/8/1995	< Limit	0.029
Endrin	Bybee L.	9/5/1996	< Limit	0.0091
Endrin	Bybee L.	5/28/1997	< Limit	0.0024
Endrin	Bybee L.	6/15/1998	< Limit	0.0015
Endrin	Bybee L.	6/15/1999	< Limit	0.0383
Endrin	Bybee L.	6/20/2000	< Limit	0.0334
Endrin	Bybee L.	6/21/2001	< Limit	0.0926
Endrin	Bybee L.	6/11/2002	< Limit	0.0152
Endrin aldehyde	Bybee L.	6/28/1994	< Limit	0.00015
Endrin aldehyde	Bybee L.	8/8/1995	< Limit	0.058
Endrin aldehyde	Bybee L.	9/5/1996	< Limit	0.018
Endrin aldehyde	Bybee L.	5/28/1997	< Limit	0.0048
Endrin aldehyde	Bybee L.	6/15/1998	< Limit	0.0015
Endrin aldehyde	Bybee L.	6/15/1999	< Limit	0.0383
Endrin aldehyde	Bybee L.	6/20/2000	< Limit	0.0334
Endrin aldehyde	Bybee L.	6/21/2001	< Limit	0.0926
Endrin aldehyde	Bybee L.	6/11/2002	< Limit	0.0152
Endrin ketone	Bybee L.	6/28/1994	< Limit	0.00015
Endrin ketone	Bybee L.	6/15/1998	< Limit	0.0015
Endrin ketone	Bybee L.	6/15/1999	< Limit	0.0383
Endrin ketone	Bybee L.	6/20/2000	< Limit	0.0334
Endrin ketone	Bybee L.	6/11/2002	< Limit	0.0152
Ethyl benzene	Bybee L.	6/28/1994	< Limit	0.002
Fluoranthene	Bybee L.	6/28/1994	0.062	-8
Fluoranthene	Bybee L.	8/8/1995	< Limit	0.14
Fluoranthene	Bybee L.	5/28/1997	< Limit	0.046
Fluoranthene	Bybee L.	6/15/1998	0.119	0.0067
Fluoranthene	Bybee L.	6/15/1999	< Limit	0.191
Fluoranthene	Bybee L.	6/20/2000	0.133	0.0668
Fluoranthene	Bybee L.	6/21/2001	0.116	0.0741
Fluoranthene	Bybee L.	6/11/2002	0.0749	0.0305
Fluorene	Bybee L.	6/28/1994	< Limit	0.019
Fluorene	Bybee L.	5/28/1997	< Limit	0.046
Fluorene	Bybee L.	6/15/1998	< Limit	0.0067
Fluorene	Bybee L.	6/15/1999	< Limit	0.191
Fluorene	Bybee L.	6/20/2000	< Limit	0.0668
Fluorene	Bybee L.	6/21/2001	< Limit	0.0741
Fluorene	Bybee L.	6/11/2002	< Limit	0.0305
Gamma-chlordane	Bybee L.	6/28/1994	< Limit	0.00015
Gamma-chlordane	Bybee L.	6/15/1998	< Limit	0.0015
Gamma-chlordane	Bybee L.	6/15/1999	< Limit	0.0383
Gamma-chlordane	Bybee L.	6/20/2000	< Limit	0.0334
Gamma-chlordane	Bybee L.	6/11/2002	< Limit	0.0152
Heptachlor	Bybee L.	6/28/1994	< Limit	0.000077
Heptachlor	Bybee L.	8/8/1995	< Limit	0.012

Parameter	Station	Date	Result	Anal. Limit
Heptachlor	Bybee L.	9/5/1996	< Limit	0.0039
Heptachlor	Bybee L.	5/28/1997	< Limit	0.001
Heptachlor	Bybee L.	6/15/1998	< Limit	0.0015
Heptachlor	Bybee L.	6/15/1999	< Limit	0.0383
Heptachlor	Bybee L.	6/20/2000	< Limit	0.0334
Heptachlor	Bybee L.	6/21/2001	< Limit	0.0926
Heptachlor	Bybee L.	6/11/2002	< Limit	0.0152
Heptachlor epoxide	Bybee L.	6/28/1994	< Limit	0.000077
Heptachlor epoxide	Bybee L.	8/8/1995	< Limit	0.016
Heptachlor epoxide	Bybee L.	9/5/1996	< Limit	0.0052
Heptachlor epoxide	Bybee L.	5/28/1997	< Limit	0.0014
Heptachlor epoxide	Bybee L.	6/15/1998	< Limit	0.0015
Heptachlor epoxide	Bybee L.	6/15/1999	< Limit	0.0383
Heptachlor epoxide	Bybee L.	6/20/2000	< Limit	0.0334
Heptachlor epoxide	Bybee L.	6/21/2001	< Limit	0.0926
Heptachlor epoxide	Bybee L.	6/11/2002	< Limit	0.0152
Hexachlorobenzene	Bybee L.	6/28/1994	< Limit	0.019
Hexachlorobenzene	Bybee L.	6/15/1999	< Limit	0.0383
Hexachlorobutadiene-SVOC	Bybee L.	6/28/1994	< Limit	0.039
Hexachlorocyclopentadiene	Bybee L.	6/28/1994	< Limit	0.096
Hexachloroethane	Bybee L.	6/28/1994	< Limit	0.039
Indeno(1,2,3-cd)pyrene	Bybee L.	6/28/1994	0.047	-8
Indeno(1,2,3-cd)pyrene	Bybee L.	8/8/1995	< Limit	0.055
Indeno(1,2,3-cd)pyrene	Bybee L.	5/28/1997	< Limit	0.092
Indeno(1,2,3-cd)pyrene	Bybee L.	6/15/1998	0.0653	0.0067
Indeno(1,2,3-cd)pyrene	Bybee L.	6/15/1999	< Limit	0.191
Indeno(1,2,3-cd)pyrene	Bybee L.	6/20/2000	0.101	0.0668
Indeno(1,2,3-cd)pyrene	Bybee L.	6/21/2001	< Limit	0.0741
Indeno(1,2,3-cd)pyrene	Bybee L.	6/11/2002	0.0712	0.0305
Isophorone	Bybee L.	6/28/1994	< Limit	0.019
Lead	Bybee L.	6/28/1994	37	-8
Lead	Bybee L.	8/8/1995	30	0.23
Lead	Bybee L.	9/5/1996	34	0.22
Lead	Bybee L.	5/28/1997	39	0.28
Lead	Bybee L.	6/15/1998	38.9	10
Lead	Bybee L.	6/15/1999	34.1	1.43
Lead	Bybee L.	6/20/2000	42.9	1.25
Lead	Bybee L.	6/21/2001	52.9	1.38
Lead	Bybee L.	6/11/2002	43.6	0.773
Lead - SEM	Bybee L.	6/15/1998	30.3	0.25
Lead - SEM	Bybee L.	6/15/1999	33.7	0.786
Lead - SEM	Bybee L.	6/20/2000	28.7	0.59
Lead - SEM	Bybee L.	6/21/2001	39.9	11.6
Lead - SEM	Bybee L.	6/11/2002	33.7	0.666
MCPA	Bybee L.	8/8/1995	< Limit	240
MCPA	Bybee L.	5/28/1997	< Limit	23
MCPA	Bybee L.	6/15/1998	< Limit	0.75
MCPA	Bybee L.	6/15/1999	< Limit	2.65
MCPA	Bybee L.	6/20/2000	< Limit	2.39
MCPA	Bybee L.	6/21/2001	< Limit	13.8
MCPA	Bybee L.	6/11/2002	< Limit	12
MCPP	Bybee L.	8/8/1995	< Limit	240
MCPP	Bybee L.	5/28/1997	< Limit	23
MCPP	Bybee L.	6/15/1998	< Limit	0.75
MCPP	Bybee L.	6/15/1999	< Limit	2.65
MCPP	Bybee L.	6/20/2000	< Limit	2.39
MCPP	Bybee L.	6/21/2001	< Limit	13.8
MCPP	Bybee L.	6/11/2002	< Limit	12
Mercury	Bybee L.	6/28/1994	0.02	-8
Mercury	Bybee L.	8/8/1995	0.097	0.045
Mercury	Bybee L.	9/5/1996	0.086	4.3
Mercury	Bybee L.	5/28/1997	0.12	0.06
Mercury	Bybee L.	6/15/1998	0.187	0.05
Mercury	Bybee L.	6/15/1999	0.209	0.143
Mercury	Bybee L.	6/20/2000	< Limit	0.249
Mercury	Bybee L.	6/21/2001	< Limit	0.277
Mercury	Bybee L.	6/11/2002	< Limit	0.199
Methoxychlor	Bybee L.	6/28/1994	< Limit	0.00077
Methoxychlor	Bybee L.	8/8/1995	< Limit	0.11
Methoxychlor	Bybee L.	9/5/1996	< Limit	0.034

Parameter	Station	Date	Result	Anal. Limit
Methoxychlor	Bybee L.	5/28/1997	< Limit	0.009
Methoxychlor	Bybee L.	6/15/1998	< Limit	0.0015
Methoxychlor	Bybee L.	6/15/1999	< Limit	0.0383
Methoxychlor	Bybee L.	6/20/2000	< Limit	0.0334
Methoxychlor	Bybee L.	6/21/2001	< Limit	0.0926
Methoxychlor	Bybee L.	6/11/2002	< Limit	0.0152
Methylene chloride	Bybee L.	6/28/1994	< Limit	0.0039
Naphthalene-SVOC	Bybee L.	6/28/1994	< Limit	0.019
Naphthalene-SVOC	Bybee L.	8/8/1995	< Limit	0.55
Naphthalene-SVOC	Bybee L.	5/28/1997	< Limit	0.046
Naphthalene-SVOC	Bybee L.	6/15/1998	< Limit	0.0067
Naphthalene-SVOC	Bybee L.	6/15/1999	< Limit	0.191
Naphthalene-SVOC	Bybee L.	6/20/2000	< Limit	0.0668
Naphthalene-SVOC	Bybee L.	6/21/2001	< Limit	0.0741
Naphthalene-SVOC	Bybee L.	6/11/2002	< Limit	0.0305
Nickel	Bybee L.	6/28/1994	24	-8
Nickel	Bybee L.	6/15/1998	25.2	1.25
Nickel	Bybee L.	6/15/1999	20.4	2.86
Nickel	Bybee L.	6/20/2000	28.6	2.49
Nickel	Bybee L.	6/21/2001	33	2.77
Nickel	Bybee L.	6/11/2002	28.1	1.55
Nitrobenzene	Bybee L.	6/28/1994	< Limit	0.019
N-nitroso-di-n-propylamine	Bybee L.	6/28/1994	< Limit	0.019
N-nitrosodiphenylamine	Bybee L.	6/28/1994	< Limit	0.019
p,p-DDD	Bybee L.	6/28/1994	0.00074	-8
p,p-DDD	Bybee L.	8/8/1995	< Limit	0.029
p,p-DDD	Bybee L.	9/5/1996	< Limit	0.00913
p,p-DDD	Bybee L.	5/28/1997	0.0032	0.0024
p,p-DDD	Bybee L.	6/15/1998	< Limit	0.0015
p,p-DDD	Bybee L.	6/15/1999	< Limit	0.0383
p,p-DDD	Bybee L.	6/20/2000	< Limit	0.0334
p,p-DDD	Bybee L.	6/21/2001	< Limit	0.0926
p,p-DDE	Bybee L.	6/28/1994	0.0015	-8
p,p-DDE	Bybee L.	8/8/1995	< Limit	0.025
p,p-DDE	Bybee L.	9/5/1996	0.0103	0.0078
p,p-DDE	Bybee L.	5/28/1997	0.007	0.0021
p,p-DDE	Bybee L.	6/15/1998	< Limit	0.0015
p,p-DDE	Bybee L.	6/15/1999	< Limit	0.0383
p,p-DDE	Bybee L.	6/20/2000	< Limit	0.0334
p,p-DDE	Bybee L.	6/21/2001	< Limit	0.0926
p,p-DDT	Bybee L.	6/28/1994	0.00024	-8
p,p-DDT	Bybee L.	8/8/1995	< Limit	0.058
p,p-DDT	Bybee L.	9/5/1996	< Limit	0.018
p,p-DDT	Bybee L.	5/28/1997	< Limit	0.0048
p,p-DDT	Bybee L.	6/15/1998	< Limit	0.0015
p,p-DDT	Bybee L.	6/15/1999	< Limit	0.0383
p,p-DDT	Bybee L.	6/20/2000	< Limit	0.0334
p,p-DDT	Bybee L.	6/21/2001	< Limit	0.0926
PCB Arochlor-1016	Bybee L.	8/8/1995	< Limit	0.27
PCB Arochlor-1016	Bybee L.	9/5/1996	< Limit	0.086
PCB Arochlor-1016	Bybee L.	5/28/1997	< Limit	0.023
PCB Arochlor-1016	Bybee L.	6/15/1998	< Limit	0.015
PCB Arochlor-1016	Bybee L.	6/15/1999	< Limit	0.191
PCB Arochlor-1016	Bybee L.	6/20/2000	< Limit	0.167
PCB Arochlor-1016	Bybee L.	6/21/2001	< Limit	0.185
PCB Arochlor-1016	Bybee L.	6/11/2002	< Limit	0.152
PCB Arochlor-1221	Bybee L.	6/28/1994	< Limit	0.0072
PCB Arochlor-1221	Bybee L.	8/8/1995	< Limit	1.1
PCB Arochlor-1221	Bybee L.	9/5/1996	< Limit	0.34
PCB Arochlor-1221	Bybee L.	5/28/1997	< Limit	0.09
PCB Arochlor-1221	Bybee L.	6/15/1998	< Limit	0.03
PCB Arochlor-1221	Bybee L.	6/15/1999	< Limit	0.383
PCB Arochlor-1221	Bybee L.	6/20/2000	< Limit	0.334
PCB Arochlor-1221	Bybee L.	6/21/2001	< Limit	0.371
PCB Arochlor-1221	Bybee L.	6/11/2002	< Limit	0.305
PCB Arochlor-1232	Bybee L.	6/28/1994	< Limit	0.0023
PCB Arochlor-1232	Bybee L.	8/8/1995	< Limit	0.27
PCB Arochlor-1232	Bybee L.	9/5/1996	< Limit	0.086
PCB Arochlor-1232	Bybee L.	5/28/1997	< Limit	0.023
PCB Arochlor-1232	Bybee L.	6/15/1998	< Limit	0.015

Parameter	Station	Date	Result	Anal. Limit
PCB Arochlor-1232	Bybee L.	6/15/1999	< Limit	0.191
PCB Arochlor-1232	Bybee L.	6/20/2000	< Limit	0.167
PCB Arochlor-1232	Bybee L.	6/21/2001	< Limit	0.185
PCB Arochlor-1232	Bybee L.	6/11/2002	< Limit	0.152
PCB Arochlor-1242	Bybee L.	8/8/1995	< Limit	0.27
PCB Arochlor-1242	Bybee L.	9/5/1996	< Limit	0.086
PCB Arochlor-1242	Bybee L.	5/28/1997	< Limit	0.023
PCB Arochlor-1242	Bybee L.	6/15/1998	< Limit	0.015
PCB Arochlor-1242	Bybee L.	6/15/1999	< Limit	0.191
PCB Arochlor-1242	Bybee L.	6/20/2000	< Limit	0.167
PCB Arochlor-1242	Bybee L.	6/21/2001	< Limit	0.185
PCB Arochlor-1242	Bybee L.	6/11/2002	< Limit	0.152
PCB Arochlor-1248	Bybee L.	6/28/1994	0.0016	-8
PCB Arochlor-1248	Bybee L.	8/8/1995	< Limit	0.27
PCB Arochlor-1248	Bybee L.	9/5/1996	< Limit	0.086
PCB Arochlor-1248	Bybee L.	5/28/1997	< Limit	0.023
PCB Arochlor-1248	Bybee L.	6/15/1998	< Limit	0.015
PCB Arochlor-1248	Bybee L.	6/15/1999	< Limit	0.191
PCB Arochlor-1248	Bybee L.	6/20/2000	< Limit	0.167
PCB Arochlor-1248	Bybee L.	6/21/2001	< Limit	0.185
PCB Arochlor-1248	Bybee L.	6/11/2002	< Limit	0.152
PCB Arochlor-1254	Bybee L.	6/28/1994	0.0038	-8
PCB Arochlor-1254	Bybee L.	8/8/1995	< Limit	0.27
PCB Arochlor-1254	Bybee L.	9/5/1996	< Limit	0.086
PCB Arochlor-1254	Bybee L.	5/28/1997	< Limit	0.023
PCB Arochlor-1254	Bybee L.	6/15/1998	< Limit	0.015
PCB Arochlor-1254	Bybee L.	6/15/1999	< Limit	0.191
PCB Arochlor-1254	Bybee L.	6/20/2000	< Limit	0.167
PCB Arochlor-1254	Bybee L.	6/21/2001	< Limit	0.185
PCB Arochlor-1254	Bybee L.	6/11/2002	< Limit	0.152
PCB Arochlor-1260	Bybee L.	6/28/1994	0.0024	-8
PCB Arochlor-1260	Bybee L.	8/8/1995	< Limit	0.27
PCB Arochlor-1260	Bybee L.	9/5/1996	< Limit	0.086
PCB Arochlor-1260	Bybee L.	5/28/1997	< Limit	0.023
PCB Arochlor-1260	Bybee L.	6/15/1998	< Limit	0.015
PCB Arochlor-1260	Bybee L.	6/15/1999	< Limit	0.191
PCB Arochlor-1260	Bybee L.	6/20/2000	< Limit	0.167
PCB Arochlor-1260	Bybee L.	6/21/2001	< Limit	0.185
PCB Arochlor-1260	Bybee L.	6/11/2002	< Limit	0.152
PCB Arochlor-Bybee L.016+1242	Bybee L.	6/28/1994	< Limit	0.0023
Pentachlorophenol	Bybee L.	6/28/1994	< Limit	0.096
Pentachlorophenol	Bybee L.	6/11/2002	< Limit	0.12
Phenanthrene	Bybee L.	6/28/1994	0.032	-8
Phenanthrene	Bybee L.	8/8/1995	< Limit	0.055
Phenanthrene	Bybee L.	5/28/1997	< Limit	0.046
Phenanthrene	Bybee L.	6/15/1998	0.0298	0.0067
Phenanthrene	Bybee L.	6/15/1999	< Limit	0.191
Phenanthrene	Bybee L.	6/20/2000	< Limit	0.0668
Phenanthrene	Bybee L.	6/21/2001	< Limit	0.0741
Phenanthrene	Bybee L.	6/11/2002	< Limit	0.0305
Phenol	Bybee L.	6/28/1994	< Limit	0.039
Pyrene	Bybee L.	6/28/1994	0.086	-8
Pyrene	Bybee L.	8/8/1995	< Limit	0.12
Pyrene	Bybee L.	5/28/1997	0.067	0.046
Pyrene	Bybee L.	6/15/1998	0.107	0.0067
Pyrene	Bybee L.	6/15/1999	< Limit	0.191
Pyrene	Bybee L.	6/20/2000	0.144	0.0668
Pyrene	Bybee L.	6/21/2001	0.156	0.0741
Pyrene	Bybee L.	6/11/2002	0.0895	0.0305
Selenium	Bybee L.	6/28/1994	< Limit	0.4
Selenium	Bybee L.	5/28/1997	1.4	0.28
Selenium	Bybee L.	6/15/1998	< Limit	0.5
Selenium	Bybee L.	6/15/1999	< Limit	1.43
Selenium	Bybee L.	6/20/2000	< Limit	1.25
Selenium	Bybee L.	6/21/2001	1.6	1.38
Selenium	Bybee L.	6/21/2001	< Limit	11.6
Selenium	Bybee L.	6/11/2002	< Limit	0.773
Silver	Bybee L.	6/28/1994	0.18	-8
Silver	Bybee L.	6/15/1998	< Limit	1
Silver	Bybee L.	6/15/1999	< Limit	1.43

Parameter	Station	Date	Result	Anal. Limit
Silver	Bybee L.	6/20/2000	< Limit	1.25
Silver	Bybee L.	6/21/2001	< Limit	1.38
Silver	Bybee L.	6/11/2002	< Limit	0.773
Silver - SEM	Bybee L.	6/15/1998	< Limit	0.25
Silver - SEM	Bybee L.	6/15/1999	< Limit	0.786
Silver - SEM	Bybee L.	6/20/2000	< Limit	0.59
Silver - SEM	Bybee L.	6/21/2001	< Limit	11.6
Silver - SEM	Bybee L.	6/11/2002	< Limit	0.666
Styrene	Bybee L.	6/28/1994	< Limit	0.002
Sulfide	Bybee L.	6/15/1998	8970	1
Sulfide	Bybee L.	6/15/1999	7630	2.86
Sulfide	Bybee L.	6/20/2000	818	118
Sulfide	Bybee L.	6/21/2001	133	13.4
Sulfide	Bybee L.	6/11/2002	0.666	0.0689
Technical-chlordane	Bybee L.	6/15/1998	< Limit	0.045
Technical-chlordane	Bybee L.	6/15/1999	< Limit	0.857
Technical-chlordane	Bybee L.	6/20/2000	< Limit	0.748
Technical-chlordane	Bybee L.	6/21/2001	< Limit	2.07
Technical-chlordane	Bybee L.	6/11/2002	< Limit	0.341
Tetrachloroethene	Bybee L.	6/28/1994	< Limit	0.002
Thallium	Bybee L.	6/28/1994	0.5	-8
Thallium	Bybee L.	6/15/1998	< Limit	0.5
Thallium	Bybee L.	6/15/1999	< Limit	1.43
Thallium	Bybee L.	6/20/2000	< Limit	1.25
Thallium	Bybee L.	6/21/2001	< Limit	1.38
Thallium	Bybee L.	6/11/2002	< Limit	0.773
Toluene	Bybee L.	6/28/1994	< Limit	0.002
Total organic carbon	Bybee L.	6/15/1998	13100	50
Total organic carbon	Bybee L.	6/15/1999	24000	1430
Total organic carbon	Bybee L.	6/20/2000	19600	717
Total organic carbon	Bybee L.	6/21/2001	22600	2770
Total organic carbon	Bybee L.	6/11/2002	24900	2400
Total organic carbon (%)	Bybee L.	6/28/1994	1.99	-8
Total organic carbon (%)	Bybee L.	8/8/1995	2.2	0.01
Total organic carbon (%)	Bybee L.	9/5/1996	1.6	0.01
Total organic carbon (%)	Bybee L.	5/28/1997	2.3	0.01
Total solids	Bybee L.	6/15/1998	343000	10
Total solids	Bybee L.	6/15/1999	350000	20
Total solids	Bybee L.	6/20/2000	401000	7.22
Total solids	Bybee L.	6/21/2001	366000	99.6
Total solids	Bybee L.	6/11/2002	440000	100
Total solids (%)	Bybee L.	6/28/1994	38.6	-8
Total solids (%)	Bybee L.	8/8/1995	37	0.1
Total solids (%)	Bybee L.	9/5/1996	35	0.1
Total solids (%)	Bybee L.	5/28/1997	36	0.1
Total solids (%)	Bybee L.	6/20/2000	40.1	1
Total solids (%)	Bybee L.	6/21/2001	36.2	1
Total solids (%)	Bybee L.	6/11/2002	44	1
Toxaphene	Bybee L.	6/28/1994	< Limit	0.0077
Toxaphene	Bybee L.	8/8/1995	< Limit	3.3
Toxaphene	Bybee L.	9/5/1996	< Limit	1.04
Toxaphene	Bybee L.	5/28/1997	< Limit	0.28
Toxaphene	Bybee L.	6/15/1998	< Limit	0.045
Toxaphene	Bybee L.	6/15/1999	< Limit	1.14
Toxaphene	Bybee L.	6/20/2000	< Limit	0.998
Toxaphene	Bybee L.	6/21/2001	< Limit	2.77
Toxaphene	Bybee L.	6/11/2002	< Limit	0.455
tranBybee L.,2-dichloroethene	Bybee L.	6/28/1994	< Limit	0.002
tranBybee L.,3-dichloropropene	Bybee L.	6/28/1994	< Limit	0.002
Tricamba	Bybee L.	8/8/1995	< Limit	0.16
Tricamba	Bybee L.	5/28/1997	< Limit	0.016
Trichloroethene	Bybee L.	6/28/1994	< Limit	0.002
Trichlorofluoromethane	Bybee L.	6/28/1994	< Limit	0.0039
Trichlorotrifluoroethane	Bybee L.	6/28/1994	< Limit	0.0039
Vanadium	Bybee L.	6/15/1998	75.8	1
Vanadium	Bybee L.	6/15/1999	61.4	7.14
Vanadium	Bybee L.	6/20/2000	89.8	6.23
Vanadium	Bybee L.	6/21/2001	105	6.91
Vanadium	Bybee L.	6/11/2002	91.7	0.773
Vinyl acetate	Bybee L.	6/28/1994	< Limit	0.0098

Parameter	Station	Date	Result	Anal. Limit
Vinyl chloride	Bybee L.	6/28/1994	< Limit	0.0039
Xylenes (total)	Bybee L.	6/28/1994	< Limit	0.0039
Zinc	Bybee L.	6/28/1994	170	-8
Zinc	Bybee L.	8/8/1995	159	0.45
Zinc	Bybee L.	9/5/1996	156	0.43
Zinc	Bybee L.	5/28/1997	180	0.55
Zinc	Bybee L.	6/15/1998	188	1
Zinc	Bybee L.	6/15/1999	156	7.14
Zinc	Bybee L.	6/20/2000	200	6.23
Zinc	Bybee L.	6/21/2001	256	6.91
Zinc	Bybee L.	6/11/2002	199	3.09
1,1,1-trichloroethane	E. N. Slough	6/28/1994	< Limit	0.0018
1,1,2,2-tetrachloroethane	E. N. Slough	6/28/1994	< Limit	0.0018
1,1,2-trichloroethane	E. N. Slough	6/28/1994	< Limit	0.0018
1,1-dichloroethane	E. N. Slough	6/28/1994	< Limit	0.0018
1,1-dichloroethene	E. N. Slough	6/28/1994	< Limit	0.0018
1,2,4-Trichlorobenzene-SVOC	E. N. Slough	6/28/1994	< Limit	0.018
1,2-Dichlorobenzene-SVOC	E. N. Slough	6/28/1994	< Limit	0.018
1,2-dichloroethane	E. N. Slough	6/28/1994	< Limit	0.0018
1,2-dichloropropane	E. N. Slough	6/28/1994	< Limit	0.0018
1,3-Dichlorobenzene-SVOC	E. N. Slough	6/28/1994	< Limit	0.018
1,4-Dichlorobenzene-SVOC	E. N. Slough	6/28/1994	< Limit	0.018
2,2'-oxybis(1-chloropropane)	E. N. Slough	6/28/1994	< Limit	0.018
2,4,5-T	E. N. Slough	10/22/1993	< Limit	0.019
2,4,5-T	E. N. Slough	8/8/1995	< Limit	0.13
2,4,5-T	E. N. Slough	5/28/1997	< Limit	0.011
2,4,5-T	E. N. Slough	6/15/1998	< Limit	0.02
2,4,5-T	E. N. Slough	6/15/1999	< Limit	0.108
2,4,5-T	E. N. Slough	6/20/2000	< Limit	0.05
2,4,5-T	E. N. Slough	6/21/2001	< Limit	0.127
2,4,5-T	E. N. Slough	6/11/2002	< Limit	0.141
2,4,5-TP (Silvex)	E. N. Slough	10/22/1993	0.022	0.019
2,4,5-TP (Silvex)	E. N. Slough	8/8/1995	< Limit	0.13
2,4,5-TP (Silvex)	E. N. Slough	5/28/1997	< Limit	0.011
2,4,5-TP (Silvex)	E. N. Slough	6/15/1998	< Limit	0.02
2,4,5-TP (Silvex)	E. N. Slough	6/15/1999	< Limit	0.108
2,4,5-TP (Silvex)	E. N. Slough	6/20/2000	< Limit	0.05
2,4,5-TP (Silvex)	E. N. Slough	6/21/2001	< Limit	0.127
2,4,5-TP (Silvex)	E. N. Slough	6/11/2002	< Limit	0.141
2,4,5-trichlorophenol	E. N. Slough	6/28/1994	< Limit	0.089
2,4,6-trichlorophenol	E. N. Slough	6/28/1994	< Limit	0.089
2,4-D	E. N. Slough	10/22/1993	0.032	0.019
2,4-D	E. N. Slough	8/8/1995	< Limit	0.13
2,4-D	E. N. Slough	9/5/1996	< Limit	0.014
2,4-D	E. N. Slough	5/28/1997	< Limit	0.011
2,4-D	E. N. Slough	6/15/1998	< Limit	0.005
2,4-D	E. N. Slough	6/15/1999	< Limit	0.0866
2,4-D	E. N. Slough	6/20/2000	< Limit	0.04
2,4-D	E. N. Slough	6/21/2001	< Limit	0.127
2,4-D	E. N. Slough	6/11/2002	< Limit	0.141
2,4-DB	E. N. Slough	10/22/1993	< Limit	0.019
2,4-DB	E. N. Slough	8/8/1995	0.21	0.13
2,4-DB	E. N. Slough	5/28/1997	< Limit	0.011
2,4-DB	E. N. Slough	6/15/1998	< Limit	0.02
2,4-DB	E. N. Slough	6/15/1999	< Limit	0.0433
2,4-DB	E. N. Slough	6/20/2000	< Limit	0.02
2,4-DB	E. N. Slough	6/21/2001	< Limit	0.127
2,4-DB	E. N. Slough	6/11/2002	< Limit	0.141
2,4-dichlorophenol	E. N. Slough	6/28/1994	< Limit	0.054
2,4-dimethylphenol	E. N. Slough	6/28/1994	< Limit	0.036
2,4-dinitrophenol	E. N. Slough	6/28/1994	< Limit	0.18
2,4-dinitrotoluene	E. N. Slough	6/28/1994	< Limit	0.089
2,6-dinitrotoluene	E. N. Slough	6/28/1994	< Limit	0.089
2-butanone (MEK)	E. N. Slough	6/28/1994	< Limit	0.0089
2-chloroethylvinyl ether	E. N. Slough	6/28/1994	< Limit	0.0089
2-chloronaphthalene	E. N. Slough	6/28/1994	< Limit	0.018
2-chlorophenol	E. N. Slough	6/28/1994	< Limit	0.018
2-hexanone	E. N. Slough	6/28/1994	< Limit	0.0089
2-methylnaphthalene	E. N. Slough	6/28/1994	< Limit	0.018
2-methylnaphthalene	E. N. Slough	5/28/1997	< Limit	0.033

Parameter	Station	Date	Result	Anal. Limit
2-methylphenol	E. N. Slough	6/28/1994	< Limit	0.018
2-nitroaniline	E. N. Slough	6/28/1994	< Limit	0.089
2-nitrophenol	E. N. Slough	6/28/1994	< Limit	0.089
3,3-dichlorobenzidine	E. N. Slough	6/28/1994	< Limit	0.089
3-nitroaniline	E. N. Slough	6/28/1994	< Limit	0.089
4,4'-DDD	E. N. Slough	6/11/2002	< Limit	0.0203
4,4'-DDE	E. N. Slough	6/11/2002	< Limit	0.0203
4,4'-DDT	E. N. Slough	6/11/2002	< Limit	0.0203
4,6-dinitro-2-methylphenol	E. N. Slough	6/28/1994	< Limit	0.18
4-bromophenyl-phenylether	E. N. Slough	6/28/1994	< Limit	0.018
4-chloro-3-methylphenol	E. N. Slough	6/28/1994	< Limit	0.036
4-chloroaniline	E. N. Slough	6/28/1994	< Limit	0.054
4-chlorophenyl-phenylether	E. N. Slough	6/28/1994	< Limit	0.018
4-methyl-2-pentanone (MIBK)	E. N. Slough	6/28/1994	< Limit	0.0089
4-methylphenol	E. N. Slough	6/28/1994	< Limit	0.018
4-nitroaniline	E. N. Slough	6/28/1994	< Limit	0.089
4-nitrophenol	E. N. Slough	6/28/1994	< Limit	0.089
Acenaphthene	E. N. Slough	6/28/1994	< Limit	0.018
Acenaphthene	E. N. Slough	5/28/1997	< Limit	0.033
Acenaphthene	E. N. Slough	6/15/1998	< Limit	0.0067
Acenaphthene	E. N. Slough	6/15/1999	< Limit	0.0268
Acenaphthene	E. N. Slough	6/20/2000	< Limit	0.0268
Acenaphthene	E. N. Slough	6/21/2001	< Limit	0.0321
Acenaphthene	E. N. Slough	6/11/2002	< Limit	0.0406
Acenaphthene/Fluorene	E. N. Slough	10/22/1993	< Limit	0.4
Acenaphthene/Fluorene	E. N. Slough	8/8/1995	< Limit	0.98
Acenaphthylene	E. N. Slough	10/22/1993	0.59	0.29
Acenaphthylene	E. N. Slough	6/28/1994	< Limit	0.018
Acenaphthylene	E. N. Slough	8/8/1995	1.4	0.7
Acenaphthylene	E. N. Slough	5/28/1997	< Limit	0.033
Acenaphthylene	E. N. Slough	6/15/1998	< Limit	0.0067
Acenaphthylene	E. N. Slough	6/15/1999	< Limit	0.0268
Acenaphthylene	E. N. Slough	6/20/2000	< Limit	0.0268
Acenaphthylene	E. N. Slough	6/21/2001	< Limit	0.0321
Acenaphthylene	E. N. Slough	6/11/2002	< Limit	0.0406
Acetone	E. N. Slough	6/28/1994	< Limit	0.0089
Acid volatile sulfides	E. N. Slough	10/22/1993	860	
Acid volatile sulfides	E. N. Slough	6/28/1994	3.7	-8
Acid volatile sulfides	E. N. Slough	8/8/1995	140	5
Acid volatile sulfides	E. N. Slough	9/5/1996	27	5
Acid volatile sulfides	E. N. Slough	5/28/1997	46	5
Acrolein	E. N. Slough	6/28/1994	< Limit	0.0089
Acrylonitrile	E. N. Slough	6/28/1994	< Limit	0.0089
Aldrin	E. N. Slough	10/22/1993	< Limit	0.0039
Aldrin	E. N. Slough	6/28/1994	< Limit	0.00056
Aldrin	E. N. Slough	8/8/1995	< Limit	0.015
Aldrin	E. N. Slough	9/5/1996	< Limit	0.0043
Aldrin	E. N. Slough	5/28/1997	< Limit	0.001
Aldrin	E. N. Slough	6/15/1998	< Limit	0.0015
Aldrin	E. N. Slough	6/15/1999	< Limit	0.0067
Aldrin	E. N. Slough	6/20/2000	< Limit	0.0067
Aldrin	E. N. Slough	6/21/2001	< Limit	0.0801
Aldrin	E. N. Slough	6/11/2002	< Limit	0.0203
Alpha-chlordane	E. N. Slough	6/28/1994	< Limit	0.000071
Alpha-chlordane	E. N. Slough	6/15/1998	< Limit	0.0015
Alpha-chlordane	E. N. Slough	6/15/1999	< Limit	0.0067
Alpha-chlordane	E. N. Slough	6/20/2000	< Limit	0.0067
Alpha-chlordane	E. N. Slough	6/11/2002	< Limit	0.0203
Anthracene	E. N. Slough	10/22/1993	< Limit	0.019
Anthracene	E. N. Slough	6/28/1994	< Limit	0.018
Anthracene	E. N. Slough	8/8/1995	< Limit	0.047
Anthracene	E. N. Slough	5/28/1997	< Limit	0.033
Anthracene	E. N. Slough	6/15/1998	0.0123	0.0067
Anthracene	E. N. Slough	6/15/1999	< Limit	0.0268
Anthracene	E. N. Slough	6/20/2000	< Limit	0.0268
Anthracene	E. N. Slough	6/21/2001	< Limit	0.0321
Anthracene	E. N. Slough	6/11/2002	< Limit	0.0406
Antimony	E. N. Slough	6/28/1994	0.2	-8
Antimony	E. N. Slough	6/15/1998	< Limit	0.25
Antimony	E. N. Slough	6/15/1998	< Limit	0.5

Parameter	Station	Date	Result	Anal. Limit
Antimony	E. N. Slough	6/15/1999	< Limit	0.275
Antimony	E. N. Slough	6/15/1999	< Limit	0.5
Antimony	E. N. Slough	6/20/2000	0.275	0.246
Antimony	E. N. Slough	6/20/2000	< Limit	0.5
Antimony	E. N. Slough	6/21/2001	< Limit	2.99
Antimony	E. N. Slough	6/11/2002	< Limit	1.52
Antimony	E. N. Slough	6/11/2002	< Limit	0.854
Arsenic	E. N. Slough	10/22/1993	9.4	4.1
Arsenic	E. N. Slough	6/28/1994	6.4	-8
Arsenic	E. N. Slough	8/8/1995	6	0.18
Arsenic	E. N. Slough	9/5/1996	4	0.15
Arsenic	E. N. Slough	5/28/1997	5.2	0.23
Arsenic	E. N. Slough	6/15/1998	4.73	0.5
Arsenic	E. N. Slough	6/15/1999	5.52	0.5
Arsenic	E. N. Slough	6/20/2000	4.34	0.5
Arsenic	E. N. Slough	6/21/2001	7.3	1.2
Arsenic	E. N. Slough	6/11/2002	5.57	1.52
Barium	E. N. Slough	6/15/1998	146	0.5
Barium	E. N. Slough	6/15/1999	149	1
Barium	E. N. Slough	6/20/2000	128	1
Barium	E. N. Slough	6/21/2001	206	2.39
Barium	E. N. Slough	6/11/2002	198	1.52
Benzene	E. N. Slough	6/28/1994	< Limit	0.0018
Benzidine	E. N. Slough	6/28/1994	< Limit	0.18
Benzo(a)anthracene	E. N. Slough	10/22/1993	< Limit	0.019
Benzo(a)anthracene	E. N. Slough	6/28/1994	0.043	-8
Benzo(a)anthracene	E. N. Slough	8/8/1995	< Limit	0.047
Benzo(a)anthracene	E. N. Slough	5/28/1997	0.11	0.033
Benzo(a)anthracene	E. N. Slough	6/15/1998	0.0689	0.0067
Benzo(a)anthracene	E. N. Slough	6/15/1999	0.0469	0.0268
Benzo(a)anthracene	E. N. Slough	6/20/2000	0.0515	0.0268
Benzo(a)anthracene	E. N. Slough	6/21/2001	0.0405	0.0321
Benzo(a)anthracene	E. N. Slough	6/11/2002	< Limit	0.0406
Benzo(a)pyrene	E. N. Slough	10/22/1993	0.045	0.01
Benzo(a)pyrene	E. N. Slough	6/28/1994	0.041	-8
Benzo(a)pyrene	E. N. Slough	8/8/1995	< Limit	0.025
Benzo(a)pyrene	E. N. Slough	5/28/1997	0.087	0.033
Benzo(a)pyrene	E. N. Slough	6/15/1998	0.0525	0.0067
Benzo(a)pyrene	E. N. Slough	6/15/1999	0.0419	0.0268
Benzo(a)pyrene	E. N. Slough	6/20/2000	0.0559	0.0268
Benzo(a)pyrene	E. N. Slough	6/21/2001	0.0627	0.0321
Benzo(a)pyrene	E. N. Slough	6/11/2002	0.0472	0.0406
Benzo(b)fluoranthene	E. N. Slough	10/22/1993	0.73	0.019
Benzo(b)fluoranthene	E. N. Slough	6/28/1994	0.05	-8
Benzo(b)fluoranthene	E. N. Slough	8/8/1995	< Limit	0.047
Benzo(b)fluoranthene	E. N. Slough	5/28/1997	0.092	0.033
Benzo(b)fluoranthene	E. N. Slough	6/15/1998	0.0538	0.0067
Benzo(b)fluoranthene	E. N. Slough	6/15/1999	0.0537	0.0268
Benzo(b)fluoranthene	E. N. Slough	6/20/2000	0.0576	0.0268
Benzo(b)fluoranthene	E. N. Slough	6/21/2001	0.0656	0.0321
Benzo(b)fluoranthene	E. N. Slough	6/11/2002	0.0479	0.0406
Benzo(g,h,i)perylene	E. N. Slough	10/22/1993	< Limit	0.019
Benzo(g,h,i)perylene	E. N. Slough	6/28/1994	0.021	-8
Benzo(g,h,i)perylene	E. N. Slough	8/8/1995	< Limit	0.047
Benzo(g,h,i)perylene	E. N. Slough	5/28/1997	< Limit	0.066
Benzo(g,h,i)perylene	E. N. Slough	6/15/1998	0.0308	0.0067
Benzo(g,h,i)perylene	E. N. Slough	6/15/1999	< Limit	0.0268
Benzo(g,h,i)perylene	E. N. Slough	6/20/2000	0.0445	0.0268
Benzo(g,h,i)perylene	E. N. Slough	6/21/2001	0.0463	0.0321
Benzo(g,h,i)perylene	E. N. Slough	6/11/2002	0.0541	0.0406
Benzo(k)fluoranthene	E. N. Slough	10/22/1993	< Limit	0.01
Benzo(k)fluoranthene	E. N. Slough	6/28/1994	0.041	-8
Benzo(k)fluoranthene	E. N. Slough	8/8/1995	< Limit	0.025
Benzo(k)fluoranthene	E. N. Slough	5/28/1997	0.081	0.033
Benzo(k)fluoranthene	E. N. Slough	6/15/1998	0.0406	0.0067
Benzo(k)fluoranthene	E. N. Slough	6/15/1999	0.0402	0.0268
Benzo(k)fluoranthene	E. N. Slough	6/20/2000	0.0464	0.0268
Benzo(k)fluoranthene	E. N. Slough	6/21/2001	0.0526	0.0321
Benzo(k)fluoranthene	E. N. Slough	6/11/2002	< Limit	0.0406
Benzoic acid	E. N. Slough	6/28/1994	< Limit	0.18

Parameter	Station	Date	Result	Anal. Limit
Benzyl alcohol	E. N. Slough	6/28/1994	< Limit	0.089
Beryllium	E. N. Slough	6/28/1994	0.6	-8
Beryllium	E. N. Slough	6/15/1998	< Limit	0.5
Beryllium	E. N. Slough	6/15/1999	< Limit	0.5
Beryllium	E. N. Slough	6/20/2000	< Limit	0.5
Beryllium	E. N. Slough	6/21/2001	< Limit	1.2
Beryllium	E. N. Slough	6/11/2002	< Limit	1.52
BHC-alpha	E. N. Slough	10/22/1993	< Limit	0.0039
BHC-alpha	E. N. Slough	6/28/1994	< Limit	0.000071
BHC-alpha	E. N. Slough	8/8/1995	< Limit	0.015
BHC-alpha	E. N. Slough	9/5/1996	< Limit	0.0043
BHC-alpha	E. N. Slough	5/28/1997	< Limit	0.001
BHC-alpha	E. N. Slough	6/15/1998	< Limit	0.0015
BHC-alpha	E. N. Slough	6/15/1999	< Limit	0.0067
BHC-alpha	E. N. Slough	6/20/2000	< Limit	0.0067
BHC-alpha	E. N. Slough	6/21/2001	< Limit	0.0801
BHC-alpha	E. N. Slough	6/11/2002	< Limit	0.0203
BHC-beta	E. N. Slough	10/22/1993	< Limit	0.0058
BHC-beta	E. N. Slough	6/28/1994	< Limit	0.000071
BHC-beta	E. N. Slough	8/8/1995	< Limit	0.022
BHC-beta	E. N. Slough	9/5/1996	< Limit	0.0064
BHC-beta	E. N. Slough	5/28/1997	< Limit	0.0015
BHC-beta	E. N. Slough	6/15/1998	< Limit	0.0015
BHC-beta	E. N. Slough	6/15/1999	< Limit	0.0067
BHC-beta	E. N. Slough	6/20/2000	< Limit	0.0067
BHC-beta	E. N. Slough	6/21/2001	< Limit	0.0801
BHC-beta	E. N. Slough	6/11/2002	< Limit	0.0203
BHC-delta	E. N. Slough	10/22/1993	< Limit	0.0068
BHC-delta	E. N. Slough	6/28/1994	< Limit	0.0016
BHC-delta	E. N. Slough	8/8/1995	< Limit	0.026
BHC-delta	E. N. Slough	9/5/1996	< Limit	0.0075
BHC-delta	E. N. Slough	5/28/1997	< Limit	0.0017
BHC-delta	E. N. Slough	6/15/1998	< Limit	0.0015
BHC-delta	E. N. Slough	6/15/1999	< Limit	0.0067
BHC-delta	E. N. Slough	6/20/2000	< Limit	0.0067
BHC-delta	E. N. Slough	6/21/2001	< Limit	0.0801
BHC-delta	E. N. Slough	6/11/2002	< Limit	0.0203
BHC-gamma (Lindane)	E. N. Slough	10/22/1993	< Limit	0.0039
BHC-gamma (Lindane)	E. N. Slough	6/28/1994	< Limit	0.000071
BHC-gamma (Lindane)	E. N. Slough	8/8/1995	< Limit	0.015
BHC-gamma (Lindane)	E. N. Slough	9/5/1996	< Limit	0.0043
BHC-gamma (Lindane)	E. N. Slough	5/28/1997	< Limit	0.001
BHC-gamma (Lindane)	E. N. Slough	6/15/1998	< Limit	0.0015
BHC-gamma (Lindane)	E. N. Slough	6/15/1999	< Limit	0.0067
BHC-gamma (Lindane)	E. N. Slough	6/20/2000	< Limit	0.0067
BHC-gamma (Lindane)	E. N. Slough	6/21/2001	< Limit	0.0801
BHC-gamma (Lindane)	E. N. Slough	6/11/2002	< Limit	0.0203
bis-(2-chloroethoxy)methane	E. N. Slough	6/28/1994	< Limit	0.018
bis-(2-chloroethyl)ether	E. N. Slough	6/28/1994	< Limit	0.018
bis-(2-ethylhexyl)phthalate	E. N. Slough	6/28/1994	0.037	-8
Bromodichloromethane	E. N. Slough	6/28/1994	< Limit	0.0018
Bromoform	E. N. Slough	6/28/1994	< Limit	0.0018
Bromomethane	E. N. Slough	6/28/1994	< Limit	0.0035
Butylbenzylphthalate	E. N. Slough	6/28/1994	< Limit	0.018
Cadmium	E. N. Slough	10/22/1993	< Limit	0.28
Cadmium	E. N. Slough	6/28/1994	0.59	-8
Cadmium	E. N. Slough	8/8/1995	0.825	0.352
Cadmium	E. N. Slough	9/5/1996	0.51	0.3
Cadmium	E. N. Slough	6/15/1998	1	0.5
Cadmium	E. N. Slough	6/15/1999	< Limit	0.5
Cadmium	E. N. Slough	6/20/2000	< Limit	0.5
Cadmium	E. N. Slough	6/21/2001	< Limit	1.2
Cadmium	E. N. Slough	6/11/2002	< Limit	1.52
Carbazole	E. N. Slough	6/28/1994	< Limit	0.018
Carbon disulfide	E. N. Slough	6/28/1994	< Limit	0.0018
Carbon tetrachloride	E. N. Slough	6/28/1994	< Limit	0.0018
Chlordane	E. N. Slough	10/22/1993	< Limit	0.064
Chlordane	E. N. Slough	8/8/1995	< Limit	0.25
Chlordane	E. N. Slough	9/5/1996	< Limit	0.071
Chlordane	E. N. Slough	5/28/1997	< Limit	0.016

Parameter	Station	Date	Result	Anal. Limit
Chlorobenzene	E. N. Slough	6/28/1994	< Limit	0.0018
Chloroethane	E. N. Slough	6/28/1994	< Limit	0.0035
Chloroform	E. N. Slough	6/28/1994	< Limit	0.0018
Chloromethane	E. N. Slough	6/28/1994	< Limit	0.0035
Chromium	E. N. Slough	10/22/1993	30	0.83
Chromium	E. N. Slough	6/28/1994	29	-8
Chromium	E. N. Slough	8/8/1995	30	1.06
Chromium	E. N. Slough	9/5/1996	31	0.91
Chromium	E. N. Slough	5/28/1997	24	1.4
Chromium	E. N. Slough	6/15/1998	24.9	0.5
Chromium	E. N. Slough	6/15/1999	22.9	0.5
Chromium	E. N. Slough	6/20/2000	19.6	0.5
Chromium	E. N. Slough	6/21/2001	34.6	1.2
Chromium	E. N. Slough	6/11/2002	36.3	1.52
Chromium - SEM	E. N. Slough	6/15/1998	5.15	0.25
Chromium - SEM	E. N. Slough	6/15/1999	3.98	0.275
Chromium - SEM	E. N. Slough	6/20/2000	9.23	0.246
Chromium - SEM	E. N. Slough	6/21/2001	8.76	1.18
Chromium - SEM	E. N. Slough	6/11/2002	14.5	0.854
Chrysene	E. N. Slough	10/22/1993	0.062	0.029
Chrysene	E. N. Slough	6/28/1994	0.045	-8
Chrysene	E. N. Slough	8/8/1995	< Limit	0.07
Chrysene	E. N. Slough	5/28/1997	0.12	0.033
Chrysene	E. N. Slough	6/15/1998	0.0977	0.0067
Chrysene	E. N. Slough	6/15/1999	0.0682	0.0268
Chrysene	E. N. Slough	6/20/2000	0.0529	0.0268
Chrysene	E. N. Slough	6/21/2001	0.0585	0.0321
Chrysene	E. N. Slough	6/11/2002	0.0458	0.0406
ciBybee L., 2,-dichloroethene	E. N. Slough	6/28/1994	< Limit	0.0018
ciBybee L., 3-dichloropropene	E. N. Slough	6/28/1994	< Limit	0.0018
Cobalt	E. N. Slough	6/15/1998	12.9	1.25
Cobalt	E. N. Slough	6/15/1999	12.8	1
Cobalt	E. N. Slough	6/20/2000	9.98	1
Cobalt	E. N. Slough	6/21/2001	16.1	2.39
Cobalt	E. N. Slough	6/11/2002	14.2	1.52
Cobalt - SEM	E. N. Slough	6/15/1998	4.59	0.25
Cobalt - SEM	E. N. Slough	6/15/1999	4.07	0.275
Cobalt - SEM	E. N. Slough	6/20/2000	5.81	0.246
Cobalt - SEM	E. N. Slough	6/21/2001	7.06	1.18
Cobalt - SEM	E. N. Slough	6/11/2002	8.09	0.854
Copper	E. N. Slough	10/22/1993	19	0.28
Copper	E. N. Slough	6/28/1994	31	-8
Copper	E. N. Slough	8/8/1995	32.5	0.352
Copper	E. N. Slough	9/5/1996	32	0.3
Copper	E. N. Slough	5/28/1997	22	0.46
Copper	E. N. Slough	6/15/1998	22.5	1
Copper	E. N. Slough	6/15/1999	25.3	1
Copper	E. N. Slough	6/20/2000	22.7	1
Copper	E. N. Slough	6/21/2001	42.9	2.39
Copper	E. N. Slough	6/11/2002	42.8	6.06
Cyanide (total)	E. N. Slough	6/28/1994	0.21	-8
Dalapon	E. N. Slough	10/22/1993	< Limit	0.093
Dalapon	E. N. Slough	8/8/1995	< Limit	0.66
Dalapon	E. N. Slough	5/28/1997	< Limit	0.056
Dalapon	E. N. Slough	6/15/1998	< Limit	0.005
Dalapon	E. N. Slough	6/15/1999	< Limit	0.108
Dalapon	E. N. Slough	6/20/2000	< Limit	0.05
Dalapon	E. N. Slough	6/21/2001	< Limit	0.254
Dalapon	E. N. Slough	6/11/2002	< Limit	0.283
Dibenzo(a,h)anthracene	E. N. Slough	10/22/1993	< Limit	0.01
Dibenzo(a,h)anthracene	E. N. Slough	6/28/1994	< Limit	0.018
Dibenzo(a,h)anthracene	E. N. Slough	8/8/1995	< Limit	0.025
Dibenzo(a,h)anthracene	E. N. Slough	5/28/1997	< Limit	0.066
Dibenzo(a,h)anthracene	E. N. Slough	6/15/1998	< Limit	0.0067
Dibenzo(a,h)anthracene	E. N. Slough	6/15/1999	< Limit	0.0268
Dibenzo(a,h)anthracene	E. N. Slough	6/20/2000	< Limit	0.0268
Dibenzo(a,h)anthracene	E. N. Slough	6/21/2001	< Limit	0.0321
Dibenzo(a,h)anthracene	E. N. Slough	6/11/2002	< Limit	0.0406
Dibenzofuran	E. N. Slough	6/28/1994	< Limit	0.018
Dibromochloromethane	E. N. Slough	6/28/1994	< Limit	0.0018

Parameter	Station	Date	Result	Anal. Limit
Dicamba	E. N. Slough	10/22/1993	< Limit	0.019
Dicamba	E. N. Slough	8/8/1995	< Limit	0.13
Dicamba	E. N. Slough	5/28/1997	< Limit	0.011
Dicamba	E. N. Slough	6/15/1998	< Limit	0.005
Dicamba	E. N. Slough	6/15/1999	< Limit	0.0433
Dicamba	E. N. Slough	6/20/2000	< Limit	0.02
Dicamba	E. N. Slough	6/21/2001	< Limit	0.127
Dicamba	E. N. Slough	6/11/2002	< Limit	0.141
Dichloropropane	E. N. Slough	10/22/1993	< Limit	0.019
Dichloropropane	E. N. Slough	8/8/1995	< Limit	0.13
Dichloropropane	E. N. Slough	5/28/1997	< Limit	0.011
Dichloropropane	E. N. Slough	6/15/1998	< Limit	0.015
Dichloropropane	E. N. Slough	6/15/1999	< Limit	0.0216
Dichloropropane	E. N. Slough	6/20/2000	< Limit	0.01
Dichloropropane	E. N. Slough	6/21/2001	< Limit	0.127
Dichloropropane	E. N. Slough	6/11/2002	< Limit	0.141
Dieldrin	E. N. Slough	10/22/1993	< Limit	0.0058
Dieldrin	E. N. Slough	6/28/1994	< Limit	0.00042
Dieldrin	E. N. Slough	8/8/1995	< Limit	0.022
Dieldrin	E. N. Slough	9/5/1996	< Limit	0.0064
Dieldrin	E. N. Slough	5/28/1997	0.0026	0.0015
Dieldrin	E. N. Slough	6/15/1998	< Limit	0.0015
Dieldrin	E. N. Slough	6/15/1999	< Limit	0.0067
Dieldrin	E. N. Slough	6/20/2000	< Limit	0.0067
Dieldrin	E. N. Slough	6/21/2001	< Limit	0.0801
Dieldrin	E. N. Slough	6/11/2002	< Limit	0.0203
Diethylphthalate	E. N. Slough	6/28/1994	< Limit	0.018
Dimethylphthalate	E. N. Slough	6/28/1994	< Limit	0.018
Di-n-butylphthalate	E. N. Slough	6/28/1994	< Limit	0.018
Di-n-octyl phthalate	E. N. Slough	6/28/1994	< Limit	0.018
Dinoseb	E. N. Slough	10/22/1993	< Limit	0.019
Dinoseb	E. N. Slough	8/8/1995	< Limit	0.13
Dinoseb	E. N. Slough	5/28/1997	< Limit	0.011
Dinoseb	E. N. Slough	6/15/1998	< Limit	0.01
Dinoseb	E. N. Slough	6/15/1999	< Limit	0.0216
Dinoseb	E. N. Slough	6/20/2000	< Limit	0.01
Dinoseb	E. N. Slough	6/21/2001	< Limit	0.127
Dinoseb	E. N. Slough	6/11/2002	< Limit	0.141
Endosulfan I	E. N. Slough	10/22/1993	< Limit	0.0058
Endosulfan I	E. N. Slough	6/28/1994	< Limit	0.000071
Endosulfan I	E. N. Slough	8/8/1995	< Limit	0.022
Endosulfan I	E. N. Slough	9/5/1996	< Limit	0.0064
Endosulfan I	E. N. Slough	5/28/1997	< Limit	0.0015
Endosulfan I	E. N. Slough	6/15/1998	< Limit	0.0015
Endosulfan I	E. N. Slough	6/15/1999	< Limit	0.0067
Endosulfan I	E. N. Slough	6/20/2000	< Limit	0.0067
Endosulfan I	E. N. Slough	6/21/2001	< Limit	0.0801
Endosulfan I	E. N. Slough	6/11/2002	< Limit	0.0203
Endosulfan II	E. N. Slough	10/22/1993	< Limit	0.0039
Endosulfan II	E. N. Slough	6/28/1994	< Limit	0.00014
Endosulfan II	E. N. Slough	8/8/1995	< Limit	0.015
Endosulfan II	E. N. Slough	9/5/1996	< Limit	0.0043
Endosulfan II	E. N. Slough	5/28/1997	< Limit	0.00098
Endosulfan II	E. N. Slough	6/15/1998	< Limit	0.0015
Endosulfan II	E. N. Slough	6/15/1999	< Limit	0.0067
Endosulfan II	E. N. Slough	6/20/2000	< Limit	0.0067
Endosulfan II	E. N. Slough	6/21/2001	< Limit	0.0801
Endosulfan II	E. N. Slough	6/11/2002	< Limit	0.0203
Endosulfan sulfate	E. N. Slough	10/22/1993	< Limit	0.011
Endosulfan sulfate	E. N. Slough	6/28/1994	< Limit	0.00014
Endosulfan sulfate	E. N. Slough	8/8/1995	< Limit	0.041
Endosulfan sulfate	E. N. Slough	9/5/1996	< Limit	0.012
Endosulfan sulfate	E. N. Slough	5/28/1997	< Limit	0.0027
Endosulfan sulfate	E. N. Slough	6/15/1998	< Limit	0.0015
Endosulfan sulfate	E. N. Slough	6/15/1999	< Limit	0.0067
Endosulfan sulfate	E. N. Slough	6/20/2000	< Limit	0.0067
Endosulfan sulfate	E. N. Slough	6/21/2001	< Limit	0.0801
Endosulfan sulfate	E. N. Slough	6/11/2002	< Limit	0.0203
Endrin	E. N. Slough	10/22/1993	< Limit	0.0068
Endrin	E. N. Slough	6/28/1994	< Limit	0.00029

Parameter	Station	Date	Result	Anal. Limit
Endrin	E. N. Slough	8/8/1995	< Limit	0.026
Endrin	E. N. Slough	9/5/1996	< Limit	0.0075
Endrin	E. N. Slough	5/28/1997	< Limit	0.0017
Endrin	E. N. Slough	6/15/1998	< Limit	0.0015
Endrin	E. N. Slough	6/15/1999	< Limit	0.0067
Endrin	E. N. Slough	6/20/2000	< Limit	0.0067
Endrin	E. N. Slough	6/21/2001	< Limit	0.0801
Endrin	E. N. Slough	6/11/2002	< Limit	0.0203
Endrin aldehyde	E. N. Slough	10/22/1993	< Limit	0.014
Endrin aldehyde	E. N. Slough	6/28/1994	< Limit	0.00014
Endrin aldehyde	E. N. Slough	8/8/1995	< Limit	0.052
Endrin aldehyde	E. N. Slough	9/5/1996	< Limit	0.015
Endrin aldehyde	E. N. Slough	5/28/1997	< Limit	0.0034
Endrin aldehyde	E. N. Slough	6/15/1998	< Limit	0.0015
Endrin aldehyde	E. N. Slough	6/15/1999	< Limit	0.0067
Endrin aldehyde	E. N. Slough	6/20/2000	< Limit	0.0067
Endrin aldehyde	E. N. Slough	6/21/2001	< Limit	0.0801
Endrin aldehyde	E. N. Slough	6/11/2002	< Limit	0.0203
Endrin ketone	E. N. Slough	6/28/1994	< Limit	0.00041
Endrin ketone	E. N. Slough	6/15/1998	< Limit	0.0015
Endrin ketone	E. N. Slough	6/15/1999	< Limit	0.0067
Endrin ketone	E. N. Slough	6/20/2000	< Limit	0.0067
Endrin ketone	E. N. Slough	6/11/2002	< Limit	0.0203
Ethyl benzene	E. N. Slough	6/28/1994	< Limit	0.0018
Fluoranthene	E. N. Slough	10/22/1993	< Limit	0.049
Fluoranthene	E. N. Slough	6/28/1994	0.052	-8
Fluoranthene	E. N. Slough	8/8/1995	< Limit	0.12
Fluoranthene	E. N. Slough	5/28/1997	0.17	0.033
Fluoranthene	E. N. Slough	6/15/1998	0.081	0.0067
Fluoranthene	E. N. Slough	6/15/1999	0.0874	0.0268
Fluoranthene	E. N. Slough	6/20/2000	0.0622	0.0268
Fluoranthene	E. N. Slough	6/21/2001	0.0619	0.0321
Fluoranthene	E. N. Slough	6/11/2002	0.058	0.0406
Fluorene	E. N. Slough	6/28/1994	< Limit	0.018
Fluorene	E. N. Slough	5/28/1997	< Limit	0.033
Fluorene	E. N. Slough	6/15/1998	< Limit	0.0067
Fluorene	E. N. Slough	6/15/1999	< Limit	0.0268
Fluorene	E. N. Slough	6/20/2000	< Limit	0.0268
Fluorene	E. N. Slough	6/21/2001	< Limit	0.0321
Fluorene	E. N. Slough	6/11/2002	< Limit	0.0406
Gamma-chlordane	E. N. Slough	6/28/1994	< Limit	0.00024
Gamma-chlordane	E. N. Slough	6/15/1998	< Limit	0.0015
Gamma-chlordane	E. N. Slough	6/15/1999	< Limit	0.0067
Gamma-chlordane	E. N. Slough	6/20/2000	< Limit	0.0067
Gamma-chlordane	E. N. Slough	6/11/2002	< Limit	0.0203
Heptachlor	E. N. Slough	10/22/1993	< Limit	0.0029
Heptachlor	E. N. Slough	6/28/1994	< Limit	0.000071
Heptachlor	E. N. Slough	8/8/1995	< Limit	0.011
Heptachlor	E. N. Slough	9/5/1996	< Limit	0.0032
Heptachlor	E. N. Slough	5/28/1997	< Limit	0.0007
Heptachlor	E. N. Slough	6/15/1998	< Limit	0.0015
Heptachlor	E. N. Slough	6/15/1999	< Limit	0.0067
Heptachlor	E. N. Slough	6/20/2000	< Limit	0.0067
Heptachlor	E. N. Slough	6/21/2001	< Limit	0.0801
Heptachlor	E. N. Slough	6/11/2002	< Limit	0.0203
Heptachlor epoxide	E. N. Slough	10/22/1993	< Limit	0.0039
Heptachlor epoxide	E. N. Slough	6/28/1994	< Limit	0.00014
Heptachlor epoxide	E. N. Slough	8/8/1995	< Limit	0.015
Heptachlor epoxide	E. N. Slough	9/5/1996	< Limit	0.0043
Heptachlor epoxide	E. N. Slough	5/28/1997	< Limit	0.001
Heptachlor epoxide	E. N. Slough	6/15/1998	< Limit	0.0015
Heptachlor epoxide	E. N. Slough	6/15/1999	< Limit	0.0067
Heptachlor epoxide	E. N. Slough	6/20/2000	< Limit	0.0067
Heptachlor epoxide	E. N. Slough	6/21/2001	< Limit	0.0801
Heptachlor epoxide	E. N. Slough	6/11/2002	< Limit	0.0203
Hexachlorobenzene	E. N. Slough	6/28/1994	< Limit	0.018
Hexachlorobenzene	E. N. Slough	6/15/1999	< Limit	0.0067
Hexachlorobutadiene-SVOC	E. N. Slough	6/28/1994	< Limit	0.036
Hexachlorocyclopentadiene	E. N. Slough	6/28/1994	< Limit	0.089
Hexachloroethane	E. N. Slough	6/28/1994	< Limit	0.036

Parameter	Station	Date	Result	Anal. Limit
Indeno(1,2,3-cd)pyrene	E. N. Slough	10/22/1993	< Limit	0.019
Indeno(1,2,3-cd)pyrene	E. N. Slough	6/28/1994	0.025	-8
Indeno(1,2,3-cd)pyrene	E. N. Slough	8/8/1995	< Limit	0.047
Indeno(1,2,3-cd)pyrene	E. N. Slough	5/28/1997	< Limit	0.066
Indeno(1,2,3-cd)pyrene	E. N. Slough	6/15/1998	0.0342	0.0067
Indeno(1,2,3-cd)pyrene	E. N. Slough	6/15/1999	< Limit	0.0268
Indeno(1,2,3-cd)pyrene	E. N. Slough	6/20/2000	0.0378	0.0268
Indeno(1,2,3-cd)pyrene	E. N. Slough	6/21/2001	0.0392	0.0321
Indeno(1,2,3-cd)pyrene	E. N. Slough	6/11/2002	0.0428	0.0406
Isophorone	E. N. Slough	6/28/1994	< Limit	0.018
Lead	E. N. Slough	10/22/1993	28	2.8
Lead	E. N. Slough	6/28/1994	24	-8
Lead	E. N. Slough	8/8/1995	19	0.18
Lead	E. N. Slough	9/5/1996	20	0.15
Lead	E. N. Slough	5/28/1997	18	0.23
Lead	E. N. Slough	6/15/1998	14.7	10
Lead	E. N. Slough	6/15/1999	15.2	0.5
Lead	E. N. Slough	6/20/2000	15.6	0.5
Lead	E. N. Slough	6/21/2001	30.8	1.2
Lead	E. N. Slough	6/11/2002	31.3	1.52
Lead - SEM	E. N. Slough	6/15/1998	11.6	0.25
Lead - SEM	E. N. Slough	6/15/1999	11.3	0.275
Lead - SEM	E. N. Slough	6/20/2000	12	0.246
Lead - SEM	E. N. Slough	6/21/2001	22.4	1.18
Lead - SEM	E. N. Slough	6/11/2002	24.8	0.854
MCPA	E. N. Slough	10/22/1993	< Limit	28
MCPA	E. N. Slough	8/8/1995	< Limit	200
MCPA	E. N. Slough	5/28/1997	< Limit	17
MCPA	E. N. Slough	6/15/1998	< Limit	0.75
MCPA	E. N. Slough	6/15/1999	< Limit	2.16
MCPA	E. N. Slough	6/20/2000	< Limit	1
MCPA	E. N. Slough	6/21/2001	< Limit	12.7
MCPA	E. N. Slough	6/11/2002	< Limit	14.1
MCPP	E. N. Slough	10/22/1993	< Limit	28
MCPP	E. N. Slough	8/8/1995	< Limit	200
MCPP	E. N. Slough	5/28/1997	< Limit	17
MCPP	E. N. Slough	6/15/1998	< Limit	0.75
MCPP	E. N. Slough	6/15/1999	< Limit	2.16
MCPP	E. N. Slough	6/20/2000	< Limit	1
MCPP	E. N. Slough	6/21/2001	< Limit	12.7
MCPP	E. N. Slough	6/11/2002	< Limit	14.1
Mercury	E. N. Slough	10/22/1993	< Limit	1.4
Mercury	E. N. Slough	6/28/1994	0.07	-8
Mercury	E. N. Slough	8/8/1995	0.082	0.035
Mercury	E. N. Slough	9/5/1996	< Limit	0.044
Mercury	E. N. Slough	5/28/1997	0.05	0.04
Mercury	E. N. Slough	6/15/1998	< Limit	0.05
Mercury	E. N. Slough	6/15/1999	< Limit	0.05
Mercury	E. N. Slough	6/20/2000	< Limit	0.1
Mercury	E. N. Slough	6/21/2001	< Limit	0.239
Mercury	E. N. Slough	6/11/2002	< Limit	0.275
Methoxychlor	E. N. Slough	10/22/1993	< Limit	0.025
Methoxychlor	E. N. Slough	6/28/1994	< Limit	0.00071
Methoxychlor	E. N. Slough	8/8/1995	< Limit	0.097
Methoxychlor	E. N. Slough	9/5/1996	< Limit	0.028
Methoxychlor	E. N. Slough	5/28/1997	< Limit	0.0064
Methoxychlor	E. N. Slough	6/15/1998	< Limit	0.0015
Methoxychlor	E. N. Slough	6/15/1999	< Limit	0.0067
Methoxychlor	E. N. Slough	6/20/2000	< Limit	0.0067
Methoxychlor	E. N. Slough	6/21/2001	< Limit	0.0801
Methoxychlor	E. N. Slough	6/11/2002	< Limit	0.0203
Methylene chloride	E. N. Slough	6/28/1994	< Limit	0.0035
Naphthalene-SVOC	E. N. Slough	10/22/1993	< Limit	0.19
Naphthalene-SVOC	E. N. Slough	6/28/1994	< Limit	0.018
Naphthalene-SVOC	E. N. Slough	8/8/1995	< Limit	0.47
Naphthalene-SVOC	E. N. Slough	5/28/1997	< Limit	0.033
Naphthalene-SVOC	E. N. Slough	6/15/1998	< Limit	0.0067
Naphthalene-SVOC	E. N. Slough	6/15/1999	< Limit	0.0268
Naphthalene-SVOC	E. N. Slough	6/20/2000	< Limit	0.0268
Naphthalene-SVOC	E. N. Slough	6/21/2001	< Limit	0.0321

Parameter	Station	Date	Result	Anal. Limit
Naphthalene-SVOC	E. N. Slough	6/11/2002	< Limit	0.0406
Nickel	E. N. Slough	6/28/1994	23	-8
Nickel	E. N. Slough	6/15/1998	18.3	1.25
Nickel	E. N. Slough	6/15/1999	19.9	1
Nickel	E. N. Slough	6/20/2000	16.3	1
Nickel	E. N. Slough	6/21/2001	28.4	2.39
Nickel	E. N. Slough	6/11/2002	27.2	3.03
Nitrobenzene	E. N. Slough	6/28/1994	< Limit	0.018
N-nitroso-di-n-propylamine	E. N. Slough	6/28/1994	< Limit	0.018
N-nitrosodiphenylamine	E. N. Slough	6/28/1994	< Limit	0.018
p,p-DDD	E. N. Slough	10/22/1993	< Limit	0.0068
p,p-DDD	E. N. Slough	6/28/1994	0.0016	-8
p,p-DDD	E. N. Slough	8/8/1995	< Limit	0.026
p,p-DDD	E. N. Slough	9/5/1996	< Limit	0.0075
p,p-DDD	E. N. Slough	5/28/1997	0.0026	0.0017
p,p-DDD	E. N. Slough	6/15/1998	< Limit	0.0015
p,p-DDD	E. N. Slough	6/15/1999	< Limit	0.0067
p,p-DDD	E. N. Slough	6/20/2000	< Limit	0.0067
p,p-DDD	E. N. Slough	6/21/2001	< Limit	0.0801
p,p-DDE	E. N. Slough	10/22/1993	< Limit	0.0058
p,p-DDE	E. N. Slough	6/28/1994	0.0015	-8
p,p-DDE	E. N. Slough	8/8/1995	< Limit	0.022
p,p-DDE	E. N. Slough	9/5/1996	0.0083	0.0064
p,p-DDE	E. N. Slough	5/28/1997	0.0041	0.0015
p,p-DDE	E. N. Slough	6/15/1998	< Limit	0.0015
p,p-DDE	E. N. Slough	6/15/1999	< Limit	0.0067
p,p-DDE	E. N. Slough	6/20/2000	< Limit	0.0067
p,p-DDE	E. N. Slough	6/21/2001	< Limit	0.0801
p,p-DDT	E. N. Slough	10/22/1993	< Limit	0.014
p,p-DDT	E. N. Slough	6/28/1994	0.079	79
p,p-DDT	E. N. Slough	8/8/1995	< Limit	0.052
p,p-DDT	E. N. Slough	9/5/1996	< Limit	0.015
p,p-DDT	E. N. Slough	5/28/1997	< Limit	0.0034
p,p-DDT	E. N. Slough	6/15/1998	< Limit	0.0015
p,p-DDT	E. N. Slough	6/15/1999	< Limit	0.0067
p,p-DDT	E. N. Slough	6/20/2000	< Limit	0.0067
p,p-DDT	E. N. Slough	6/21/2001	< Limit	0.0801
PCB Arochlor-1016	E. N. Slough	10/22/1993	< Limit	0.064
PCB Arochlor-1016	E. N. Slough	8/8/1995	< Limit	0.25
PCB Arochlor-1016	E. N. Slough	9/5/1996	< Limit	0.071
PCB Arochlor-1016	E. N. Slough	5/28/1997	< Limit	0.016
PCB Arochlor-1016	E. N. Slough	6/15/1998	< Limit	0.015
PCB Arochlor-1016	E. N. Slough	6/15/1999	< Limit	0.067
PCB Arochlor-1016	E. N. Slough	6/20/2000	< Limit	0.067
PCB Arochlor-1016	E. N. Slough	6/21/2001	< Limit	0.16
PCB Arochlor-1016	E. N. Slough	6/11/2002	< Limit	0.203
PCB Arochlor-1221	E. N. Slough	10/22/1993	< Limit	0.25
PCB Arochlor-1221	E. N. Slough	6/28/1994	< Limit	0.0086
PCB Arochlor-1221	E. N. Slough	8/8/1995	< Limit	0.97
PCB Arochlor-1221	E. N. Slough	9/5/1996	< Limit	0.28
PCB Arochlor-1221	E. N. Slough	5/28/1997	< Limit	0.064
PCB Arochlor-1221	E. N. Slough	6/15/1998	< Limit	0.03
PCB Arochlor-1221	E. N. Slough	6/15/1999	< Limit	0.134
PCB Arochlor-1221	E. N. Slough	6/20/2000	< Limit	0.134
PCB Arochlor-1221	E. N. Slough	6/21/2001	< Limit	0.321
PCB Arochlor-1221	E. N. Slough	6/11/2002	< Limit	0.406
PCB Arochlor-1232	E. N. Slough	10/22/1993	< Limit	0.064
PCB Arochlor-1232	E. N. Slough	6/28/1994	< Limit	0.0021
PCB Arochlor-1232	E. N. Slough	8/8/1995	< Limit	0.25
PCB Arochlor-1232	E. N. Slough	9/5/1996	< Limit	0.071
PCB Arochlor-1232	E. N. Slough	5/28/1997	< Limit	0.016
PCB Arochlor-1232	E. N. Slough	6/15/1998	< Limit	0.015
PCB Arochlor-1232	E. N. Slough	6/15/1999	< Limit	0.067
PCB Arochlor-1232	E. N. Slough	6/20/2000	< Limit	0.067
PCB Arochlor-1232	E. N. Slough	6/21/2001	< Limit	0.16
PCB Arochlor-1232	E. N. Slough	6/11/2002	< Limit	0.203
PCB Arochlor-1242	E. N. Slough	10/22/1993	< Limit	0.064
PCB Arochlor-1242	E. N. Slough	8/8/1995	< Limit	0.25
PCB Arochlor-1242	E. N. Slough	9/5/1996	< Limit	0.071
PCB Arochlor-1242	E. N. Slough	5/28/1997	< Limit	0.016

Parameter	Station	Date	Result	Anal. Limit
PCB Arochlor-1242	E. N. Slough	6/15/1998	< Limit	0.015
PCB Arochlor-1242	E. N. Slough	6/15/1999	< Limit	0.067
PCB Arochlor-1242	E. N. Slough	6/20/2000	< Limit	0.067
PCB Arochlor-1242	E. N. Slough	6/21/2001	< Limit	0.16
PCB Arochlor-1242	E. N. Slough	6/11/2002	< Limit	0.203
PCB Arochlor-1248	E. N. Slough	10/22/1993	< Limit	0.064
PCB Arochlor-1248	E. N. Slough	6/28/1994	< Limit	0.0021
PCB Arochlor-1248	E. N. Slough	8/8/1995	< Limit	0.25
PCB Arochlor-1248	E. N. Slough	9/5/1996	< Limit	0.071
PCB Arochlor-1248	E. N. Slough	5/28/1997	< Limit	0.016
PCB Arochlor-1248	E. N. Slough	6/15/1998	< Limit	0.015
PCB Arochlor-1248	E. N. Slough	6/15/1999	< Limit	0.067
PCB Arochlor-1248	E. N. Slough	6/20/2000	< Limit	0.067
PCB Arochlor-1248	E. N. Slough	6/21/2001	< Limit	0.16
PCB Arochlor-1248	E. N. Slough	6/11/2002	< Limit	0.203
PCB Arochlor-1254	E. N. Slough	10/22/1993	< Limit	0.064
PCB Arochlor-1254	E. N. Slough	6/28/1994	< Limit	0.0048
PCB Arochlor-1254	E. N. Slough	8/8/1995	< Limit	0.25
PCB Arochlor-1254	E. N. Slough	9/5/1996	< Limit	0.071
PCB Arochlor-1254	E. N. Slough	5/28/1997	< Limit	0.016
PCB Arochlor-1254	E. N. Slough	6/15/1998	< Limit	0.015
PCB Arochlor-1254	E. N. Slough	6/15/1999	< Limit	0.067
PCB Arochlor-1254	E. N. Slough	6/20/2000	< Limit	0.067
PCB Arochlor-1254	E. N. Slough	6/21/2001	< Limit	0.16
PCB Arochlor-1254	E. N. Slough	6/11/2002	< Limit	0.203
PCB Arochlor-1260	E. N. Slough	10/22/1993	< Limit	0.064
PCB Arochlor-1260	E. N. Slough	6/28/1994	0.0027	-8
PCB Arochlor-1260	E. N. Slough	8/8/1995	< Limit	0.25
PCB Arochlor-1260	E. N. Slough	9/5/1996	< Limit	0.071
PCB Arochlor-1260	E. N. Slough	5/28/1997	< Limit	0.016
PCB Arochlor-1260	E. N. Slough	6/15/1998	< Limit	0.015
PCB Arochlor-1260	E. N. Slough	6/15/1999	< Limit	0.067
PCB Arochlor-1260	E. N. Slough	6/20/2000	< Limit	0.067
PCB Arochlor-1260	E. N. Slough	6/21/2001	< Limit	0.16
PCB Arochlor-1260	E. N. Slough	6/11/2002	< Limit	0.203
PCB Arochlor-Bybee L.016+1242	E. N. Slough	6/28/1994	< Limit	0.0021
Pentachlorophenol	E. N. Slough	6/28/1994	< Limit	0.089
Pentachlorophenol	E. N. Slough	6/11/2002	< Limit	0.141
Phenanthrene	E. N. Slough	10/22/1993	0.037	0.019
Phenanthrene	E. N. Slough	6/28/1994	0.03	-8
Phenanthrene	E. N. Slough	8/8/1995	< Limit	0.047
Phenanthrene	E. N. Slough	5/28/1997	0.095	0.033
Phenanthrene	E. N. Slough	6/15/1998	0.0352	0.0067
Phenanthrene	E. N. Slough	6/15/1999	0.0409	0.0268
Phenanthrene	E. N. Slough	6/20/2000	< Limit	0.0268
Phenanthrene	E. N. Slough	6/21/2001	< Limit	0.0321
Phenanthrene	E. N. Slough	6/11/2002	< Limit	0.0406
Phenol	E. N. Slough	6/28/1994	< Limit	0.036
Pyrene	E. N. Slough	10/22/1993	< Limit	0.04
Pyrene	E. N. Slough	6/28/1994	0.055	-8
Pyrene	E. N. Slough	8/8/1995	< Limit	0.098
Pyrene	E. N. Slough	5/28/1997	0.16	0.033
Pyrene	E. N. Slough	6/15/1998	0.0697	0.0067
Pyrene	E. N. Slough	6/15/1999	0.0729	0.0268
Pyrene	E. N. Slough	6/20/2000	0.0578	0.0268
Pyrene	E. N. Slough	6/21/2001	0.078	0.0321
Pyrene	E. N. Slough	6/11/2002	0.0528	0.0406
Selenium	E. N. Slough	6/28/1994	< Limit	0.2
Selenium	E. N. Slough	5/28/1997	< Limit	0.46
Selenium	E. N. Slough	6/15/1998	< Limit	0.5
Selenium	E. N. Slough	6/15/1999	< Limit	0.5
Selenium	E. N. Slough	6/20/2000	< Limit	0.5
Selenium	E. N. Slough	6/21/2001	1.48	1.18
Selenium	E. N. Slough	6/21/2001	< Limit	1.2
Selenium	E. N. Slough	6/11/2002	< Limit	1.52
Silver	E. N. Slough	6/28/1994	0.2	-8
Silver	E. N. Slough	6/15/1998	< Limit	1
Silver	E. N. Slough	6/15/1999	< Limit	0.5
Silver	E. N. Slough	6/20/2000	< Limit	0.5
Silver	E. N. Slough	6/21/2001	< Limit	1.2

Parameter	Station	Date	Result	Anal. Limit
Silver	E. N. Slough	6/11/2002	< Limit	1.52
Silver - SEM	E. N. Slough	6/15/1998	< Limit	0.25
Silver - SEM	E. N. Slough	6/15/1999	< Limit	0.275
Silver - SEM	E. N. Slough	6/20/2000	< Limit	0.246
Silver - SEM	E. N. Slough	6/21/2001	< Limit	1.18
Silver - SEM	E. N. Slough	6/11/2002	< Limit	0.854
Styrene	E. N. Slough	6/28/1994	< Limit	0.0018
Sulfide	E. N. Slough	6/15/1998	18400	1
Sulfide	E. N. Slough	6/15/1999	83.2	1
Sulfide	E. N. Slough	6/20/2000	181	49.1
Sulfide	E. N. Slough	6/21/2001	154	11.8
Sulfide	E. N. Slough	6/11/2002	2.28	0.0882
Technical-chlordane	E. N. Slough	6/15/1998	< Limit	0.045
Technical-chlordane	E. N. Slough	6/15/1999	< Limit	0.15
Technical-chlordane	E. N. Slough	6/20/2000	< Limit	0.15
Technical-chlordane	E. N. Slough	6/21/2001	< Limit	1.79
Technical-chlordane	E. N. Slough	6/11/2002	< Limit	0.455
Tetrachloroethene	E. N. Slough	6/28/1994	< Limit	0.0018
Thallium	E. N. Slough	6/28/1994	0.3	-8
Thallium	E. N. Slough	6/15/1998	< Limit	0.5
Thallium	E. N. Slough	6/15/1999	< Limit	0.5
Thallium	E. N. Slough	6/20/2000	< Limit	0.5
Thallium	E. N. Slough	6/21/2001	< Limit	1.2
Thallium	E. N. Slough	6/11/2002	< Limit	1.52
Toluene	E. N. Slough	6/28/1994	< Limit	0.0018
Total organic carbon	E. N. Slough	6/15/1998	9970	50
Total organic carbon	E. N. Slough	6/15/1999	21900	500
Total organic carbon	E. N. Slough	6/20/2000	14800	300
Total organic carbon	E. N. Slough	6/21/2001	23200	2540
Total organic carbon	E. N. Slough	6/11/2002	24000	2830
Total organic carbon (%)	E. N. Slough	10/22/1993	0.98	
Total organic carbon (%)	E. N. Slough	6/28/1994	1.7	-8
Total organic carbon (%)	E. N. Slough	8/8/1995	2.4	0.01
Total organic carbon (%)	E. N. Slough	9/5/1996	1.2	0.01
Total organic carbon (%)	E. N. Slough	5/28/1997	1.5	0.01
Total solids	E. N. Slough	6/15/1998	550000	10
Total solids	E. N. Slough	6/15/1999	534000	20
Total solids	E. N. Slough	6/20/2000	572000	6.13
Total solids	E. N. Slough	6/21/2001	430000	99.8
Total solids	E. N. Slough	6/11/2002	330000	100
Total solids (%)	E. N. Slough	10/22/1993	54	
Total solids (%)	E. N. Slough	6/28/1994	47.1	-8
Total solids (%)	E. N. Slough	8/8/1995	40	0.1
Total solids (%)	E. N. Slough	9/5/1996	45	0.1
Total solids (%)	E. N. Slough	5/28/1997	48	0.1
Total solids (%)	E. N. Slough	6/20/2000	57.2	1
Total solids (%)	E. N. Slough	6/21/2001	41.8	1
Total solids (%)	E. N. Slough	6/11/2002	33	1
Toxaphene	E. N. Slough	10/22/1993	< Limit	0.78
Toxaphene	E. N. Slough	6/28/1994	< Limit	0.0071
Toxaphene	E. N. Slough	8/8/1995	< Limit	3
Toxaphene	E. N. Slough	9/5/1996	< Limit	0.86
Toxaphene	E. N. Slough	5/28/1997	< Limit	0.2
Toxaphene	E. N. Slough	6/15/1998	< Limit	0.045
Toxaphene	E. N. Slough	6/15/1999	< Limit	0.2
Toxaphene	E. N. Slough	6/20/2000	< Limit	0.2
Toxaphene	E. N. Slough	6/21/2001	< Limit	2.39
Toxaphene	E. N. Slough	6/11/2002	< Limit	0.606
tranBybee L., 2-dichloroethene	E. N. Slough	6/28/1994	< Limit	0.0018
tranBybee L., 3-dichloropropene	E. N. Slough	6/28/1994	< Limit	0.0018
Tricamba	E. N. Slough	10/22/1993	< Limit	0.019
Tricamba	E. N. Slough	8/8/1995	< Limit	0.13
Tricamba	E. N. Slough	5/28/1997	< Limit	0.011
Trichloroethene	E. N. Slough	6/28/1994	< Limit	0.0018
Trichlorofluoromethane	E. N. Slough	6/28/1994	< Limit	0.0035
Trichlorotrifluoroethane	E. N. Slough	6/28/1994	< Limit	0.0035
Vanadium	E. N. Slough	6/15/1998	61.3	1
Vanadium	E. N. Slough	6/15/1999	59.5	2.5
Vanadium	E. N. Slough	6/20/2000	53	2.5
Vanadium	E. N. Slough	6/21/2001	92	5.98

Parameter	Station	Date	Result	Anal. Limit
Vanadium	E. N. Slough	6/11/2002	88	1.52
Vinyl acetate	E. N. Slough	6/28/1994	< Limit	0.0089
Vinyl chloride	E. N. Slough	6/28/1994	< Limit	0.0035
Xylenes (total)	E. N. Slough	6/28/1994	< Limit	0.0035
Zinc	E. N. Slough	10/22/1993	130	0.28
Zinc	E. N. Slough	6/28/1994	170	-8
Zinc	E. N. Slough	8/8/1995	172	0.352
Zinc	E. N. Slough	9/5/1996	140	0.3
Zinc	E. N. Slough	5/28/1997	130	0.46
Zinc	E. N. Slough	6/15/1998	127	1
Zinc	E. N. Slough	6/15/1999	150	2.5
Zinc	E. N. Slough	6/20/2000	119	2.5
Zinc	E. N. Slough	6/21/2001	185	5.98
Zinc	E. N. Slough	6/11/2002	173	6.06