ODFW permit Juno Pandian 657-6811 Watermaster Serveral authorized permit Cenhancement work fails under this Lori Warner 378-3805 ×246

3/6/00 Juno Pandian · Water rights travel of the land we can get permit transferred to as · Permit allows us to store 4,100 ac/ft of water. If permit not exercised once every 5 years, we lose H. Our season of use is Nov. -> June 30. . no need to re-do these permits - they have priority dates in 1981. · Juno & her dam safety engineer are meeting Morgan & me @ S&B

From:	Jim Morgan
To:	Elaine Stewart
Date:	Fri, Mar 24, 2000 9:57 AM
Subject:	Phone call from Juno Pandian

Juno Pandian, local Watermaster, called me after not being able to reach you directly and asked me to convey this message. She looked in the Salem office files and found that the 1993 Proposed Certificate for storing 3100 acre-feet remains valid. This volume was calculated by the WRD engineer. It needs to be officially issued, at which time you can adjust the volume, if needed. She recommends this process for clarity and speed, rather than filing for a new permit. Metro can shake the Proposed Certificate loose by bugging WRD, namely Dwight French, administrator of water rights.

If we want all the information in their Salem files, she recommends going to Salem.  $\chi 268$ 

CC: 9/14/00

Dan Kromer

permit 20. 62601 = R8298 62601 = 45974 Dwight pulled the files.

> Permits have been > Tssued. Proof was made, site surveyor utsited 8/93, draft certificate was prepared. Probably hot motified out.

Durght French 158 12th St. NE

Salem OR 97301-

Dwight will ask sentior tech. review person tomorrow whether there's any reason not to assue the certificate.

To get it assigned to metro, I and as Fus full out paperwork of \$ 25 - fee ..

He suggests writing a letter - why I need it down now rather than later, Submit Letter and assignment info, together, (They have a backlog of 6,000 certificates; when he gets a Letter he puts it in a pile and batches

Page 1

4177