

Commissioners

HAROLD B. BERRY  
President

LEE E. CALLWELL  
Vice President

JOHN S. DEAN  
Secretary

DONALD E. HARRIS  
Treasurer

DR. FREDERICK W. HARRIS

LEWIS W. HARRIS

DR. WALTER H. HARRIS

EDWARD W. HARRIS

ROBERT W. HARRIS

General Manager  
WILLIAM A. BOWES

Assistant Manager  
WILLIAM A. BOWES

Manager of Dept.  
WILLIAM A. BOWES

Manager of Dept.  
WILLIAM A. BOWES

Manager of Dept.  
WILLIAM A. BOWES

Manager of Dept.  
WILLIAM A. BOWES

Manager of Dept.  
WILLIAM A. BOWES

Manager of Dept.  
WILLIAM A. BOWES

Manager of Dept.  
WILLIAM A. BOWES

Manager of Dept.  
WILLIAM A. BOWES

Manager of Dept.  
WILLIAM A. BOWES

Manager of Dept.  
WILLIAM A. BOWES

Manager of Dept.  
WILLIAM A. BOWES

Manager of Dept.  
WILLIAM A. BOWES

Manager of Dept.  
WILLIAM A. BOWES

Manager of Dept.  
WILLIAM A. BOWES



September 20, 1967

Mr. William A. Bowes  
Commissioner of Public Works  
City of Portland  
City Hall  
Portland, Oregon

Dear Mr. Bowes:

The Port requests permission to install a sixty (60) inch corrugated culvert pipe at the east end of the north arm of the Columbia Slough for the purpose of controlling the flow of water from Smith Lake.

It is understood that the city owns the land where a small dam with a culvert is now located being generally at the northwesterly end of Smith Lake. This area we believe is identified as being Tax Lot 2 in Section 31, 2 N, 1 E, in Multnomah County. Attached is a plat of the Columbia Slough area showing the location of the dam at lower right corner. If an approval is granted, the Port will raise the height of the dam and install the large culvert designed to act as a spillway gate control. This work is hoped to be accomplished before the rainy season comes on.

Your favorable consideration to this request will be very much appreciated.

Yours very truly,

THE PORT OF PORTLAND

Carl H. Cover  
Properties Manager

CHC/lr  
Encl.

10412

cc: A. J. Heineman  
R. F. Dow

NRD/ [initials]  
[initials]

No action

RNC  
Purpose & EFFECT  
on City PROPERTY  
Ask for complete  
+ Report. [initials]



S A U V I E I.

marsh

marsh

Fl 450' 4"

Kelley Pt

Fl G 450' 3"

10 FOOT CHANNEL

North Portland

1000' LINE

1000' LINE

Fl G 450' 11"

Road on Dike

marsh

marsh

Ramsey Lake

marsh

Fl G 450' 19"

S. TOWER  
OVERHEAD POWER CABLES  
AUTHORIZED CL. 230 FT

OVERHEAD POWER CABLE  
AUTHORIZED CL. 86 FT

TOWER

TOWER

COLLEGE

Dump

SY

205' arc.

N. TOWER