

Contaminants detected at least twice over the analytical limit and on tables from Denise and/or Paul.												
Class	Parameter	Station	Date	Result	Anal. Limit	FW: TEL/ERL	Terr: DEQ	FW: PEL/ERM	Aquatic OK?	RES	Terr: DEQ	Upland OK?
Metal	Arsenic	E. N.Slough	10/22/1993	9.4	4.1	E	U	OK	U	E	U	NO
Metal	Arsenic	E. N.Slough	6/28/1994	6.4	-8	E	U	OK	U	E	U	NO
Metal	Arsenic	E. N.Slough	8/8/1995	6	0.18	E	U	OK	U	E	U	NO
Metal	Arsenic	E. N.Slough	9/5/1996	4	0.15	OK	U		U	E	U	NO
Metal	Arsenic	E. N.Slough	5/28/1997	5.2	0.23	OK	U		U	E	U	NO
Metal	Arsenic	E. N.Slough	6/15/1998	4.73	0.5	OK	U		U	E	U	NO
Metal	Arsenic	E. N.Slough	6/15/1999	5.52	0.5	OK	U		U	E	U	NO
Metal	Arsenic	E. N.Slough	6/20/2000	4.34	0.5	OK	U		U	E	U	NO
Metal	Arsenic	E. N.Slough	6/21/2001	7.3	1.2	E	U	OK	U	E	U	NO
Metal	Arsenic	E. N.Slough	6/11/2002	5.57	1.52	OK	U		U	E	U	NO
Metal	Barium	E. N.Slough	6/15/1998	146	0.5	N/A	N/A		U	OK	N/A	YES
Metal	Barium	E. N.Slough	6/15/1999	149	1	N/A	N/A		U	OK	N/A	YES
Metal	Barium	E. N.Slough	6/20/2000	128	1	N/A	N/A		U	OK	N/A	YES
Metal	Barium	E. N.Slough	6/21/2001	206	2.39	N/A	N/A		U	OK	N/A	YES
Metal	Barium	E. N.Slough	6/11/2002	198	1.52	N/A	N/A		U	OK	N/A	YES
SVOC	Benzo(a)anthracene	E. N.Slough	10/22/1993	< Limit	0.019	OK	N/A		YES	OK	N/A	U
SVOC	Benzo(a)anthracene	E. N.Slough	6/28/1994	0.043	-8	OK	N/A		YES	OK	N/A	U
SVOC	Benzo(a)anthracene	E. N.Slough	8/8/1995	< Limit	0.047	OK	N/A		YES	OK	N/A	U
SVOC	Benzo(a)anthracene	E. N.Slough	5/28/1997	0.11	0.033	OK	N/A		YES	E	N/A	U
SVOC	Benzo(a)anthracene	E. N.Slough	6/15/1998	0.0689	0.0067	OK	N/A		YES	OK	N/A	U
SVOC	Benzo(a)anthracene	E. N.Slough	6/15/1999	0.0469	0.0268	OK	N/A		YES	OK	N/A	U
SVOC	Benzo(a)anthracene	E. N.Slough	6/20/2000	0.0515	0.0268	OK	N/A		YES	OK	N/A	U
SVOC	Benzo(a)anthracene	E. N.Slough	6/21/2001	0.0405	0.0321	OK	N/A		YES	OK	N/A	U
SVOC	Benzo(a)anthracene	E. N.Slough	6/11/2002	< Limit	0.0406	OK	N/A		YES	OK	N/A	U
SVOC	Benzo(a)pyrene	E. N.Slough	10/22/1993	0.045	0.01	OK	OK		YES	OK	OK	YES
SVOC	Benzo(a)pyrene	E. N.Slough	6/28/1994	0.041	-8	OK	OK		YES	OK	OK	YES
SVOC	Benzo(a)pyrene	E. N.Slough	8/8/1995	< Limit	0.025	OK	OK		YES	OK	OK	YES
SVOC	Benzo(a)pyrene	E. N.Slough	5/28/1997	0.087	0.033	OK	OK		YES	OK	OK	YES
SVOC	Benzo(a)pyrene	E. N.Slough	6/15/1998	0.0525	0.0067	OK	OK		YES	OK	OK	YES
SVOC	Benzo(a)pyrene	E. N.Slough	6/15/1999	0.0419	0.0268	OK	OK		YES	OK	OK	YES
SVOC	Benzo(a)pyrene	E. N.Slough	6/20/2000	0.0559	0.0268	OK	OK		YES	OK	OK	YES
SVOC	Benzo(a)pyrene	E. N.Slough	6/21/2001	0.0627	0.0321	OK	OK		YES	OK	OK	YES
SVOC	Benzo(a)pyrene	E. N.Slough	6/11/2002	0.0472	0.0406	OK	OK		YES	OK	OK	YES
SVOC	Benzo(b)fluoranthene	E. N.Slough	10/22/1993	0.73	0.019	N/A	N/A		U	E	N/A	U
SVOC	Benzo(b)fluoranthene	E. N.Slough	6/28/1994	0.05	-8	N/A	N/A		U	OK	N/A	U
SVOC	Benzo(b)fluoranthene	E. N.Slough	8/8/1995	< Limit	0.047	N/A	N/A		U	OK	N/A	U
SVOC	Benzo(b)fluoranthene	E. N.Slough	5/28/1997	0.092	0.033	N/A	N/A		U	OK	N/A	U
SVOC	Benzo(b)fluoranthene	E. N.Slough	6/15/1998	0.0538	0.0067	N/A	N/A		U	OK	N/A	U
SVOC	Benzo(b)fluoranthene	E. N.Slough	6/15/1999	0.0537	0.0268	N/A	N/A		U	OK	N/A	U
SVOC	Benzo(b)fluoranthene	E. N.Slough	6/20/2000	0.0576	0.0268	N/A	N/A		U	OK	N/A	U
SVOC	Benzo(b)fluoranthene	E. N.Slough	6/21/2001	0.0656	0.0321	N/A	N/A		U	OK	N/A	U
SVOC	Benzo(b)fluoranthene	E. N.Slough	6/11/2002	0.0479	0.0406	N/A	N/A		U	OK	N/A	U
SVOC	Benzo(k)fluoranthene	E. N.Slough	10/22/1993	< Limit	0.01	N/A	N/A		U	OK	N/A	YES
SVOC	Benzo(k)fluoranthene	E. N.Slough	6/28/1994	0.041	-8	N/A	N/A		U	OK	N/A	YES
SVOC	Benzo(k)fluoranthene	E. N.Slough	8/8/1995	< Limit	0.025	N/A	N/A		U	OK	N/A	YES
SVOC	Benzo(k)fluoranthene	E. N.Slough	5/28/1997	0.081	0.033	N/A	N/A		U	OK	N/A	YES

Contaminants detected at least twice over the analytical limit and on tables from Denise and/or Paul.												
Class	Parameter	Station	Date	Result	Anal. Limit	FW: TEL/ERL	Terr: DEQ	FW: PEL/ERM	Aquatic OK?	RES	Terr: DEQ	Upland OK?
SVOC	Benzo(k)fluoranthene	E. N.Slough	6/15/1998	0.0406	0.0067	N/A	N/A		U	OK	N/A	YES
SVOC	Benzo(k)fluoranthene	E. N.Slough	6/15/1999	0.0402	0.0268	N/A	N/A		U	OK	N/A	YES
SVOC	Benzo(k)fluoranthene	E. N.Slough	6/20/2000	0.0464	0.0268	N/A	N/A		U	OK	N/A	YES
SVOC	Benzo(k)fluoranthene	E. N.Slough	6/21/2001	0.0526	0.0321	N/A	N/A		U	OK	N/A	YES
SVOC	Benzo(k)fluoranthene	E. N.Slough	6/11/2002	< Limit	0.0406	N/A	N/A		U	OK	N/A	YES
Metal	Cadmium	E. N.Slough	10/22/1993	< Limit	0.28	OK	OK		U	OK	OK	YES
Metal	Cadmium	E. N.Slough	6/28/1994	0.59	-8	E	OK	OK	U	OK	OK	YES
Metal	Cadmium	E. N.Slough	8/8/1995	0.825	0.352	E	OK	OK	U	OK	OK	YES
Metal	Cadmium	E. N.Slough	9/5/1996	0.51	0.3	OK	OK		U	OK	OK	YES
Metal	Cadmium	E. N.Slough	6/15/1998	1	0.5	OK	OK		U	OK	OK	YES
Metal	Cadmium	E. N.Slough	6/15/1999	< Limit	0.5	OK	OK		U	OK	OK	YES
Metal	Cadmium	E. N.Slough	6/20/2000	< Limit	0.5	OK	OK		U	OK	OK	YES
Metal	Cadmium	E. N.Slough	6/21/2001	< Limit	1.2	OK	OK		U	OK	OK	YES
Metal	Cadmium	E. N.Slough	6/11/2002	< Limit	1.52	OK	OK		U	OK	OK	YES
Metal	Chromium	E. N.Slough	10/22/1993	30	0.83	OK	U		U	OK	U	U
Metal	Chromium	E. N.Slough	6/28/1994	29	-8	OK	U		U	OK	U	U
Metal	Chromium	E. N.Slough	8/8/1995	30	1.06	OK	U		U	OK	U	U
Metal	Chromium	E. N.Slough	9/5/1996	31	0.91	OK	U		U	OK	U	U
Metal	Chromium	E. N.Slough	5/28/1997	24	1.4	OK	U		U	OK	U	U
Metal	Chromium	E. N.Slough	6/15/1998	24.9	0.5	OK	U		U	OK	U	U
Metal	Chromium	E. N.Slough	6/15/1999	22.9	0.5	OK	U		U	OK	U	U
Metal	Chromium	E. N.Slough	6/20/2000	19.6	0.5	OK	U		U	OK	U	U
Metal	Chromium	E. N.Slough	6/21/2001	34.6	1.2	OK	U		U	OK	U	U
Metal	Chromium	E. N.Slough	6/11/2002	36.3	1.52	OK	U		U	OK	U	U
PAH	Chrysene	E. N.Slough	10/22/1993	0.062	0.029	OK	N/A		YES	OK	N/A	YES
PAH	Chrysene	E. N.Slough	6/28/1994	0.045	-8	OK	N/A		YES	OK	N/A	YES
PAH	Chrysene	E. N.Slough	8/8/1995	< Limit	0.07	OK	N/A		YES	OK	N/A	YES
PAH	Chrysene	E. N.Slough	5/28/1997	0.12	0.033	OK	N/A		YES	OK	N/A	YES
PAH	Chrysene	E. N.Slough	6/15/1998	0.0977	0.0067	OK	N/A		YES	OK	N/A	YES
PAH	Chrysene	E. N.Slough	6/15/1999	0.0682	0.0268	OK	N/A		YES	OK	N/A	YES
PAH	Chrysene	E. N.Slough	6/20/2000	0.0529	0.0268	OK	N/A		YES	OK	N/A	YES
PAH	Chrysene	E. N.Slough	6/21/2001	0.0585	0.0321	OK	N/A		YES	OK	N/A	YES
PAH	Chrysene	E. N.Slough	6/11/2002	0.0458	0.0406	OK	N/A		YES	OK	N/A	YES
Metal	Copper	E. N.Slough	10/22/1993	19	0.28	OK	OK		U	OK	OK	YES
Metal	Copper	E. N.Slough	6/28/1994	31	-8	OK	OK		U	OK	OK	YES
Metal	Copper	E. N.Slough	8/8/1995	32.5	0.352	OK	OK		U	OK	OK	YES
Metal	Copper	E. N.Slough	9/5/1996	32	0.3	OK	OK		U	OK	OK	YES
Metal	Copper	E. N.Slough	5/28/1997	22	0.46	OK	OK		U	OK	OK	YES
Metal	Copper	E. N.Slough	6/15/1998	22.5	1	OK	OK		U	OK	OK	YES
Metal	Copper	E. N.Slough	6/15/1999	25.3	1	OK	OK		U	OK	OK	YES
Metal	Copper	E. N.Slough	6/20/2000	22.7	1	OK	OK		U	OK	OK	YES
Metal	Copper	E. N.Slough	6/21/2001	42.9	2.39	E	OK	OK	U	OK	OK	YES
Metal	Copper	E. N.Slough	6/11/2002	42.8	6.06	E	OK	OK	U	OK	OK	YES
SVOC	Fluoranthene	E. N.Slough	10/22/1993	< Limit	0.049	OK	N/A		YES	OK	N/A	YES
SVOC	Fluoranthene	E. N.Slough	6/28/1994	0.052	-8	OK	N/A		YES	OK	N/A	YES
SVOC	Fluoranthene	E. N.Slough	8/8/1995	< Limit	0.12	OK	N/A		YES	OK	N/A	YES

Contaminants detected at least twice over the analytical limit and on tables from Denise and/or Paul.												
Class	Parameter	Station	Date	Result	Anal. Limit	FW: TEL/ERL	Terr: DEQ	FW: PEL/ERM	Aquatic OK?	RES	Terr: DEQ	Upland OK?
SVOC	Fluoranthene	E. N.Slough	5/28/1997	0.17	0.033	OK	N/A		YES	OK	N/A	YES
SVOC	Fluoranthene	E. N.Slough	6/15/1998	0.081	0.0067	OK	N/A		YES	OK	N/A	YES
SVOC	Fluoranthene	E. N.Slough	6/15/1999	0.0874	0.0268	OK	N/A		YES	OK	N/A	YES
SVOC	Fluoranthene	E. N.Slough	6/20/2000	0.0622	0.0268	OK	N/A		YES	OK	N/A	YES
SVOC	Fluoranthene	E. N.Slough	6/21/2001	0.0619	0.0321	OK	N/A		YES	OK	N/A	YES
SVOC	Fluoranthene	E. N.Slough	6/11/2002	0.058	0.0406	OK	N/A		YES	OK	N/A	YES
SVOC	Indeno(1,2,3-cd)pyrene	E. N.Slough	10/22/1993	< Limit	0.019	N/A	N/A		U	OK	N/A	YES
SVOC	Indeno(1,2,3-cd)pyrene	E. N.Slough	6/28/1994	0.025	-8	N/A	N/A		U	OK	N/A	YES
SVOC	Indeno(1,2,3-cd)pyrene	E. N.Slough	8/8/1995	< Limit	0.047	N/A	N/A		U	OK	N/A	YES
SVOC	Indeno(1,2,3-cd)pyrene	E. N.Slough	5/28/1997	< Limit	0.066	N/A	N/A		U	OK	N/A	YES
SVOC	Indeno(1,2,3-cd)pyrene	E. N.Slough	6/15/1998	0.0342	0.0067	N/A	N/A		U	OK	N/A	YES
SVOC	Indeno(1,2,3-cd)pyrene	E. N.Slough	6/15/1999	< Limit	0.0268	N/A	N/A		U	OK	N/A	YES
SVOC	Indeno(1,2,3-cd)pyrene	E. N.Slough	6/20/2000	0.0378	0.0268	N/A	N/A		U	OK	N/A	YES
SVOC	Indeno(1,2,3-cd)pyrene	E. N.Slough	6/21/2001	0.0392	0.0321	N/A	N/A		U	OK	N/A	YES
SVOC	Indeno(1,2,3-cd)pyrene	E. N.Slough	6/11/2002	0.0428	0.0406	N/A	N/A		U	OK	N/A	YES
Metal	Lead	E. N.Slough	10/22/1993	28	2.8	OK	OK		YES	OK	OK	YES
Metal	Lead	E. N.Slough	6/28/1994	24	-8	OK	OK		YES	OK	OK	YES
Metal	Lead	E. N.Slough	8/8/1995	19	0.18	OK	OK		YES	OK	OK	YES
Metal	Lead	E. N.Slough	9/5/1996	20	0.15	OK	OK		YES	OK	OK	YES
Metal	Lead	E. N.Slough	5/28/1997	18	0.23	OK	OK		YES	OK	OK	YES
Metal	Lead	E. N.Slough	6/15/1998	14.7	10	OK	OK		YES	OK	OK	YES
Metal	Lead	E. N.Slough	6/15/1999	15.2	0.5	OK	OK		YES	OK	OK	YES
Metal	Lead	E. N.Slough	6/20/2000	15.6	0.5	OK	OK		YES	OK	OK	YES
Metal	Lead	E. N.Slough	6/21/2001	30.8	1.2	OK	OK		YES	OK	OK	YES
Metal	Lead	E. N.Slough	6/11/2002	31.3	1.52	OK	OK		YES	OK	OK	YES
Metal	Mercury	E. N.Slough	10/22/1993	< Limit	1.4	OK	OK		YES	OK	OK	YES
Metal	Mercury	E. N.Slough	6/28/1994	0.07	-8	OK	OK		YES	OK	OK	YES
Metal	Mercury	E. N.Slough	8/8/1995	0.082	0.035	OK	OK		YES	OK	OK	YES
Metal	Mercury	E. N.Slough	9/5/1996	< Limit	0.044	OK	OK		YES	OK	OK	YES
Metal	Mercury	E. N.Slough	5/28/1997	0.05	0.04	OK	OK		YES	OK	OK	YES
Metal	Mercury	E. N.Slough	6/15/1998	< Limit	0.05	OK	OK		YES	OK	OK	YES
Metal	Mercury	E. N.Slough	6/15/1999	< Limit	0.05	OK	OK		YES	OK	OK	YES
Metal	Mercury	E. N.Slough	6/20/2000	< Limit	0.1	OK	OK		YES	OK	OK	YES
Metal	Mercury	E. N.Slough	6/21/2001	< Limit	0.239	OK	OK		YES	OK	OK	YES
Metal	Mercury	E. N.Slough	6/11/2002	< Limit	0.275	OK	OK		YES	OK	OK	YES
Metal	Nickel	E. N.Slough	6/28/1994	23	-8	E	OK	OK	U	OK	OK	YES
Metal	Nickel	E. N.Slough	6/15/1998	18.3	1.25	E	OK	OK	U	OK	OK	YES
Metal	Nickel	E. N.Slough	6/15/1999	19.9	1	E	OK	OK	U	OK	OK	YES
Metal	Nickel	E. N.Slough	6/20/2000	16.3	1	OK	OK		U	OK	OK	YES
Metal	Nickel	E. N.Slough	6/21/2001	28.4	2.39	E	OK	OK	U	OK	OK	YES
Metal	Nickel	E. N.Slough	6/11/2002	27.2	3.03	E	OK	OK	U	OK	OK	YES
Pesticide	p,p-DDD	E. N.Slough	10/22/1993	< Limit	0.0068	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDD	E. N.Slough	6/28/1994	0.0016	-8	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDD	E. N.Slough	8/8/1995	< Limit	0.026	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDD	E. N.Slough	9/5/1996	< Limit	0.0075	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDD	E. N.Slough	5/28/1997	0.0026	0.0017	OK	OK		YES	OK	OK	YES

Contaminants detected at least twice over the analytical limit and on tables from Denise and/or Paul.												
Class	Parameter	Station	Date	Result	Anal. Limit	FW: TEL/ERL	Terr: DEQ	FW: PEL/ERM	Aquatic OK?	RES	Terr: DEQ	Upland OK?
Pesticide	p,p-DDD	E. N.Slough	6/15/1998	< Limit	0.0015	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDD	E. N.Slough	6/15/1999	< Limit	0.0067	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDD	E. N.Slough	6/20/2000	< Limit	0.0067	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDD	E. N.Slough	6/21/2001	< Limit	0.0801	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDE	E. N.Slough	10/22/1993	< Limit	0.0058	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDE	E. N.Slough	6/28/1994	0.0015	-8	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDE	E. N.Slough	8/8/1995	< Limit	0.022	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDE	E. N.Slough	9/5/1996	0.0083	0.0064	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDE	E. N.Slough	5/28/1997	0.0041	0.0015	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDE	E. N.Slough	6/15/1998	< Limit	0.0015	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDE	E. N.Slough	6/15/1999	< Limit	0.0067	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDE	E. N.Slough	6/20/2000	< Limit	0.0067	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDE	E. N.Slough	6/21/2001	< Limit	0.0801	OK	OK		YES	OK	OK	YES
SVOC	Pyrene	E. N.Slough	10/22/1993	< Limit	0.04	OK	N/A		YES	OK	N/A	YES
SVOC	Pyrene	E. N.Slough	6/28/1994	0.055	-8	OK	N/A		YES	OK	N/A	YES
SVOC	Pyrene	E. N.Slough	8/8/1995	< Limit	0.098	OK	N/A		YES	OK	N/A	YES
SVOC	Pyrene	E. N.Slough	5/28/1997	0.16	0.033	OK	N/A		YES	OK	N/A	YES
SVOC	Pyrene	E. N.Slough	6/15/1998	0.0697	0.0067	OK	N/A		YES	OK	N/A	YES
SVOC	Pyrene	E. N.Slough	6/15/1999	0.0729	0.0268	OK	N/A		YES	OK	N/A	YES
SVOC	Pyrene	E. N.Slough	6/20/2000	0.0578	0.0268	OK	N/A		YES	OK	N/A	YES
SVOC	Pyrene	E. N.Slough	6/21/2001	0.078	0.0321	OK	N/A		YES	OK	N/A	YES
SVOC	Pyrene	E. N.Slough	6/11/2002	0.0528	0.0406	OK	N/A		YES	OK	N/A	YES
Metal	Zinc	E. N.Slough	10/22/1993	130	0.28	E	E	OK	U	N/A	E	NO
Metal	Zinc	E. N.Slough	6/28/1994	170	-8	E	E	OK	U	N/A	E	NO
Metal	Zinc	E. N.Slough	8/8/1995	172	0.352	E	E	OK	U	N/A	E	NO
Metal	Zinc	E. N.Slough	9/5/1996	140	0.3	E	E	OK	U	N/A	E	NO
Metal	Zinc	E. N.Slough	5/28/1997	130	0.46	E	E	OK	U	N/A	E	NO
Metal	Zinc	E. N.Slough	6/15/1998	127	1	E	E	OK	U	N/A	E	NO
Metal	Zinc	E. N.Slough	6/15/1999	150	2.5	E	E	OK	U	N/A	E	NO
Metal	Zinc	E. N.Slough	6/20/2000	119	2.5	OK	E		U	N/A	E	NO
Metal	Zinc	E. N.Slough	6/21/2001	185	5.98	E	E	OK	U	N/A	E	NO
Metal	Zinc	E. N.Slough	6/11/2002	173	6.06	E	E	OK	U	N/A	E	NO

Contaminants detected at least twice over the analytical limit and on tables from Denise and/or Paul.												
Class	Parameter	Station	Date	Result	Anal. Limit	FW: TEL/ERL	Terr: DEQ	FW: PEL/ERM	Aquatic OK?	RES	Terr: DEQ	Upland OK?
Metal	Arsenic	Bybee L.	6/28/1994	8	-8	E		OK	U	E	OK	NO
Metal	Arsenic	Bybee L.	8/8/1995	6.5	0.23	E		OK	U	E	OK	NO
Metal	Arsenic	Bybee L.	9/5/1996	4.9	0.22	OK		OK	U	E	OK	NO
Metal	Arsenic	Bybee L.	5/28/1997	6.4	0.28	E		OK	U	E	OK	NO
Metal	Arsenic	Bybee L.	6/15/1998	6.12	0.5	E		OK	U	E	OK	NO
Metal	Arsenic	Bybee L.	6/15/1999	5.29	1.43	OK		OK	U	E	OK	NO
Metal	Arsenic	Bybee L.	6/20/2000	7.98	1.25	E		OK	U	E	OK	NO
Metal	Arsenic	Bybee L.	6/21/2001	9.78	1.38	E		OK	U	E	E	NO
Metal	Arsenic	Bybee L.	6/11/2002	6.25	0.773	E		OK	U	E	OK	NO
Metal	Barium	Bybee L.	6/15/1998	178	0.5	N/A	N/A	N/A	U	OK	N/A	YES
Metal	Barium	Bybee L.	6/15/1999	161	2.86	N/A	N/A	N/A	U	OK	N/A	YES
Metal	Barium	Bybee L.	6/20/2000	191	2.49	N/A	N/A	N/A	U	OK	N/A	YES
Metal	Barium	Bybee L.	6/21/2001	234	2.77	N/A	N/A	N/A	U	OK	N/A	YES
Metal	Barium	Bybee L.	6/11/2002	208	0.773	N/A	N/A	N/A	U	OK	N/A	YES
SVOC	Benzo(a)anthracene	Bybee L.	6/28/1994	0.046	-8	OK	N/A		YES	OK		YES
SVOC	Benzo(a)anthracene	Bybee L.	8/8/1995	< Limit	0.055	OK	N/A		YES	OK		YES
SVOC	Benzo(a)anthracene	Bybee L.	5/28/1997	< Limit	0.046	OK	N/A		YES	OK		YES
SVOC	Benzo(a)anthracene	Bybee L.	6/15/1998	0.0505	0.0067	OK	N/A		YES	OK		YES
SVOC	Benzo(a)anthracene	Bybee L.	6/15/1999	< Limit	0.191	OK	N/A		YES	OK		YES
SVOC	Benzo(a)anthracene	Bybee L.	6/20/2000	0.0835	0.0668	OK	N/A		YES	OK		YES
SVOC	Benzo(a)anthracene	Bybee L.	6/21/2001	< Limit	0.0741	OK	N/A		YES	OK		YES
SVOC	Benzo(a)anthracene	Bybee L.	6/11/2002	0.0459	0.0305	OK	N/A		YES	OK		YES
SVOC	Benzo(a)pyrene	Bybee L.	6/28/1994	0.06	-8	OK	OK		YES	OK	OK	U
SVOC	Benzo(a)pyrene	Bybee L.	8/8/1995	< Limit	0.029	OK	OK		YES	OK	OK	U
SVOC	Benzo(a)pyrene	Bybee L.	5/28/1997	0.047	0.046	OK	OK		YES	OK	OK	U
SVOC	Benzo(a)pyrene	Bybee L.	6/15/1998	0.0714	0.0067	OK	OK		YES	OK	OK	U
SVOC	Benzo(a)pyrene	Bybee L.	6/15/1999	< Limit	0.191	OK	OK		YES	OK	OK	U
SVOC	Benzo(a)pyrene	Bybee L.	6/20/2000	0.127	0.0668	OK	OK		YES	E	OK	U
SVOC	Benzo(a)pyrene	Bybee L.	6/21/2001	0.118	0.0741	OK	OK		YES	E	OK	U
SVOC	Benzo(a)pyrene	Bybee L.	6/11/2002	0.0755	0.0305	OK	OK		YES	OK	OK	U
SVOC	Benzo(b)fluoranthene	Bybee L.	6/28/1994	0.056	-8	N/A	N/A		N/A	OK	N/A	U
SVOC	Benzo(b)fluoranthene	Bybee L.	8/8/1995	< Limit	0.055	N/A	N/A		N/A	OK	N/A	U
SVOC	Benzo(b)fluoranthene	Bybee L.	5/28/1997	< Limit	0.046	N/A	N/A		N/A	OK	N/A	U
SVOC	Benzo(b)fluoranthene	Bybee L.	6/15/1998	0.0605	0.0067	N/A	N/A		N/A	OK	N/A	U
SVOC	Benzo(b)fluoranthene	Bybee L.	6/15/1999	< Limit	0.191	N/A	N/A		N/A	OK	N/A	U
SVOC	Benzo(b)fluoranthene	Bybee L.	6/20/2000	0.11	0.0668	N/A	N/A		N/A	E	N/A	U
SVOC	Benzo(b)fluoranthene	Bybee L.	6/21/2001	0.112	0.0741	N/A	N/A		N/A	E	N/A	U
SVOC	Benzo(b)fluoranthene	Bybee L.	6/11/2002	0.0696	0.0305	N/A	N/A		N/A	OK	N/A	U
SVOC	Benzo(k)fluoranthene	Bybee L.	6/28/1994	0.058	-8	N/A	N/A		N/A	OK	N/A	U
SVOC	Benzo(k)fluoranthene	Bybee L.	8/8/1995	< Limit	0.029	N/A	N/A		N/A	OK	N/A	U
SVOC	Benzo(k)fluoranthene	Bybee L.	5/28/1997	< Limit	0.046	N/A	N/A		N/A	OK	N/A	U
SVOC	Benzo(k)fluoranthene	Bybee L.	6/15/1998	0.0414	0.0067	N/A	N/A		N/A	OK	N/A	U
SVOC	Benzo(k)fluoranthene	Bybee L.	6/15/1999	< Limit	0.191	N/A	N/A		N/A	OK	N/A	U
SVOC	Benzo(k)fluoranthene	Bybee L.	6/20/2000	0.0828	0.0668	N/A	N/A		N/A	OK	N/A	U
SVOC	Benzo(k)fluoranthene	Bybee L.	6/21/2001	0.14	0.0741	N/A	N/A		N/A	OK	N/A	U

Contaminants detected at least twice over the analytical limit and on tables from Denise and/or Paul.												
Class	Parameter	Station	Date	Result	Anal. Limit	FW: TEL/ERL	Terr: DEQ	FW: PEL/ERM	Aquatic OK?	RES	Terr: DEQ	Upland OK?
SVOC	Benzo(k)fluoranthene	Bybee L.	6/11/2002	0.0528	0.0305	N/A	N/A		N/A	OK	N/A	U
Inorganic	Beryllium	Bybee L.	6/28/1994	0.6	-8	N/A	N/A		N/A	E	N/A	NO
Inorganic	Beryllium	Bybee L.	6/15/1998	< Limit	0.5	N/A	N/A		N/A	OK	N/A	NO
Inorganic	Beryllium	Bybee L.	6/15/1999	< Limit	1.43	N/A	N/A		N/A	OK	N/A	NO
Inorganic	Beryllium	Bybee L.	6/20/2000	< Limit	1.25	N/A	N/A		N/A	OK	N/A	NO
Inorganic	Beryllium	Bybee L.	6/21/2001	< Limit	1.38	N/A	N/A		N/A	OK	N/A	NO
Inorganic	Beryllium	Bybee L.	6/11/2002	0.819	0.773	N/A	N/A		N/A	OK	N/A	NO
Metal	Cadmium	Bybee L.	6/28/1994	1.8	-8	E		OK	U	OK	OK	YES
Metal	Cadmium	Bybee L.	8/8/1995	1.49	0.45	E		OK	U	OK	OK	YES
Metal	Cadmium	Bybee L.	9/5/1996	1.83	0.43	E		OK	U	OK	OK	YES
Metal	Cadmium	Bybee L.	6/15/1998	2.04	0.5	E		OK	U	OK	OK	YES
Metal	Cadmium	Bybee L.	6/15/1999	< Limit	1.43	OK		OK	U	OK	OK	YES
Metal	Cadmium	Bybee L.	6/20/2000	< Limit	1.25	OK		OK	U	OK	OK	YES
Metal	Cadmium	Bybee L.	6/21/2001	1.57	1.38	E		OK	U	OK	OK	YES
Metal	Cadmium	Bybee L.	6/11/2002	0.966	0.773	E		OK	U	OK	OK	YES
Metal	Chromium	Bybee L.	6/28/1994	31	-8	OK			U	OK	U	U
Metal	Chromium	Bybee L.	8/8/1995	32.4	1.35	OK			U	OK	U	U
Metal	Chromium	Bybee L.	9/5/1996	29.4	1.3	OK			U	OK	U	U
Metal	Chromium	Bybee L.	5/28/1997	29	1.7	OK			U	OK	U	U
Metal	Chromium	Bybee L.	6/15/1998	33.7	0.5	OK			U	OK	U	U
Metal	Chromium	Bybee L.	6/15/1999	27.7	1.43	OK			U	OK	U	U
Metal	Chromium	Bybee L.	6/20/2000	36.2	1.25	OK			U	OK	U	U
Metal	Chromium	Bybee L.	6/21/2001	41.5	1.38	E		OK	U	OK	U	U
Metal	Chromium	Bybee L.	6/11/2002	37.5	0.773	E		OK	U	OK	U	U
PAH	Chrysene	Bybee L.	6/28/1994	0.053	-8	OK	N/A		YES	OK	N/A	YES
PAH	Chrysene	Bybee L.	8/8/1995	< Limit	0.083	OK	N/A		YES	OK	N/A	YES
PAH	Chrysene	Bybee L.	5/28/1997	< Limit	0.046	OK	N/A		YES	OK	N/A	YES
PAH	Chrysene	Bybee L.	6/15/1998	0.0748	0.0067	OK	N/A		YES	OK	N/A	YES
PAH	Chrysene	Bybee L.	6/15/1999	< Limit	0.191	OK	N/A		YES	OK	N/A	YES
PAH	Chrysene	Bybee L.	6/20/2000	0.0944	0.0668	OK	N/A		YES	OK	N/A	YES
PAH	Chrysene	Bybee L.	6/21/2001	0.0966	0.0741	OK	N/A		YES	OK	N/A	YES
PAH	Chrysene	Bybee L.	6/11/2002	0.0607	0.0305	OK	N/A		YES	OK	N/A	YES
Metal	Copper	Bybee L.	6/28/1994	35	-8	OK			U	OK	OK	NO
Metal	Copper	Bybee L.	8/8/1995	40.5	0.45	E		OK	U	OK	OK	NO
Metal	Copper	Bybee L.	9/5/1996	39.7	0.43	E		OK	U	OK	OK	NO
Metal	Copper	Bybee L.	5/28/1997	36	0.55	E		OK	U	OK	OK	NO
Metal	Copper	Bybee L.	6/15/1998	39.9	1	E		OK	U	OK	OK	NO
Metal	Copper	Bybee L.	6/15/1999	37.7	2.86	E		OK	U	OK	OK	NO
Metal	Copper	Bybee L.	6/20/2000	47.2	2.49	E		OK	U	OK	OK	NO
Metal	Copper	Bybee L.	6/21/2001	61.1	2.77	E		OK	U	OK	E	NO
Metal	Copper	Bybee L.	6/11/2002	47.2	3.09	E		OK	U	OK	OK	NO
SVOC	Fluoranthene	Bybee L.	6/28/1994	0.062	-8	OK	N/A		YES	OK	N/A	YES
SVOC	Fluoranthene	Bybee L.	8/8/1995	< Limit	0.14	OK	N/A		YES	OK	N/A	YES
SVOC	Fluoranthene	Bybee L.	5/28/1997	< Limit	0.046	OK	N/A		YES	OK	N/A	YES
SVOC	Fluoranthene	Bybee L.	6/15/1998	0.119	0.0067	OK	N/A		YES	OK	N/A	YES

Contaminants detected at least twice over the analytical limit and on tables from Denise and/or Paul.												
Class	Parameter	Station	Date	Result	Anal. Limit	FW: TEL/ERL	Terr: DEQ	FW: PEL/ERM	Aquatic OK?	RES	Terr: DEQ	Upland OK?
SVOC	Fluoranthene	Bybee L.	6/15/1999	< Limit	0.191	OK	N/A		YES	OK	N/A	YES
SVOC	Fluoranthene	Bybee L.	6/20/2000	0.133	0.0668	OK	N/A		YES	OK	N/A	YES
SVOC	Fluoranthene	Bybee L.	6/21/2001	0.116	0.0741	OK	N/A		YES	OK	N/A	YES
SVOC	Fluoranthene	Bybee L.	6/11/2002	0.0749	0.0305	OK	N/A		YES	OK	N/A	YES
SVOC	Indeno(1,2,3-cd)pyrene	Bybee L.	6/28/1994	0.047	-8	N/A	N/A		N/A	OK	N/A	NO
SVOC	Indeno(1,2,3-cd)pyrene	Bybee L.	8/8/1995	< Limit	0.055	N/A	N/A		N/A	OK	N/A	NO
SVOC	Indeno(1,2,3-cd)pyrene	Bybee L.	5/28/1997	< Limit	0.092	N/A	N/A		N/A	OK	N/A	NO
SVOC	Indeno(1,2,3-cd)pyrene	Bybee L.	6/15/1998	0.0653	0.0067	N/A	N/A		N/A	OK	N/A	NO
SVOC	Indeno(1,2,3-cd)pyrene	Bybee L.	6/15/1999	< Limit	0.191	N/A	N/A		N/A	OK	N/A	NO
SVOC	Indeno(1,2,3-cd)pyrene	Bybee L.	6/20/2000	0.101	0.0668	N/A	N/A		N/A	E	N/A	NO
SVOC	Indeno(1,2,3-cd)pyrene	Bybee L.	6/21/2001	< Limit	0.0741	N/A	N/A		N/A	OK	N/A	NO
SVOC	Indeno(1,2,3-cd)pyrene	Bybee L.	6/11/2002	0.0712	0.0305	N/A	N/A		N/A	OK	N/A	NO
Metal	Lead	Bybee L.	6/28/1994	37	-8	E		OK	U	OK	OK	NO
Metal	Lead	Bybee L.	8/8/1995	30	0.23	OK			U	OK	OK	NO
Metal	Lead	Bybee L.	9/5/1996	34	0.22	OK			U	OK	OK	NO
Metal	Lead	Bybee L.	5/28/1997	39	0.28	E		OK	U	OK	OK	NO
Metal	Lead	Bybee L.	6/15/1998	38.9	10	E		OK	U	OK	OK	NO
Metal	Lead	Bybee L.	6/15/1999	34.1	1.43	OK			U	OK	OK	NO
Metal	Lead	Bybee L.	6/20/2000	42.9	1.25	E		OK	U	OK	OK	NO
Metal	Lead	Bybee L.	6/21/2001	52.9	1.38	E		OK	U	OK	E	NO
Metal	Lead	Bybee L.	6/11/2002	43.6	0.773	E		OK	U	OK	OK	NO
Metal	Mercury	Bybee L.	6/28/1994	0.02	-8	OK			U	OK	OK	NO
Metal	Mercury	Bybee L.	8/8/1995	0.097	0.045	OK			U	OK	OK	NO
Metal	Mercury	Bybee L.	9/5/1996	0.086	4.3	OK			U	OK	OK	NO
Metal	Mercury	Bybee L.	5/28/1997	0.12	0.06	OK			U	OK	E	NO
Metal	Mercury	Bybee L.	6/15/1998	0.187	0.05	E		OK	U	OK	E	NO
Metal	Mercury	Bybee L.	6/15/1999	0.209	0.143	E		OK	U	OK	E	NO
Metal	Mercury	Bybee L.	6/20/2000	< Limit	0.249	OK			U	OK	OK	NO
Metal	Mercury	Bybee L.	6/21/2001	< Limit	0.277	OK			U	OK	OK	NO
Metal	Mercury	Bybee L.	6/11/2002	< Limit	0.199	OK			U	OK	OK	NO
Metal	Nickel	Bybee L.	6/28/1994	24	-8	E		OK	U	OK	OK	NO
Metal	Nickel	Bybee L.	6/15/1998	25.2	1.25	E		OK	U	OK	OK	NO
Metal	Nickel	Bybee L.	6/15/1999	20.4	2.86	E		OK	U	OK	OK	NO
Metal	Nickel	Bybee L.	6/20/2000	28.6	2.49	E		OK	U	OK	OK	NO
Metal	Nickel	Bybee L.	6/21/2001	33	2.77	E		OK	U	OK	E	NO
Metal	Nickel	Bybee L.	6/11/2002	28.1	1.55	E		OK	U	OK	OK	NO
Pesticide	p,p-DDD	Bybee L.	6/28/1994	0.00074	-8	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDD	Bybee L.	8/8/1995	< Limit	0.029	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDD	Bybee L.	9/5/1996	< Limit	0.00913	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDD	Bybee L.	5/28/1997	0.0032	0.0024	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDD	Bybee L.	6/15/1998	< Limit	0.0015	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDD	Bybee L.	6/15/1999	< Limit	0.0383	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDD	Bybee L.	6/20/2000	< Limit	0.0334	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDD	Bybee L.	6/21/2001	< Limit	0.0926	OK	OK		YES	OK	OK	YES
Pesticide	p,p-DDE	Bybee L.	6/28/1994	0.0015	-8	OK	OK		NO	OK	OK	NO

Contaminants detected at least twice over the analytical limit and on tables from Denise and/or Paul.												
Class	Parameter	Station	Date	Result	Anal. Limit	FW: TEL/ERL	Terr: DEQ	FW: PEL/ERM	Aquatic OK?	RES	Terr: DEQ	Upland OK?
Pesticide	p,p-DDE	Bybee L.	8/8/1995	< Limit	0.025	OK	OK		NO	OK	OK	NO
Pesticide	p,p-DDE	Bybee L.	9/5/1996	0.0103	0.0078	OK	E		NO	OK	E	NO
Pesticide	p,p-DDE	Bybee L.	5/28/1997	0.007	0.0021	OK	OK		NO	OK	OK	NO
Pesticide	p,p-DDE	Bybee L.	6/15/1998	< Limit	0.0015	OK	OK		NO	OK	OK	NO
Pesticide	p,p-DDE	Bybee L.	6/15/1999	< Limit	0.0383	OK	OK		NO	OK	OK	NO
Pesticide	p,p-DDE	Bybee L.	6/20/2000	< Limit	0.0334	OK	OK		NO	OK	OK	NO
Pesticide	p,p-DDE	Bybee L.	6/21/2001	< Limit	0.0926	OK	OK		NO	OK	OK	NO
SVOC	Pyrene	Bybee L.	6/28/1994	0.086	-8	OK	N/A		YES	OK	N/A	YES
SVOC	Pyrene	Bybee L.	8/8/1995	< Limit	0.12	OK	N/A		YES	OK	N/A	YES
SVOC	Pyrene	Bybee L.	5/28/1997	0.067	0.046	OK	N/A		YES	OK	N/A	YES
SVOC	Pyrene	Bybee L.	6/15/1998	0.107	0.0067	OK	N/A		YES	OK	N/A	YES
SVOC	Pyrene	Bybee L.	6/15/1999	< Limit	0.191	OK	N/A		YES	OK	N/A	YES
SVOC	Pyrene	Bybee L.	6/20/2000	0.144	0.0668	OK	N/A		YES	OK	N/A	YES
SVOC	Pyrene	Bybee L.	6/21/2001	0.156	0.0741	OK	N/A		YES	OK	N/A	YES
SVOC	Pyrene	Bybee L.	6/11/2002	0.0895	0.0305	OK	N/A		YES	OK	N/A	YES
Metal	Zinc	Bybee L.	6/28/1994	170	-8	E		OK	U	N/A	E	NO
Metal	Zinc	Bybee L.	8/8/1995	159	0.45	E		OK	U	N/A	E	NO
Metal	Zinc	Bybee L.	9/5/1996	156	0.43	E		OK	U	N/A	E	NO
Metal	Zinc	Bybee L.	5/28/1997	180	0.55	E		OK	U	N/A	E	NO
Metal	Zinc	Bybee L.	6/15/1998	188	1	E		OK	U	N/A	E	NO
Metal	Zinc	Bybee L.	6/15/1999	156	7.14	E		OK	U	N/A	E	NO
Metal	Zinc	Bybee L.	6/20/2000	200	6.23	E		OK	U	N/A	E	NO
Metal	Zinc	Bybee L.	6/21/2001	256	6.91	E		OK	U	N/A	E	NO
Metal	Zinc	Bybee L.	6/11/2002	199	3.09	E		OK	U	N/A	E	NO