

IN-WATER TIMING EXTENSION

**THIS FORM IS A MODIFICATION TO YOUR PERMIT.
ATTACH THIS COPY TO YOUR PERMIT AND KEEP ON
SITE DURING ACTIVE CONSTRUCTION**

Permit or Authorization Number: 25189-GA

Permit Holder: Metro - Smith & Bybee Lakes Wildlife Area

Project Address: Columbia Blvd. 4.5 mi. west of I-5.

Name of Water Body: Bybee Lake and North Slough

Conditioned In-Water Timing: June 15 to September 15

Approved In-Water Timing: June 15 to November 1, 2003

Reasons for Requesting Extension: Delay in Corps permit issuance and availability of construction materials.

ODFW Concurrence: YES

Biologist Name: Jim Grimes, via telephone

Date: 08/22/03

In-water work extension approved under the following conditions. All other permit conditions of the permit Attachment A or authorization are in force and effect:

- Construction site dewatering shall occur in the form and manner described in Metro letter to DSL dated August 21, 2003 (attached).
- Discharge of water into Bybee Lake during the dewatering period shall be enclosed by silt curtain so as to effectively minimize turbidity to the waterway.

Fori Weam

8/22/03

DSL Region Manager

Date

IN-WATER TIMING EXTENSION

**THIS FORM IS A MODIFICATION TO YOUR PERMIT.
ATTACH THIS COPY TO YOUR PERMIT AND KEEP ON
SITE DURING ACTIVE CONSTRUCTION**

Permit or Authorization Number: 25189-GA

Permit Holder: Metro - Smith & Bybee Lakes Wildlife Area

Project Address: Columbia Blvd. 4.5 mi. west of I-5.

Name of Water Body: Bybee Lake and North Slough

Conditioned In-Water Timing: June 15 to September 15

Approved In-Water Timing: June 15 to November 15, 2003

Reasons for Requesting Extension: Delay in Corps permit issuance and availability of construction materials.

ODFW Concurrence: YES

Biologist Name: Jim Grimes, via telephone

Date: 10/24/03

In-water work extension approved under the following conditions. All other permit conditions of the permit Attachment A or authorization are in force and effect:

- Construction site dewatering shall occur in the form and manner described in Metro letter to DSL dated August 21, 2003 (attached).
- Discharge of water into Bybee Lake during the dewatering period shall be enclosed by silt curtain so as to effectively minimize turbidity to the waterway.



DSL Region Manager

10.27.03

Date

IN-WATER TIMING EXTENSION

**THIS FORM IS A MODIFICATION TO YOUR PERMIT.
ATTACH THIS COPY TO YOUR PERMIT AND KEEP ON
SITE DURING ACTIVE CONSTRUCTION**

Permit or Authorization Number: 25189-GA

Permit Holder: Metro - Smith & Bybee Lakes Wildlife Area

Project Address: Columbia Blvd. 4.5 mi. west of I-5.

Name of Water Body: Bybee Lake and North Slough

Conditioned In-Water Timing: June 15 to September 15

Approved In-Water Timing: June 15 to December 7, 2003

Reasons for Requesting Extension: Delay in delivery of tidegates

ODFW Concurrence: YES

Biologist Name: Jim Grimes, via telephone

Date: 11/14/03

In-water work extension approved under the following conditions. All other permit conditions of the permit Attachment A or authorization are in force and effect:

- Construction site dewatering shall occur in the form and manner described in Metro letter to DSL dated August 21, 2003 (attached).
- Discharge of water into Bybee Lake during the dewatering period shall be enclosed by silt curtain so as to effectively minimize turbidity to the waterway.

Fai Warner

DSL Region Manager

11/17/03

Date