
US-OR-32-8 METRO: MULTNOMAH CHANNEL & SMITH BYBEE WATER CONTROL STRUCTURES FACILITY IMPROVEMENTS



VANCOUVER, WA. 98683 PH. (360) 885-2011

MULTNOMAH CHANNEL NORTH & SOUTH SITES



SMITH BYBEE SITE



VICINITY MAP



SHEET INDEX

- 1 COVER SHEET
- 2 DRAWING INFORMATION
- 3 SITE ACCESS MULTNOMAH CHANNEL
- 4 SOUTH SITE EXISTING INFORMATION
- 5 SOUTH SITE EXISTING CULVERTS
- 6 SOUTH SITE MODIFICATIONS TRASHRACK, PLATFORM & RAILINGS
- 7 SOUTH SITE MODIFICATIONS PLATFORM, RAILINGS, LOCKRODS & STOPLOGS
- 8 NORTH SITE EXISTING INFORMATION
- 9 NORTH SITE EXISTING CULVERT DETAILS
- 10 NORTH SITE MODIFICATIONS TRASHRACKS, PLATFORMS & RAILINGS
- 11 NORTH SITE MODIFICATIONS FISH PASSAGE STOP LOGS
- 12 SITE ACCESS SMITH-BYBEE
- 13 SMITH-BYBEE MODIFICATIONS SITE PLAN
- 14 SMITH-BYBEE MODIFICATIONS STRUCTURE PLAN VIEW
- 15 SMITH-BYBEE MODIFICATIONS STRUCTURE ELEVATION VIEW
- 16 SMITH-BYBEE EXISTING INFORMATION
- 17 SMITH-BYBEE MODIFICATIONS GATES, PLATFORM, RAILINGS, LOCKRODS & STOPLOGS 18 SMITH-BYBEE MODIFICATIONS PLATFORM, RAILINGS, LOCKRODS & STOPLOGS

BID SET

	REVISIONS				PROJECT NO. US-OR-32-8 DATE: 2/3/17	DESIGNED BY:	GW
REV. NO.	DESCRIPTION	DATE	APPROVED	12	METRO: MULTNOMAH CHANNEL	DRAWN BY:	DMC
<u>/5\</u>			-		& SMITH BYBEE UNITS	SURVEYED BY:	JPS
3				DLICKS	WATER CONTROL STRUCTURE IMPOVEMENTS	CHECKED BY:	
2				I DUCKS		SHEET NO.	
\triangle				UNLIMITED	LOCATION MAP	1 OF	18

Unauthorized Changes & Uses

The engineer preparing these plans will not be responsible for, or liable for, unauthorized changes to or uses of these plans. All changes must be in writing and must be approved by the preparer of these plans.

GENERAL NOTES:

- Ducks unlimited makes no representations as to the existence or nonexistence of utilities. It is the
 responsibility of the contractor to comply with the provisions of all applicable utility notification
 regulations. The contractor will be liable for any damage to utilities caused by construction
 activities.
- The engineer does not represent that the location of utilities shown on the plans are exact or complete. It shall be the responsibility of the contractor to determine the presence of, actual locations of and make provisions for all watercourses and utilities. The contractor shall verify location, depth and height. Their verification shall be coordinated by the contractor with the appropriate utility company.
- The contractor shall exercise extreme caution when working in the vicinity of overhead power lines.
 Verify location in the field and protect in place.
- The contractor shall comply with all local and state requirements relative to the notificatciton of the applicable unerground service alert.
- At least 2 working days prior to beginning any digging or excavation work, the contractor shall notify underground service alert of Southern California (a.k.a. DigAlert) at www.digalert.org or by phone at 811, to determine locations of existing utilities.
- 6. In accordance with generally accepted construction practices, the contractor will be solely and completely responsible for the conditions of the ob site including safety of all persons and property during performance of the work. The contractor shall ensure that all work is performed in accordance with occupational safety laws, including the design and construction of proper shoring of trenches. The duties of the project engineer do not include review of the adequacy of the contractor's safety in, on, or near the job site.
- 7. It is the responsibility of the contractor to be knowledgeable about the project specifications and permits. All work shall be completed in compliance with the contract documents. The contractor shall have copies of the most current approved plans, specifications and permit conditions on site during all work operations.
- The project site and adjacent areas contain sensitive habitat areas for protected wildlife, and may include endangered species. The contractor shall protect wildlife and water quality, and minimize possible air, waterway, and subsoil contamination or pollution or other undesirable effects.
- Should it appear that the work to be done, or any matter relative thereto, is not sufficiently detailed
 or explained on these plans or in the specifications, the contractor shall contact the construction
 manager for such further explanations as may be necessary.
- 10. Should the contractor find any discrepancies between the conditions existing in the field and the information shown on the drawings, he shall notify the construction manager before proceeding with construction.

SURVEY POINT DESCRIPTORS

CTBM	Bench Mark (permanent)	RDSH	Road Shoulder
CTBT	Bench Mark (temporary)	RDSN	Road Sign
CTCP	Survey Control Point (permanent)	RDTO	Road, Toe of Slope
CTCT	Survey Control Point (temporary)	RDTP	Road, Top of Slope
DIFL	Ditch Flowline	SDMH	Storm Drain, Manhole
DIGB	Ditch Grade Break	SDPI	Storm Drain, Pipe Invert
DITO	Ditch Toe	SDPT	Storm Drain, Pipe Top
DITP	Ditch Top	SSMH	Sanitary Sewer, Manhole
ELBX	Electric, Box or Pullbox	SWFL	Swale Flowline
ELGY	Electric, Guy Wire	SWGB	Swale Grade Break
ELPP	Electric, Power Pole	SWTO	Swale Toe
ELSN	Electric, Warning Sign	SWTP	Swale Top
ELTR	Electric, Transformer	TFBL	Topo Feature, Building
ELTW	Electric, Tower	TFBR	Topo Feature, Brush
ELVT	Electric, Vault	TFCO	Topo Feature, Concrete (pad, slab, etc.)
FNAP	Fence Angle Point	TFFL	Topo Feature, Flowline
FNCR	Fence Corner	TFGB	Topo Feature, Grade Break
FNGT	Fence Gate	TFGS	Topo Feature, Ground Shot
FNLN	Fence Line	TFRK	Topo Feature, Rock Or Rocky Area Boundary
IRCO	Irrigation Concrete Pad	TFTL	Topo Feature, Tree line
IRCP	Irrigation Control Panel	TFTO	Topo Feature, Grade Break at Toe
IRPI	Irrigation Pipe Invert	TFTP	Topo Feature, Grade Break at Top
IRPM	Irrigation Pump	TFTR	Topo Feature, Tree
IRPT	Irrigation Pipe Top	WAEW	Edge of Water
IRVL	Irrigation Valve	WAHW	High Water Mark
IRWL	Irrigation Well	WAUW	Under Water Ground Shot
LVCL	Levee Centerline	WAWS	Water Surface
LVGB	Levee Grade Break	WCFL	Water Control Structure, Flowline/Invert at Structure
LVTO	Levee Toe of Slope	WCFR	Water Control Structure, Frame Top
LVTP	Levee Top of Slope	WCHW	Water Control Structure, Headwall
RDCL	Road, Centerline	WCPI	Water Control Structure, Pipe Invert at Outlet
RDED	Road, Edge of Dirt Road	WCPT	Water Control Structure, Pipe Top at Outlet
RDEG	Road, Edge of Gravel Road	WCST	Water Control Structure, Top of Structure
RDEP	Road, Edge of Paved Road	WCWW	Water Control Structure, Wing Wall

(N) New

D - - - - Ob - - - Id -

ABBREVIATIONS

Road Grade Break


AB Aggregate Base

RDGB

7 165	55 5		V-2 20/20
AC	Acre	N	North
APPROX	Approximate	NIC	Not In Contract
BM	Benchmark	NTS	Not To Scale
CAP	Corrugated Aluminum Pipe	OC	On Center
CC	Center to Center	OD	Outside Diameter
CF	Cubic Foot	PIP	Pressure Irrigation Pipe
CFS	Cubic Foot Per Second	PP	Power Pole
CL	Centerline	PSI	Pounds per Square Inch
CMP	Corrugated Metal Pipe	PVC	Polyvinyl Chloride
CMPA	Corrugated Metal Arch Pipe	QTY	Quantity
CONC	Concrete	R	Right
CP	Control Point	RCB	Reinforced Concrete Box
CY	Cubic Yard	RD	Road
DEMO	Demolish	REF	Reference Dimension
DIA	Diameter	REQD	Required
Dp	Pipe Diameter	ROW	Right Of Way
Dr	Riser Diameter	S	South
DU	Ducks Unlimited, Inc.	SCH	Schedule
D/S	Downstream	SS	Stainless Steel
E	East	SDR	Standard Dimension Ratio
EG	Existing Ground	SF	Square Feet
EL	Elevation	SHT	Sheet
EX, EXIST	Existing	SP	Special
FRG	Final Rough Grade	SPECS	Specifications
FG	Finished Grade	SY	Square Yard
FL	Flowline	STA	Station
FT	Foot, Feet	STD	Standard
FTG	Fitting, Footing	TBD	To Be Determined by Engineer
GA	Gauge	TBM	Temporary Benchmark
GB	Grade Break	TE	Top Elevation
Н	Height	TEMP	Temporary
HDPE	High-Density Polyethylene	TOL	Top of Levee
ID	Inside Diameter	TOB	Top of Berm
IE	Invert Elevation	TYP	Typical
IN	Inch, Inches	USA	Underground Service Alert
INV	Invert	U/S	Upstream
IPS	Iron Pipe Size	VLV	Valve
L	Length, Left	W	Width, West (where applicable)
LBF	Pounds-Force	W/	With
LF	Linear Feet	WCS	Water Control Structure
MAINT	Maintenance	WS	Water Surface
MAX	Maximum	WSEL	Water Surface Elevation
MIN	Minimum	WWF	Welded Wire Fabric
MISC	Miscellaneous	X:1	Slope, Horizontal:Vertical

LEGEND & STANDARD SYMBOLS

DETAILING CONVENTIONS




BID SET


						2.2	- .		
	REVISIONS				PROJECT NO. US-OR-32-8	DATE: 2/3/17	DESIGNED BY:	GV	
REV. NO.	DESCRIPTION	DATE	APPROVED		METRO: MULTNO	MAH CHANNEL	DRAWN BY:	DMC	
<u>/5\</u>					& SMITH BY		200,000,000	1550000	
4					Committee of the Commit		SURVEYED BY:	JPS	
3				DUCKS	WATER CONTROL STRU	STURE IMPOVEMENTS	(C) (C) (C) (C) (C)		
2				I DU CITED			SHEET NO.		
A				IUNLIMITED	DRAWING INF	ORMATION	2 OF	18	


Unauthorized Changes & Uses


The engineer preparing these plans will not be responsible for, or liable for, unauthorized changes to or uses of these plans. All changes must be in writing and must be approved by the preparer of these plans.

















Unauthorized Changes & Uses


The engineer preparing these plans will not be responsible for, or liable for, unauthorized changes to or uses of these plans. All changes must be in writing and must be approved by the preparer of these plans.








BID SET


						_
	REVISIONS			P	ROJECT NO. US-OR-32-8 DATE: 2/3/17	DESIGNED BY: GW
V. NO.	DESCRIPTION	DATE	APPROVED		METRO: MULTNOMAH CHANNE	L DRAWN BY: DMC
<u>A</u>					SOUTH SITE	SURVEYED BY:
3				DLICKS	EXISTING INFORMATION	CHECKED BY:
2				LINILIMITED	EXISTING CULVERT DETAILS	SHEET NO.
1				IONLIMITED		□ 5 of 18 l













RISER AND CULVERT ARE BOTH 10 GAGE, RISER MAY BE GALVANIZED. CULVERT TO BE ALUMINUM STEEL



ELEVATION VIEW OF CULVERT WITH FLASHBOARD RISER



1 EXISTING DETAILS
9 NORTH SITE

Unauthorized Changes & Uses


The engineer preparing these plans will not be responsible for, or liable for, unauthorized changes to or uses of these plans. All changes must be in writing and must be approved by the preparer of these plans.






BID SET

	REVISIONS				PROJECT NO. US-OR-32-8 DATE: 2/3/17	DESIGNED BY:	GW
REV. NO.	DESCRIPTION	DATE	APPROVED	1 3	METRO: MULTNOMAH CHANNEL	DRAWN BY:	DMC
<u>/5\</u>					NORTH SITE	SURVEYED BY:	
/3\				DUCKS	EXISTING INFORMATION	CHECKED BY:	
<u>A</u>				UNLIMITED	EXISTING CULVERT	9 of 1	18







WATER CONTROL STRUCTURE IMPOVEMENTS CHECKED BY:

SITE ACCESS

12 of 18

Unauthorized Changes & Uses
The engineer preparing these plans will not be responsible for, or liable for, unauthorized changes to or uses of these plans. All changes must be in writing and must be approved by the preparer of these plans.



